



Rituxan Hycela® (rituximab and hyaluronidase human) (Subcutaneous)

Document Number: SHP-0322

Last Review Date: 06/02/2020

Date of Origin: 7/20/2010

Dates Reviewed: 09/2010, 12/2010, 02/2011, 03/2011, 05/2011, 06/2011, 09/2011, 12/2011, 03/2012, 06/2012, 09/2012, 12/2012, 03/2013, 06/2013, 09/2013, 12/2013, 03/2014, 06/2014, 09/2014, 12/2014, 03/2015, 05/2015, 08/2015, 11/2015, 02/2016, 05/2016, 08/2016, 10/2016, 02/2017, 05/2017, 08/2017, 10/2017, 02/2018, 05/2018, 09/2018, 12/2018, 03/2019, 06/2019, 09/2019, 12/2019, 03/2020, 06/2020

I. Length of Authorization

Coverage will be provided for 6 months and may be renewed unless otherwise specified.

- Maintenance therapy may be renewed for up to a maximum of 2 years.
 - Mantle cell lymphoma may be renewed until disease progression or intolerable toxicity

II. Dosing Limits

A. Quantity Limit (max daily dose) [NDC Unit]:

- Rituxan Hycela 1,400 mg/23,400 Units per 11.7 mL single-dose vial:
4 vials per 28 day supply
- Rituxan Hycela 1,600 mg/26,800 Units per 13.4 mL single-dose vial:
1 vial per 28 day supply

B. Max Units (per dose and over time) [HCPCS Unit]:

Follicular Lymphoma (FL):
Relapsed-Refractory
• 1,400 mg/23,400 U (140 billable units) weekly up to 7 doses
Previously Untreated
• 1,400 mg/23,400 U (140 billable units) every 21 days x 7 doses
• 1,400 mg/23,400 U (140 billable units) every 8 weeks x 12 doses (maintenance)
Non-progressing after first line CVP chemotherapy
• 1,400 mg/23,400 U (140 billable units) weekly x 3 doses at 6 month intervals (up to a maximum of 16 doses).
Diffuse Large B-Cell Lymphoma (DLBCL):
• 1,400 mg/23,400 U (140 billable units) every 21 days x 7 doses
Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL):
• 1,600 mg/26,800 U (160 billable units) every 28 days x 5 doses
Other indications:
• 1,400 mg/23,400 U (140 billable units) weekly for 3-7 doses in a 6-month period; OR
• 1,400 mg/23,400 U (140 billable units) every 8 weeks (maintenance treatment)

III. Initial Approval Criteria ^{1,2}

Coverage is provided in the following conditions:

- Patient must try and have an inadequate response, contraindication, or intolerance to an adequate trial of a biosimilar rituximab product

- Patient age is 18 years or older; **AND**

Universal Criteria

- Patient must be screened for Hepatitis B virus (HBV) infection (i.e., HBsAg and anti-HBc) prior to initiating therapy and monitored for HBV during treatment; **AND**
- Patient is CD20 antigen expression positive; **AND**
- Patient has received at least one full dose of a rituximab product by intravenous infusion prior to initiating therapy; **AND**
- Rituxan Hycela will not be used with intravenous chemotherapy agents; **AND**

Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL)* † Φ

B-Cell Lymphomas* † ‡

- Follicular Lymphoma (FL) † Φ
- Diffuse Large B-Cell Lymphoma (DLBCL) † Φ
- High Grade B-Cell Lymphomas ‡
- Castleman's Disease ‡
- Gastric & Non-gastric MALT Lymphoma ‡
- Mantle Cell Lymphoma ‡
- Nodal & Splenic Marginal Zone Lymphoma ‡
- Histologic transformation of Nodal Marginal Zone Lymphoma to Diffuse Large B-Cell Lymphoma ‡
- Post-transplant lymphoproliferative disorder (PTLD) ‡

Hairy Cell Leukemia ‡

Primary Cutaneous B-Cell Lymphoma ‡

- Used for generalized (skin only), T3 primary cutaneous marginal zone or follicle center disease

**Note: Patient must meet relevant initial criteria and receive at least ONE dose of the intravenous formulation of rituximab prior to initiating therapy with the subcutaneous formulation.*

† FDA-labeled indication(s); ‡ Compendia recommended indication(s); Φ Orphan Drug

IV. Renewal Criteria ¹

Coverage can be renewed based upon the following criteria:

- Patient continues to meet universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include the following: severe infusion reactions, tumor lysis syndrome (TLS), severe mucocutaneous reactions, progressive multifocal leukoencephalopathy (PML), viral hepatitis, serious bacterial, fungal, or viral infections, cardiac adverse reactions, renal toxicity, bowel obstruction or perforation, etc.; **AND**
- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread; **AND**
- Patient has not exceeded dosing or duration limits as defined in Sections I, II, and V

V. Dosage/Administration

Indication	Dose
Follicular Lymphoma (FL)	1,400 mg/23,400 Units subcutaneously, at a fixed dose, irrespective of patient's BSA, according to the following schedules: <u>Relapsed or Refractory</u> <ul style="list-style-type: none"> • Weekly for 3 or 7 weeks (i.e., 4 or 8 weeks in total) <u>Retreatment for Relapsed or Refractory</u> <ul style="list-style-type: none"> • Weekly for 3 weeks (i.e., 4 weeks in total) <u>Previously Untreated</u> <ul style="list-style-type: none"> • Day 1 of Cycles 2–8 of chemotherapy (every 21 days), for up to 7 cycles (i.e., up to 8 cycles in total). In patients with complete or partial response, initiate maintenance treatment 8 weeks following completion of initial therapy. Administer Rituxan Hycela every 8 weeks for 12 doses. <u>Non-progressing after first line CVP chemotherapy</u> <ul style="list-style-type: none"> • Following completion of 6–8 cycles of chemotherapy, administer once weekly for 3 weeks (i.e., 4 weeks in total) at 6 month intervals to a maximum of 16 doses.
Diffuse Large B-Cell Lymphoma (DLBCL)	1,400 mg/23,400 Units subcutaneously, at a fixed dose, irrespective of patient's BSA. <ul style="list-style-type: none"> – Administer on Day 1 of Cycles 2–8 of chemotherapy for up to 7 cycles (i.e., up to 6-8 cycles in total). Cycle length is 21 days.
CLL/SLL	1,600 mg/26,800 Units subcutaneously, at a fixed dose, irrespective of patient's BSA. <ul style="list-style-type: none"> – Administer on Day 1 of Cycles 2–6 (every 28 days) for a total of 5 cycles (i.e., 6 cycles in total). Cycle length is 28 days.
All other indications	1,400 mg/23,400 Units subcutaneously, at a fixed dose, irrespective of patient's BSA. <ul style="list-style-type: none"> • Administer up to once weekly for 3-7 doses in a 6-month period; OR • Administer once every 8 weeks (maintenance treatment)
<i>Note: Patient must receive at least ONE dose of the intravenous formulation of rituximab prior to initiating therapy with the subcutaneous formulation. Must be administered by a healthcare provider.</i>	

VI. Billing Code/Availability Information

HCPCS Code:

- J9311 – Injection, rituximab 10 mg and hyaluronidase: 1 billable unit = 10 mg

NDC:

- Rituxan Hycela 1,400 mg rituximab/23,400 Units hyaluronidase human single-dose vial: 50242-0108-xx
- Rituxan Hycela 1,600 mg rituximab/26,800 Units hyaluronidase human single-dose vial : 50242-0109-xx

VII. References

1. Rituxan Hycela [package insert]. South San Francisco, CA; Genentech, Inc; May 2020. Accessed May 2020.
2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) rituximab and hyaluronidase human. National Comprehensive Cancer Network, 2020. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed April 2020.
3. Davies A, Merli F, Mihaljević B, et al. Efficacy and safety of subcutaneous rituximab versus intravenous rituximab for first-line treatment of follicular lymphoma (SABRINA): a randomised, open-label, phase 3 trial. *Lancet Haematol.* 2017 Jun;4(6):e272-e282. doi: 10.1016/S2352-3026(17)30078-9. Epub 2017 May 2.
4. Lugtenburg P, Avivi I, Berenschot H, et al. Efficacy and safety of subcutaneous and intravenous rituximab plus cyclophosphamide, doxorubicin, vincristine, and prednisone in first-line diffuse large B-cell lymphoma: the randomized MabEase study. *Haematologica.* 2017 Nov;102(11):1913-1922. doi: 10.3324/haematol.2017.173583. Epub 2017 Sep 21.
5. Assouline S, Buccheri V, Delmer A, et al. Pharmacokinetics, safety, and efficacy of subcutaneous versus intravenous rituximab plus chemotherapy as treatment for chronic lymphocytic leukaemia (SAWYER): a phase 1b, open-label, randomised controlled non-inferiority trial. *Lancet Haematol.* 2016 Mar;3(3):e128-38. doi:10.1016/S2352-3026(16)00004-1.
6. National Government Services, Inc. Local Coverage Article: Billing and Coding: Rituximab, biosimilars and Rituximab and hyaluronidase human (Rituxan Hycela™) (A52452). Centers for Medicare & Medicaid Services, Inc. Updated on 03/20/2020 with effective date of 04/01/2020. Accessed April 2020.
7. CGS Administrators, LLC. Local Coverage Article: Billing and Coding: Rituximab -J9311, J9312, J9999, Q5115 (A57321). Centers for Medicare & Medicaid Services, Inc. Updated on 11/13/2019 with effective date 11/21/2019. Accessed April 2020.
8. Palmetto GBA. Local Coverage Article: Billing and Coding: Rituximab (A56380). Centers for Medicare & Medicaid Services, Inc. Updated on 01/29/2020 with effective date of 02/06/2020. Accessed April 2020.

9. Ruxience [package insert]. New York, NY; Pfizer, Inc; July 2019. Accessed October 2019.
10. Truxima [package insert]. Incheon, Korea; Celltrion, Inc; May 2019. Accessed November 2019.

Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description
C82.00	Follicular lymphoma grade I, unspecified site
C82.01	Follicular lymphoma grade I, lymph nodes of head, face and neck
C82.02	Follicular lymphoma, grade I, intrathoracic lymph nodes
C82.03	Follicular lymphoma grade I, intra-abdominal lymph nodes
C82.04	Follicular lymphoma grade I, lymph nodes of axilla and upper limb
C82.05	Follicular lymphoma grade I, lymph nodes of inguinal regional and lower limb
C82.06	Follicular lymphoma grade I, intrapelvic lymph nodes
C82.07	Follicular lymphoma grade I, spleen
C82.08	Follicular lymphoma grade I, lymph nodes of multiple sites
C82.09	Follicular lymphoma grade I, extranodal and solid organ sites
C82.10	Follicular lymphoma grade II, unspecified site
C82.11	Follicular lymphoma grade II, lymph nodes of head, face and neck
C82.12	Follicular lymphoma, grade II, intrathoracic lymph nodes
C82.13	Follicular lymphoma grade II, intra-abdominal lymph nodes
C82.14	Follicular lymphoma grade II, lymph nodes of axilla and upper limb
C82.15	Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb
C82.16	Follicular lymphoma grade II, intrapelvic lymph nodes
C82.17	Follicular lymphoma grade II, spleen
C82.18	Follicular lymphoma grade II, lymph nodes of multiple sites
C82.19	Follicular lymphoma grade II, extranodal and solid organ sites
C82.20	Follicular lymphoma grade III, unspecified, unspecified site
C82.21	Follicular lymphoma grade III, unspecified, lymph nodes of head, face and neck
C82.22	Follicular lymphoma, grade III, unspecified, intrathoracic lymph nodes
C82.23	Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes
C82.24	Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb
C82.25	Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb
C82.26	Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes
C82.27	Follicular lymphoma grade III, unspecified, spleen
C82.28	Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites
C82.29	Follicular lymphoma grade III, unspecified, extranodal and solid organ sites
C82.30	Follicular lymphoma grade IIIa, unspecified site
C82.31	Follicular lymphoma grade IIIa, lymph nodes of head, face and neck
C82.32	Follicular lymphoma, grade IIIa, intrathoracic lymph nodes

C82.33	Follicular lymphoma grade IIIa, intra-abdominal lymph nodes
C82.34	Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb
C82.35	Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb
C82.36	Follicular lymphoma grade IIIa, intrapelvic lymph nodes
C82.37	Follicular lymphoma grade IIIa, spleen
C82.38	Follicular lymphoma grade IIIa, lymph nodes of multiple sites
C82.39	Follicular lymphoma grade IIIa, extranodal and solid organ sites
C82.40	Follicular lymphoma grade IIIb, unspecified site
C82.41	Follicular lymphoma grade IIIb, lymph nodes of head, face and neck
C82.42	Follicular lymphoma, grade IIIb, intrathoracic lymph nodes
C82.43	Follicular lymphoma grade IIIb, intra-abdominal lymph nodes
C82.44	Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb
C82.45	Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb
C82.46	Follicular lymphoma grade IIIb, intrapelvic lymph nodes
C82.47	Follicular lymphoma grade IIIb, spleen
C82.48	Follicular lymphoma grade IIIb, lymph nodes of multiple sites
C82.49	Follicular lymphoma grade IIIb, extranodal and solid organ sites
C82.50	Diffuse follicle center lymphoma, unspecified site
C82.51	Diffuse follicle center lymphoma, lymph nodes of head, face and neck
C82.52	Diffuse follicle center lymphoma, intrathoracic lymph nodes
C82.53	Diffuse follicle center lymphoma, intra-abdominal lymph nodes
C82.54	Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb
C82.55	Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb
C82.56	Diffuse follicle center lymphoma, intrapelvic lymph nodes
C82.57	Diffuse follicle center lymphoma, spleen
C82.58	Diffuse follicle center lymphoma, lymph nodes of multiple sites
C82.59	Diffuse follicle center lymphoma, extranodal and solid organ sites
C82.60	Cutaneous follicle center lymphoma, unspecified site
C82.61	Cutaneous follicle center lymphoma, lymph nodes of head, face and neck
C82.62	Cutaneous follicle center lymphoma, intrathoracic lymph nodes
C82.63	Cutaneous follicle center lymphoma, intra-abdominal lymph nodes
C82.64	Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb
C82.65	Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb
C82.66	Cutaneous follicle center lymphoma, intrapelvic lymph nodes
C82.67	Cutaneous follicle center lymphoma, spleen
C82.68	Cutaneous follicle center lymphoma, lymph nodes of multiple sites
C82.69	Cutaneous follicle center lymphoma, extranodal and solid organ sites
C82.80	Other types of follicular lymphoma, unspecified site
C82.81	Other types of follicular lymphoma, lymph nodes of head, face and neck

RITUXAN HYCELA® (rituximab & hyaluronidase human)

Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2020, Magellan Rx Management

C82.82	Other types of follicular lymphoma, intrathoracic lymph nodes
C82.83	Other types of follicular lymphoma, intra-abdominal lymph nodes
C82.84	Other types of follicular lymphoma, lymph nodes of axilla and upper limb
C82.85	Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb
C82.86	Other types of follicular lymphoma, intrapelvic lymph nodes
C82.87	Other types of follicular lymphoma, spleen
C82.88	Other types of follicular lymphoma, lymph nodes of multiple sites
C82.89	Other types of follicular lymphoma, extranodal and solid organ sites
C82.90	Follicular lymphoma, unspecified, unspecified site
C82.91	Follicular lymphoma, unspecified, lymph nodes of head, face and neck
C82.92	Follicular lymphoma, unspecified, intrathoracic lymph nodes
C82.93	Follicular lymphoma, unspecified, intra-abdominal lymph nodes
C82.94	Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb
C82.95	Follicular lymphoma, unspecified lymph nodes of inguinal region and lower limb
C82.96	Follicular lymphoma, unspecified, intrapelvic lymph nodes
C82.97	Follicular lymphoma, unspecified, spleen
C82.98	Follicular lymphoma, unspecified, lymph nodes of multiple sites
C82.99	Follicular lymphoma, unspecified, extranodal and solid organ sites
C83.00	Small cell B-cell lymphoma, unspecified site
C83.01	Small cell B-cell lymphoma, lymph nodes of head, face and neck
C83.02	Small cell B-cell lymphoma, intrathoracic lymph nodes
C83.03	Small cell B-cell lymphoma, intra-abdominal lymph nodes
C83.04	Small cell B-cell lymphoma, lymph nodes of axilla and upper limb
C83.05	Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb
C83.06	Small cell B-cell lymphoma, intrapelvic lymph nodes
C83.07	Small cell B-cell lymphoma, spleen
C83.08	Small cell B-cell lymphoma, lymph nodes of multiple sites
C83.09	Small cell B-cell lymphoma, extranodal and solid organ sites
C83.10	Mantle cell lymphoma, unspecified site
C83.11	Mantle cell lymphoma, lymph nodes of head, face and neck
C83.12	Mantle cell lymphoma, intrathoracic lymph nodes
C83.13	Mantle cell lymphoma, intra-abdominal lymph nodes
C83.14	Mantle cell lymphoma, lymph nodes of axilla and upper limb
C83.15	Mantle cell lymphoma, lymph nodes of inguinal region and lower limb
C83.16	Mantle cell lymphoma, intrapelvic lymph nodes
C83.17	Mantle cell lymphoma, spleen
C83.18	Mantle cell lymphoma, lymph nodes of multiple sites
C83.19	Mantle cell lymphoma, extranodal and solid organ sites
C83.30	Diffuse large B-cell lymphoma unspecified site

RITUXAN HYCELA® (rituximab & hyaluronidase human)

Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2020, Magellan Rx Management

C83.31	Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck
C83.32	Diffuse large B-cell lymphoma intrathoracic lymph nodes
C83.33	Diffuse large B-cell lymphoma intra-abdominal lymph nodes
C83.34	Diffuse large B-cell lymphoma lymph nodes of axilla and upper limb
C83.35	Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb
C83.36	Diffuse large B-cell lymphoma intrapelvic lymph nodes
C83.37	Diffuse large B-cell lymphoma, spleen
C83.38	Diffuse large B-cell lymphoma lymph nodes of multiple sites
C83.39	Diffuse large B-cell lymphoma extranodal and solid organ sites
C83.80	Other non-follicular lymphoma, unspecified site
C83.81	Other non-follicular lymphoma, lymph nodes of head, face and neck
C83.82	Other non-follicular lymphoma, intrathoracic lymph nodes
C83.83	Other non-follicular lymphoma, intra-abdominal lymph nodes
C83.84	Other non-follicular lymphoma, lymph nodes of axilla and upper limb
C83.85	Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb
C83.86	Other non-follicular lymphoma, intrapelvic lymph nodes
C83.87	Other non-follicular lymphoma, spleen
C83.88	Other non-follicular lymphoma, lymph nodes of multiple sites
C83.89	Other non-follicular lymphoma, extranodal and solid organ sites
C85.20	Mediastinal (thymic) large B-cell lymphoma, unspecified site
C85.21	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face and neck
C85.22	Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes
C85.23	Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes
C85.24	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb
C85.25	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb
C85.26	Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes
C85.27	Mediastinal (thymic) large B-cell lymphoma, spleen
C85.28	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites
C85.29	Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites
C85.80	Other specified types of non-Hodgkin lymphoma, unspecified site
C85.81	Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face and neck
C85.82	Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes
C85.83	Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes
C85.84	Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb
C85.85	Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region of lower limb
C85.86	Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes
C85.87	Other specified types of non-Hodgkin lymphoma, spleen
C85.88	Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites
C85.89	Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites

RITUXAN HYCELA® (rituximab & hyaluronidase human)

Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2020, Magellan Rx Management

C88.4	Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue (MALT-lymphoma)
C91.10	Chronic lymphocytic leukemia of B-cell type not having achieved remission
C91.12	Chronic lymphocytic leukemia of B-cell type in relapse
C91.40	Hairy cell leukemia not having achieved remission
C91.42	Hairy cell leukemia, in relapse
D36.0	Benign neoplasm of lymph nodes
D47.Z1	Post-transplant lymphoproliferative disorder (PTLD)
D47.Z2	Other neoplasms of uncertain behavior of lymphoid, hematopoietic and related tissue – Castleman
R59.0	Localized enlarged lymph nodes
R59.1	Generalized enlarged lymph nodes
R59.9	Enlarged lymph nodes, unspecified

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Determinations (LCDs), and Local Coverage Articles (LCAs) may exist and compliance with these policies is required where applicable. They can be found at: <http://www.cms.gov/medicare-coverage-database/search/advanced-search.aspx>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA):

Jurisdiction(s): 6, K	NCD/LCD/LCA Document (s): A52452
https://www.cms.gov/medicare-coverage-database/search/article-date-search.aspx?DocID=A52452&bc=gAAAAAAAAAAAAA ==	

Jurisdiction(s): J, M	NCD/LCD/LCA Document (s): A56380
https://www.cms.gov/medicare-coverage-database/search/article-date-search.aspx?DocID=A56380&bc=gAAAAAAAAAAAAA	

Jurisdiction(s): 15	NCD/LCD/LCA Document (s): A57321
https://www.cms.gov/medicare-coverage-database/search/article-date-search.aspx?DocID=A57321&bc=gAAAAAAAAAAAAA	

Medicare Part B Administrative Contractor (MAC) Jurisdictions		
Jurisdiction	Applicable State/US Territory	Contractor
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)

RITUXAN HYCELA® (rituximab & hyaluronidase human)
Prior Auth Criteria

Medicare Part B Administrative Contractor (MAC) Jurisdictions

Jurisdiction	Applicable State/US Territory	Contractor
6	MN, WI, IL	National Government Services, Inc. (NGS)
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)
N (9)	FL, PR, VI	First Coast Service Options, Inc.
J (10)	TN, GA, AL	Palmetto GBA, LLC
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)
15	KY, OH	CGS Administrators, LLC