

## Simponi ARIA® (golimumab) (Intravenous)

Document Number: DMBA-0176

Last Review Date: 10/02/2018

Date of Origin: 09/05/2013

Dates Reviewed: 12/2013, 8/2014, 3/2015, 6/2015, 9/2015, 12/2015, 3/2016, 6/2016, 9/2016, 12/2016, 3/2017, 6/2017, 9/2017, 10/2017, 03/2018, 06/2018, 10/2018

### I. Length of Authorization

Coverage will be provided for six months and may be renewed

### II. Dosing Limits

#### A. Quantity Limit (max daily dose) [Pharmacy Benefit]:

- Simponi Aria 50 mg/4 mL injection: 10 vials first 28 days, then 5 vials per 56 days

#### B. Max Units (per dose and over time) [Medical Benefit]:

##### Loading Dose:

- 250 billable units on weeks 0 and 4

##### Maintenance:

- 250 billable units every 8 weeks

### III. Initial Approval Criteria

- Patient is 18 years or older; **AND**
- Patient has been evaluated and screened for the presence of latent TB infection prior to initiating treatment; **AND**
- Patient has been evaluated and screened for the presence hepatitis B virus (HBV) prior to initiating treatment; **AND**
- Patient does not have an active infection, including clinically important localized infections; **AND**
- Must not be administered concurrently with live vaccines; **AND**
- Patient is not on concurrent treatment with another TNF inhibitor, biologic response modifier or other non-biologic agent (i.e., apremilast tofacitinib, baricitinib); **AND**
- Physician has assessed baseline disease severity utilizing an objective measure/tool; **AND**

Rheumatoid Arthritis (RA) †

- Patient has had at least a 3 month trial and failed of previous therapy with ONE oral disease modifying anti-rheumatic agent (DMARD) such as methotrexate, azathioprine, auranofin, hydroxychloroquine, penicillamine, sulfasalazine, or leflunomide; **AND**
- Prescribed in combination with methotrexate unless contraindicated

#### **Psoriatic Arthritis (PsA) †**

- Must be prescribed by, or in consultation with, a specialist in dermatology or rheumatology; **AND**
- Documented moderate to severe active disease; **AND**
  - For patients with predominantly axial disease OR active enthesitis and/or dactylitis, an adequate trial and failure of at least TWO (2) non-steroidal anti-inflammatory agents (NSAIDs), unless use is contraindicated; **OR**
  - For patients with peripheral arthritis, a trial and failure of at least a 3 month trial of ONE oral disease-modifying anti-rheumatic agent (DMARD) such as methotrexate, azathioprine, sulfasalazine, or hydroxychloroquine

#### **Ankylosing Spondylitis †**

- Must be prescribed by, or in consultation with, a specialist in rheumatology; **AND**
- Documented active disease; **AND**
- Patient had an adequate trial and failure of at least TWO (2) non-steroidal anti-inflammatory agents (NSAIDs), unless use is contraindicated

† FDA Approved Indication(s)

## **IV. Renewal Criteria**

Coverage can be renewed based upon the following criteria:

- Patient continues to meet criteria identified in section III; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include the following: serious infections, cardiotoxicity/heart failure, malignancy, demyelinating disorders, lupus-like syndrome, severe hypersensitivity reactions, severe hematologic cytopenias (e.g., pancytopenia, leukopenia, neutropenia, thrombocytopenia, etc.), etc.; **AND**
- Patient is receiving ongoing monitoring for presence of TB or other active infections; **AND**

#### **Rheumatoid Arthritis**

- Disease response as indicated by improvement in signs and symptoms compared to baseline such as the number of tender and swollen joint counts, reduction of C-reactive protein, improvement of patient global assessment, and/or an improvement on a disease activity scoring tool [e.g. an improvement on a composite scoring index such as Disease Activity Score-28 (DAS28) of 1.2 points or more or a  $\geq 20\%$  improvement on the American College of Rheumatology-20 (ACR20) criteria].

## Psoriatic Arthritis

- Disease response as indicated by improvement in signs and symptoms compared to baseline such as the number of tender and swollen joint counts and/or an improvement on a disease activity scoring tool [e.g. defined as an improvement in at least 2 of the 4 Psoriatic Arthritis Response Criteria (PsARC), 1 of which must be joint tenderness or swelling score, with no worsening in any of the 4 criteria.]

## Ankylosing Spondylitis

- Disease response as indicated by improvement in signs and symptoms compared to baseline such as total back pain, physical function, morning stiffness, and/or an improvement on a disease activity scoring tool (e.g.  $\geq 1.1$  improvement on the Ankylosing Spondylitis Disease Activity Score (ASDAS) or an improvement of  $\geq 2$  on the Bath Ankylosing Spondylitis Disease Activity Index (BASDAI)).

## V. Dosage/Administration

| Indication      | Dose   |
|-----------------|--|
| All Indications | 2 mg/kg intravenous infusion at weeks 0, and 4, then every 8 weeks thereafter. |

## VI. Billing Code/Availability Information

### Jcode:

J1602 - Injection, golimumab, 1 mg, for intravenous use; 1mg = 1 billable unit

### NDC:

Simponi Aria 50 mg/4 mL injection, single-use vial: 57894-0350-xx

## VII. References

1. Simponi ARIA [package insert]. Horsham, PA; Janssen Biotech Inc; February 2018. Accessed September 2018.
2. Singh JA, Saag KG, Bridges SL Jr, et al. 2015 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. Arthritis Care Res (Hoboken). 2015 Nov 6. doi: 10.1002/acr.22783.
3. Weinblatt ME, Bingham CO 3rd, Mendelsohn AM, et al. Intravenous golimumab is effective in patients with active rheumatoid arthritis despite methotrexate therapy with responses as early as week 2: results of the phase 3, randomised, multicentre, double-blind, placebo-controlled GO-FURTHER trial. Ann Rheum Dis. 2013 Mar;72(3):381-9. doi: 10.1136/annrheumdis-2012-201411. Epub 2012 Jun 1.
4. Smolen JS, Landewé R, Bijlsma J, et al. EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2016 update. Ann Rheum Dis. 2017 Mar 6. pii: annrheumdis-2016-210715.
5. Gottlieb A, Korman NJ, Gordon KB, Feldman SR, Lebwohl M, Koo JY, Van Voorhees AS, Elmetts CA, Leonardi CL, Beutner KR, Bhushan R, Menter A. Guidelines of care for the

management of psoriasis and psoriatic arthritis: Section 2. Psoriatic arthritis: overview and guidelines of care for treatment with an emphasis on the biologics. *J Am Acad Dermatol* 2008 May; 58(5):851-64.

6. Ramiro S, Smolen JS, Landewé R, et al. Pharmacological treatment of psoriatic arthritis: a systematic literature review for the 2015 update of the EULAR recommendations for the management of psoriatic arthritis. *Ann Rheum Dis* 2016;75:490-498  
doi:10.1136/annrheumdis-2015-208466
7. Van Der Heijde D, Ramiro S, Landewe R, et al. 2016 update of the ASAS-EULAR management recommendations for axial spondyloarthritis. *Ann Rheum Dis*  
doi:10.1136/annrheumdis-2016-210770
8. National Institute for Health and Care Excellence. NICE 2017. Certolizumab pegol and secukinumab for treating active psoriatic arthritis after inadequate response to DMARDs. Published 24 May 2017. Technology Appraisal Guidance [TA445].  
<https://www.nice.org.uk/guidance/TA445/chapter/1-Recommendations>. Accessed August 2017.
9. National Institute for Health and Care Excellence. NICE 2009. Rheumatoid Arthritis in Adults: Management. Published 25 February 2009. Clinical Guideline [CG79].  
<https://www.nice.org.uk/guidance/cg79/resources/rheumatoid-arthritis-in-adults-management-pdf-975636823525>.
10. National Institute for Health and Care Excellence. NICE 2010. Adalimumab, etanercept, infliximab, rituximab and abatacept for the treatment of rheumatoid arthritis after failure of a TNF inhibitor. Published 10 October 2012. Clinical Guideline [TA195].  
<https://www.nice.org.uk/guidance/ta195/resources/adalimumab-etanercept-infliximab-rituximab-and-abatacept-for-the-treatment-of-rheumatoid-arthritis-after-the-failure-of-a-tnf-inhibitor-pdf-82598558287813>.
11. Ward MM, Guthri LC, Alba MI. Rheumatoid Arthritis Response Criteria And Patient-Reported Improvement in Arthritis Activity: Is an ACR20 Response Meaningful to Patients?. *Arthritis Rheumatol*. 2014 Sep; 66(9): 2339–2343. doi: 10.1002/art.38705

## Appendix 1 – Covered Diagnosis Codes

| ICD-10  | ICD-10 Description  |
|---------|---|
| L40.50  | Arthropathic psoriasis, unspecified                                       |
| L40.51  | Distal interphalangeal psoriatic arthropathy                              |
| L40.52  | Psoriatic arthritis mutilans  |
| L40.53  | Psoriatic spondylitis   |
| L40.59  | Other psoriatic arthropathy   |
| M05.10  | Rheumatoid lung disease with rheumatoid arthritis of unspecified site     |
| M05.111 | Rheumatoid lung disease with rheumatoid arthritis of right shoulder       |
| M05.112 | Rheumatoid lung disease with rheumatoid arthritis of left shoulder        |
| M05.119 | Rheumatoid lung disease with rheumatoid arthritis of unspecified shoulder |
| M05.121 | Rheumatoid lung disease with rheumatoid arthritis of right elbow          |

### SIMPONI ARIA® (golimumab) Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2018, Magellan Rx Management

**MagellanRx**  
MANAGEMENT<sup>SM</sup>

| ICD-10  | ICD-10 Description  |
|---------|---|
| M05.122 | Rheumatoid lung disease with rheumatoid arthritis of left elbow                 |
| M05.129 | Rheumatoid lung disease with rheumatoid arthritis of unspecified elbow          |
| M05.131 | Rheumatoid lung disease with rheumatoid arthritis of right wrist                |
| M05.132 | Rheumatoid lung disease with rheumatoid arthritis of left wrist                 |
| M05.139 | Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist          |
| M05.141 | Rheumatoid lung disease with rheumatoid arthritis of right hand                 |
| M05.142 | Rheumatoid lung disease with rheumatoid arthritis of left hand                  |
| M05.149 | Rheumatoid lung disease with rheumatoid arthritis of unspecified hand           |
| M05.151 | Rheumatoid lung disease with rheumatoid arthritis of right hip                  |
| M05.152 | Rheumatoid lung disease with rheumatoid arthritis of left hip                   |
| M05.159 | Rheumatoid lung disease with rheumatoid arthritis of unspecified hip            |
| M05.161 | Rheumatoid lung disease with rheumatoid arthritis of right knee                 |
| M05.162 | Rheumatoid lung disease with rheumatoid arthritis of left knee                  |
| M05.169 | Rheumatoid lung disease with rheumatoid arthritis of unspecified knee           |
| M05.171 | Rheumatoid lung disease with rheumatoid arthritis of right ankle and foot       |
| M05.172 | Rheumatoid lung disease with rheumatoid arthritis of left ankle and foot        |
| M05.179 | Rheumatoid lung disease with rheumatoid arthritis of unspecified ankle and foot |
| M05.19  | Rheumatoid lung disease with rheumatoid arthritis of multiple sites             |
| M05.20  | Rheumatoid vasculitis with rheumatoid arthritis of unspecified site             |
| M05.211 | Rheumatoid vasculitis with rheumatoid arthritis of right shoulder               |
| M05.212 | Rheumatoid vasculitis with rheumatoid arthritis of left shoulder                |
| M05.219 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified shoulder         |
| M05.221 | Rheumatoid vasculitis with rheumatoid arthritis of right elbow                  |
| M05.222 | Rheumatoid vasculitis with rheumatoid arthritis of left elbow                   |
| M05.229 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified elbow            |
| M05.231 | Rheumatoid vasculitis with rheumatoid arthritis of right wrist                  |
| M05.232 | Rheumatoid vasculitis with rheumatoid arthritis of left wrist                   |
| M05.239 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified wrist            |
| M05.241 | Rheumatoid vasculitis with rheumatoid arthritis of right hand                   |
| M05.242 | Rheumatoid vasculitis with rheumatoid arthritis of left hand                    |
| M05.249 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified hand             |
| M05.251 | Rheumatoid vasculitis with rheumatoid arthritis of right hip                    |
| M05.252 | Rheumatoid vasculitis with rheumatoid arthritis of left hip                     |
| M05.259 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified hip              |
| M05.261 | Rheumatoid vasculitis with rheumatoid arthritis of right knee                   |
| M05.262 | Rheumatoid vasculitis with rheumatoid arthritis of left knee                    |
| M05.269 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified knee             |

**SIMPONI ARIA® (golimumab) Prior Auth Criteria**

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2018, Magellan Rx Management

| ICD-10  | ICD-10 Description   |
|---------|--|
| M05.271 | Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot          |
| M05.272 | Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot           |
| M05.279 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified ankle and foot    |
| M05.29  | Rheumatoid vasculitis with rheumatoid arthritis of multiple sites                |
| M05.30  | Rheumatoid heart disease with rheumatoid arthritis of unspecified site           |
| M05.311 | Rheumatoid heart disease with rheumatoid arthritis of right shoulder             |
| M05.312 | Rheumatoid heart disease with rheumatoid arthritis of left shoulder              |
| M05.319 | Rheumatoid heart disease with rheumatoid arthritis of unspecified shoulder       |
| M05.321 | Rheumatoid heart disease with rheumatoid arthritis of right elbow                |
| M05.322 | Rheumatoid heart disease with rheumatoid arthritis of left elbow                 |
| M05.329 | Rheumatoid heart disease with rheumatoid arthritis of unspecified elbow          |
| M05.331 | Rheumatoid heart disease with rheumatoid arthritis of right wrist                |
| M05.332 | Rheumatoid heart disease with rheumatoid arthritis of left wrist                 |
| M05.339 | Rheumatoid heart disease with rheumatoid arthritis of unspecified wrist          |
| M05.341 | Rheumatoid heart disease with rheumatoid arthritis of right hand                 |
| M05.342 | Rheumatoid heart disease with rheumatoid arthritis of left hand                  |
| M05.349 | Rheumatoid heart disease with rheumatoid arthritis of unspecified hand           |
| M05.351 | Rheumatoid heart disease with rheumatoid arthritis of right hip                  |
| M05.352 | Rheumatoid heart disease with rheumatoid arthritis of left hip                   |
| M05.359 | Rheumatoid heart disease with rheumatoid arthritis of unspecified hip            |
| M05.361 | Rheumatoid heart disease with rheumatoid arthritis of right knee                 |
| M05.362 | Rheumatoid heart disease with rheumatoid arthritis of left knee                  |
| M05.369 | Rheumatoid heart disease with rheumatoid arthritis of unspecified knee           |
| M05.371 | Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot       |
| M05.372 | Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot        |
| M05.379 | Rheumatoid heart disease with rheumatoid arthritis of unspecified ankle and foot |
| M05.39  | Rheumatoid heart disease with rheumatoid arthritis of multiple sites             |
| M05.40  | Rheumatoid myopathy with rheumatoid arthritis of unspecified site                |
| M05.411 | Rheumatoid myopathy with rheumatoid arthritis of right shoulder                  |
| M05.412 | Rheumatoid myopathy with rheumatoid arthritis of left shoulder                   |
| M05.419 | Rheumatoid myopathy with rheumatoid arthritis of unspecified shoulder            |
| M05.421 | Rheumatoid myopathy with rheumatoid arthritis of right elbow                     |
| M05.422 | Rheumatoid myopathy with rheumatoid arthritis of left elbow                      |
| M05.429 | Rheumatoid myopathy with rheumatoid arthritis of unspecified elbow               |
| M05.431 | Rheumatoid myopathy with rheumatoid arthritis of right wrist                     |
| M05.432 | Rheumatoid myopathy with rheumatoid arthritis of left wrist                      |
| M05.439 | Rheumatoid myopathy with rheumatoid arthritis of unspecified wrist               |

**SIMPONI ARIA® (golimumab) Prior Auth Criteria**

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2018, Magellan Rx Management

| ICD-10  | ICD-10 Description  |
|---------|---|
| M05.441 | Rheumatoid myopathy with rheumatoid arthritis of right hand                           |
| M05.442 | Rheumatoid myopathy with rheumatoid arthritis of left hand                            |
| M05.449 | Rheumatoid myopathy with rheumatoid arthritis of unspecified hand                     |
| M05.451 | Rheumatoid myopathy with rheumatoid arthritis of right hip                            |
| M05.452 | Rheumatoid myopathy with rheumatoid arthritis of left hip                             |
| M05.459 | Rheumatoid myopathy with rheumatoid arthritis of unspecified hip                      |
| M05.461 | Rheumatoid myopathy with rheumatoid arthritis of right knee                           |
| M05.462 | Rheumatoid myopathy with rheumatoid arthritis of left knee                            |
| M05.469 | Rheumatoid myopathy with rheumatoid arthritis of unspecified knee                     |
| M05.471 | Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot                 |
| M05.472 | Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot                  |
| M05.479 | Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot           |
| M05.49  | Rheumatoid myopathy with rheumatoid arthritis of multiple sites                       |
| M05.50  | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified site               |
| M05.511 | Rheumatoid polyneuropathy with rheumatoid arthritis of right shoulder                 |
| M05.512 | Rheumatoid polyneuropathy with rheumatoid arthritis of left shoulder                  |
| M05.519 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified shoulder           |
| M05.521 | Rheumatoid polyneuropathy with rheumatoid arthritis of right elbow                    |
| M05.522 | Rheumatoid polyneuropathy with rheumatoid arthritis of left elbow                     |
| M05.529 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified elbow              |
| M05.531 | Rheumatoid polyneuropathy with rheumatoid arthritis of right wrist                    |
| M05.532 | Rheumatoid polyneuropathy with rheumatoid arthritis of left wrist                     |
| M05.539 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified wrist              |
| M05.541 | Rheumatoid polyneuropathy with rheumatoid arthritis of right hand                     |
| M05.542 | Rheumatoid polyneuropathy with rheumatoid arthritis of left hand                      |
| M05.549 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hand               |
| M05.551 | Rheumatoid polyneuropathy with rheumatoid arthritis of right hip                      |
| M05.552 | Rheumatoid polyneuropathy with rheumatoid arthritis of left hip                       |
| M05.559 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hip                |
| M05.561 | Rheumatoid polyneuropathy with rheumatoid arthritis of right knee                     |
| M05.562 | Rheumatoid polyneuropathy with rheumatoid arthritis of left knee                      |
| M05.569 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified knee               |
| M05.571 | Rheumatoid polyneuropathy with rheumatoid arthritis of right ankle and foot           |
| M05.572 | Rheumatoid polyneuropathy with rheumatoid arthritis of left ankle and foot            |
| M05.579 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified ankle and foot     |
| M05.59  | Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites                 |
| M05.60  | Rheumatoid arthritis of unspecified site with involvement of other organs and systems |

**SIMPONI ARIA® (golimumab) Prior Auth Criteria**

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2018, Magellan Rx Management



| ICD-10  | ICD-10 Description   |
|---------|--|
| M05.611 | Rheumatoid arthritis of right shoulder with involvement of other organs and systems                      |
| M05.612 | Rheumatoid arthritis of left shoulder with involvement of other organs and systems                       |
| M05.619 | Rheumatoid arthritis of unspecified shoulder with involvement of other organs and systems                |
| M05.621 | Rheumatoid arthritis of right elbow with involvement of other organs and systems                         |
| M05.622 | Rheumatoid arthritis of left elbow with involvement of other organs and systems                          |
| M05.629 | Rheumatoid arthritis of unspecified elbow with involvement of other organs and systems                   |
| M05.631 | Rheumatoid arthritis of right wrist with involvement of other organs and systems                         |
| M05.632 | Rheumatoid arthritis of left wrist with involvement of other organs and systems                          |
| M05.639 | Rheumatoid arthritis of unspecified wrist with involvement of other organs and systems                   |
| M05.641 | Rheumatoid arthritis of right hand with involvement of other organs and systems                          |
| M05.642 | Rheumatoid arthritis of left hand with involvement of other organs and systems                           |
| M05.649 | Rheumatoid arthritis of unspecified hand with involvement of other organs and systems                    |
| M05.651 | Rheumatoid arthritis of right hip with involvement of other organs and systems                           |
| M05.652 | Rheumatoid arthritis of left hip with involvement of other organs and systems                            |
| M05.659 | Rheumatoid arthritis of unspecified hip with involvement of other organs and systems                     |
| M05.661 | Rheumatoid arthritis of right knee with involvement of other organs and systems                          |
| M05.662 | Rheumatoid arthritis of left knee with involvement of other organs and systems                           |
| M05.669 | Rheumatoid arthritis of unspecified knee with involvement of other organs and systems                    |
| M05.671 | Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems                |
| M05.672 | Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems                 |
| M05.679 | Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs and systems          |
| M05.69  | Rheumatoid arthritis of multiple sites with involvement of other organs and systems                      |
| M05.70  | Rheumatoid arthritis with rheumatoid factor of unspecified site without organ or systems involvement     |
| M05.711 | Rheumatoid arthritis with rheumatoid factor of right shoulder without organ or systems involvement       |
| M05.712 | Rheumatoid arthritis with rheumatoid factor of left shoulder without organ or systems involvement        |
| M05.719 | Rheumatoid arthritis with rheumatoid factor of unspecified shoulder without organ or systems involvement |
| M05.721 | Rheumatoid arthritis with rheumatoid factor of right elbow without organ or systems involvement          |
| M05.722 | Rheumatoid arthritis with rheumatoid factor of left elbow without organ or systems involvement           |
| M05.729 | Rheumatoid arthritis with rheumatoid factor of unspecified elbow without organ or systems involvement    |
| M05.731 | Rheumatoid arthritis with rheumatoid factor of right wrist without organ or systems involvement          |



| ICD-10  | ICD-10 Description   |
|---------|--|
| M05.732 | Rheumatoid arthritis with rheumatoid factor of left wrist without organ or systems involvement                 |
| M05.739 | Rheumatoid arthritis with rheumatoid factor of unspecified wrist without organ or systems involvement          |
| M05.741 | Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems involvement                 |
| M05.742 | Rheumatoid arthritis with rheumatoid factor of left hand without organ or systems involvement                  |
| M05.749 | Rheumatoid arthritis with rheumatoid factor of unspecified hand without organ or systems involvement           |
| M05.751 | Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems involvement                  |
| M05.752 | Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems involvement                   |
| M05.759 | Rheumatoid arthritis with rheumatoid factor of unspecified hip without organ or systems involvement            |
| M05.761 | Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems involvement                 |
| M05.762 | Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems involvement                  |
| M05.769 | Rheumatoid arthritis with rheumatoid factor of unspecified knee without organ or systems involvement           |
| M05.771 | Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or systems involvement       |
| M05.772 | Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or systems involvement        |
| M05.779 | Rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot without organ or systems involvement |
| M05.79  | Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement             |
| M05.80  | Other rheumatoid arthritis with rheumatoid factor of unspecified site  |
| M05.811 | Other rheumatoid arthritis with rheumatoid factor of right shoulder  |
| M05.812 | Other rheumatoid arthritis with rheumatoid factor of left shoulder   |
| M05.819 | Other rheumatoid arthritis with rheumatoid factor of unspecified shoulder                                      |
| M05.821 | Other rheumatoid arthritis with rheumatoid factor of right elbow   |
| M05.822 | Other rheumatoid arthritis with rheumatoid factor of left elbow  |
| M05.829 | Other rheumatoid arthritis with rheumatoid factor of unspecified elbow   |
| M05.831 | Other rheumatoid arthritis with rheumatoid factor of right wrist   |
| M05.832 | Other rheumatoid arthritis with rheumatoid factor of left wrist  |
| M05.839 | Other rheumatoid arthritis with rheumatoid factor of unspecified wrist   |
| M05.841 | Other rheumatoid arthritis with rheumatoid factor of right hand  |

| ICD-10  | ICD-10 Description  |
|---------|---|
| M05.842 | Other rheumatoid arthritis with rheumatoid factor of left hand                  |
| M05.849 | Other rheumatoid arthritis with rheumatoid factor of unspecified hand           |
| M05.851 | Other rheumatoid arthritis with rheumatoid factor of right hip                  |
| M05.852 | Other rheumatoid arthritis with rheumatoid factor of left hip                   |
| M05.859 | Other rheumatoid arthritis with rheumatoid factor of unspecified hip            |
| M05.861 | Other rheumatoid arthritis with rheumatoid factor of right knee                 |
| M05.862 | Other rheumatoid arthritis with rheumatoid factor of left knee                  |
| M05.869 | Other rheumatoid arthritis with rheumatoid factor of unspecified knee           |
| M05.871 | Other rheumatoid arthritis with rheumatoid factor of right ankle and foot       |
| M05.872 | Other rheumatoid arthritis with rheumatoid factor of left ankle and foot        |
| M05.879 | Other rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot |
| M05.89  | Other rheumatoid arthritis with rheumatoid factor of multiple sites             |
| M05.9   | Rheumatoid arthritis with rheumatoid factor, unspecified                        |
| M06.00  | Rheumatoid arthritis without rheumatoid factor, unspecified site                |
| M06.011 | Rheumatoid arthritis without rheumatoid factor, right shoulder                  |
| M06.012 | Rheumatoid arthritis without rheumatoid factor, left shoulder                   |
| M06.019 | Rheumatoid arthritis without rheumatoid factor, unspecified shoulder            |
| M06.021 | Rheumatoid arthritis without rheumatoid factor, right elbow                     |
| M06.022 | Rheumatoid arthritis without rheumatoid factor, left elbow                      |
| M06.029 | Rheumatoid arthritis without rheumatoid factor, unspecified elbow               |
| M06.031 | Rheumatoid arthritis without rheumatoid factor, right wrist                     |
| M06.032 | Rheumatoid arthritis without rheumatoid factor, left wrist                      |
| M06.039 | Rheumatoid arthritis without rheumatoid factor, unspecified wrist               |
| M06.041 | Rheumatoid arthritis without rheumatoid factor, right hand                      |
| M06.042 | Rheumatoid arthritis without rheumatoid factor, left hand                       |
| M06.049 | Rheumatoid arthritis without rheumatoid factor, unspecified hand                |
| M06.051 | Rheumatoid arthritis without rheumatoid factor, right hip                       |
| M06.052 | Rheumatoid arthritis without rheumatoid factor, left hip                        |
| M06.059 | Rheumatoid arthritis without rheumatoid factor, unspecified hip                 |
| M06.061 | Rheumatoid arthritis without rheumatoid factor, right knee                      |
| M06.062 | Rheumatoid arthritis without rheumatoid factor, left knee                       |
| M06.069 | Rheumatoid arthritis without rheumatoid factor, unspecified knee                |
| M06.071 | Rheumatoid arthritis without rheumatoid factor, right ankle and foot            |
| M06.072 | Rheumatoid arthritis without rheumatoid factor, left ankle and foot             |
| M06.079 | Rheumatoid arthritis without rheumatoid factor, unspecified ankle and foot      |
| M06.08  | Rheumatoid arthritis without rheumatoid factor, vertebrae                       |
| M06.09  | Rheumatoid arthritis without rheumatoid factor, multiple sites                  |

**SIMPONI ARIA® (golimumab) Prior Auth Criteria**

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2018, Magellan Rx Management

| ICD-10  | ICD-10 Description   |
|---------|--|
| M06.80  | Other specified rheumatoid arthritis, unspecified site           |
| M06.811 | Other specified rheumatoid arthritis, right shoulder             |
| M06.812 | Other specified rheumatoid arthritis, left shoulder              |
| M06.819 | Other specified rheumatoid arthritis, unspecified shoulder       |
| M06.821 | Other specified rheumatoid arthritis, right elbow                |
| M06.822 | Other specified rheumatoid arthritis, left elbow                 |
| M06.829 | Other specified rheumatoid arthritis, unspecified elbow          |
| M06.831 | Other specified rheumatoid arthritis, right wrist                |
| M06.832 | Other specified rheumatoid arthritis, left wrist                 |
| M06.839 | Other specified rheumatoid arthritis, unspecified wrist          |
| M06.841 | Other specified rheumatoid arthritis, right hand                 |
| M06.842 | Other specified rheumatoid arthritis, left hand                  |
| M06.849 | Other specified rheumatoid arthritis, unspecified hand           |
| M06.851 | Other specified rheumatoid arthritis, right hip                  |
| M06.852 | Other specified rheumatoid arthritis, left hip                   |
| M06.859 | Other specified rheumatoid arthritis, unspecified hip            |
| M06.861 | Other specified rheumatoid arthritis, right knee                 |
| M06.862 | Other specified rheumatoid arthritis, left knee                  |
| M06.869 | Other specified rheumatoid arthritis, unspecified knee           |
| M06.871 | Other specified rheumatoid arthritis, right ankle and foot       |
| M06.872 | Other specified rheumatoid arthritis, left ankle and foot        |
| M06.879 | Other specified rheumatoid arthritis, unspecified ankle and foot |
| M06.88  | Other specified rheumatoid arthritis, vertebrae                  |
| M06.89  | Other specified rheumatoid arthritis, multiple sites             |
| M06.9   | Rheumatoid arthritis, unspecified                                |
| M45.0   | Ankylosing spondylitis of multiple sites in spine                |
| M45.1   | Ankylosing spondylitis of occipito-atlanto-axial region          |
| M45.2   | Ankylosing spondylitis of cervical region                        |
| M45.3   | Ankylosing spondylitis of cervicothoracic region                 |
| M45.4   | Ankylosing spondylitis of thoracic region                        |
| M45.5   | Ankylosing spondylitis of thoracolumbar region                   |
| M45.6   | Ankylosing spondylitis lumbar region                             |
| M45.7   | Ankylosing spondylitis of lumbosacral region                     |
| M45.8   | Ankylosing spondylitis sacral and sacrococcygeal region          |
| M45.9   | Ankylosing spondylitis of unspecified sites in spine             |

## Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD) and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at: <http://www.cms.gov/medicare-coverage-database/search/advanced-search.aspx>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD): N/A

| Medicare Part B Administrative Contractor (MAC) Jurisdictions |   |   |
|---|---|---|
| Jurisdiction  | Applicable State/US Territory   | Contractor  |
| E (1)   | CA, HI, NV, AS, GU, CNMI  | Noridian Healthcare Solutions, LLC                |
| F (2 & 3)   | AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ  | Noridian Healthcare Solutions, LLC                |
| 5   | KS, NE, IA, MO  | Wisconsin Physicians Service Insurance Corp (WPS) |
| 6   | MN, WI, IL  | National Government Services, Inc. (NGS)          |
| H (4 & 7)   | LA, AR, MS, TX, OK, CO, NM  | Novitas Solutions, Inc.                           |
| 8   | MI, IN  | Wisconsin Physicians Service Insurance Corp (WPS) |
| N (9)   | FL, PR, VI  | First Coast Service Options, Inc.                 |
| J (10)  | TN, GA, AL  | Palmetto GBA, LLC                                 |
| M (11)  | NC, SC, WV, VA (excluding below)  | Palmetto GBA, LLC                                 |
| L (12)  | DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA) | Novitas Solutions, Inc.                           |
| K (13 & 14)   | NY, CT, MA, RI, VT, ME, NH  | National Government Services, Inc. (NGS)          |
| 15  | KY, OH  | CGS Administrators, LLC                           |