

Revlimid[®] (lenalidomide) (Oral)

Document Number: IC-0106

Last Review Date: 01/07/2019

Date of Origin: 01/01/2012

Dates Reviewed: 12/2012, 06/2013, 05/2014, 03/2015, 01/2016, 01/2017, 01/2018, 01/2019

I. Length of Authorization

Coverage will be provided for six months and may be renewed.

II. Dosing Limits

A. Quantity Limit (max daily dose) [Pharmacy Benefit]:

- Revlimid 2.5mg capsules: 1 capsule per day
- Revlimid 5mg capsules: 1 capsule per day
- Revlimid 10mg capsule: 1 capsule per day
- Revlimid 15mg capsules: 1 capsule per day
- Revlimid 20mg capsules: 1 capsules per day
- Revlimid 25mg capsules: 1 capsule per day

B. Max Units (per dose and over time) [Medical Benefit]:

- MDS/MF: 10mg daily
- All other indications: 25mg daily

III. Initial Approval Criteria

Coverage is provided in the following conditions:

- Both patient AND prescriber are enrolled in the Revlimid REMS[™] program; AND

Myelodysplastic Syndrome (MDS) †:

- Patient has transfusion dependent symptomatic anemia; AND
- Patient has had 2 or more units of red blood cells in the previous 8 weeks; AND
 - Patient has del (5q) chromosomal abnormalities; OR
 - Patient has no del (5q) chromosomal abnormalities; AND
 - Patient has serum erythropoietin (EPO) levels (within 28 days preceding request) of ≤ 500 mU/mL; AND
 - Patient has ring sideroblasts $< 15\%$; AND

- Used in combination with a epoetin stimulating agents (i.e. epoetin alfa, darbepoetin alfa) following no response or loss of response to an ESA alone; **OR**
- Patient has ring sideroblasts $\geq 15\%$; **AND**
 - Patient has failed therapy with an ESA and gCSF (i.e., filgrastim, pegfilgrastim, etc) agent; **OR**
- Patient has serum EPO levels (within 28 days preceding request) > 500 mU/mL; **AND**
 - Patient has a low probability of response, or no response, or an intolerance to immunosuppressive therapy

Multiple Myeloma†:

- For newly diagnosed disease:
 - In combination with dexamethasone
- For primary therapy:
 - Used in combination with dexamethasone
- For maintenance therapy:
 - Must be used as a single agent
- For previously treated myeloma:
 - Must be used for relapsed or progressive disease; **AND**
 - Used in combination with dexamethasone **OR** single agent if patient is steroid-intolerant

Systemic Light Chain Amyloidosis‡:

- Used in combination with dexamethasone; **AND**
- Used for newly diagnosed disease **OR** for relapsed or refractory disease

Hodgkin's Lymphoma (HL) ‡:

- Must be used as a single agent; **AND**
- Must be used as additional therapy for relapsed or refractory disease

Non-Hodgkin's Lymphoma (NHL)

- Mantle Cell Lymphoma†
 - Used as induction therapy in combination with rituximab; **OR**
 - Used as second-line therapy; **AND**
 - Used as a single agent; **OR**
 - Used in combination with rituximab for relapsed or progressive disease or to achieve a complete response after partial response to induction therapy
- Used as first-line therapy for the following:
 - Follicular Lymphoma‡
 - Used in combination with rituximab for treatment of stage III or IV disease

- Used as subsequent therapy for the following:
 - AIDS-Related B- Cell Lymphoma‡
 - Patient has non-germinal diffuse large B-cell lymphoma and are not transplant candidates
 - Diffuse Large B-Cell Lymphoma (DLBCLC) ‡
 - Treatment of non-germinal indolent or transformed disease in patients who had a histologic transformation from marginal zone or follicular lymphoma; **OR**
 - Treatment of non-germinal center DLBCL disease that is relapsed, progressive, refractory, partial or no response and patient is not a transplant candidate (includes primary cutaneous, leg-type disease)
 - High-Grade B-Cell Lymphoma‡
 - Patient has partial response, no response, relapsed, progressive, or refractory disease and is not a transplant candidate
 - Follicular Lymphoma‡
 - Patient has refractory or progressive disease
 - Gastric MALT Lymphoma‡
 - Patient has recurrent or progressive disease
 - Nodal Marginal Zone Lymphoma
 - Patient has refractory or progressive disease
 - Nongastric MALT Lymphoma‡
 - Used as single agent or in combination with rituximab for refractory or progressive disease
 - Peripheral T-Cell Lymphoma‡
 - Used as a single agent for relapsed or refractory disease
 - Splenic Marginal Zone Lymphoma‡
 - Patient has recurrent disease
 - Adult T-cell Leukemia/Lymphoma‡
 - Used as a single agent for nonresponders to first-line therapy for acute or lymphoma subtypes
 - Hepatosplenic Gamma-Delta T-Cell Lymphoma
 - Used as a single agent for refractory disease after two prior primary treatment regimens
- Primary CNS Lymphoma ‡
 - Used as a single-agent or in combination with rituximab for relapsed or refractory disease; **AND**
 - Patient previously received whole brain radiation therapy; **OR**
 - Patient previously received high-dose methotrexate based regimen; **OR**
 - Patient received prior high-dose therapy with stem cell rescue (HDT/ASCR) who relapsed after at least 12 months
- Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL) ‡

- Used for relapsed or refractory disease; **OR**
- Used as maintenance therapy following a complete or partial response to second-line therapy; **OR**
- Used as maintenance therapy after first-line therapy in patients without del(17p)TP53 mutation; **AND**
 - Patient has high-risk minimal residual disease (MRD) $\geq 10^{-2}$ or $\geq 10^{-4}$ and $< 10^{-2}$ with unmutated immunoglobulin heavy-chain variable region gene (IGHV)
- Multicentric Castleman's Disease ‡
 - Must be used as subsequent therapy; **AND**
 - Disease must have progressed following treatment of relapsed/refractory or progressive disease
- Mycosis Fungoides (MF)/Sezary Syndrome (SS) ‡
 - Used as primary systemic therapy; **AND**
 - Patient has stage IV non-Sezary or visceral disease; **OR**
 - Patient has large cell transformation (LCT) with generalized cutaneous or extracutaneous lesions; **OR**
 - Used as systemic therapy for relapsed or refractory or persistent disease
- Post-Transplant Lymphoproliferative Disorders (PTLD) ‡
 - Used as subsequent therapy in patients with persistent, progressive or partial response to first-line therapy; **AND**
 - Patient has monomorphic non-germinal center disease
- Primary Cutaneous CD30+ T-Cell Lymphoproliferative Disorders ‡
 - Used as a single agent for relapsed or refractory disease; **AND**
 - Patient has primary cutaneous anaplastic large cell lymphoma (ALCL) with multifocal lesions; **OR**
 - Patient has cutaneous ALCL with regional nodes (excludes systemic ALCL)

Myelofibrosis ‡

- Must be used as a single agent or in combination with prednisone for management of myelofibrosis-associated anemia; **AND**
 - Patient has a serum EPO ≥ 500 mU/mL; **OR**
 - Patient has a serum EPO < 500 mU/mL and no response or loss of response to erythropoietic stimulating agents

†FDA Approved Indication(s); ‡ Compendia Recommended Indication(s)

IV. Renewal Criteria

Authorizations can be renewed based on the following criteria:

- Patient continues to meet criteria identified in section III; **AND**

- Tumor response with stabilization or disease or decrease in size of tumor or tumor spread;
AND
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include the following: pulmonary embolism; deep vein thrombosis; and hematologic toxicity (neutropenia, thrombocytopenia), tumor lysis syndrome, hepatic failure, severe cutaneous reactions, etc

V. Dosage/Administration

Indication	Dose
MDS and MF/Post-PV/Post-ET MF	10mg daily
Multiple myeloma	25 mg daily on Days 1-21 of repeated 28-day cycles in combination with dexamethasone
All other indications	25mg daily for 21 days of a 28 day cycle

VI. Billing Code/Availability Information

HCPCS code:

- J8999 – Prescription drug, oral, chemotherapeutic, Not Otherwise Specified
- C9399 – Unclassified drugs or biologicals (*Hospital Outpatient Use ONLY*)

NDC:

- Revlimid 2.5mg capsule: 59572-0402-xx
- Revlimid 5mg capsule: 59572-0405-xx
- Revlimid 10mg capsule: 59572-0410-xx
- Revlimid 15mg capsule: 59572-0415-xx
- Revlimid 20mg capsule: 59572-0420-xx
- Revlimid 25mg capsule: 59572-0425-xx

VII. References

1. Revlimid [package insert]. Summit, NJ; Celgene Corporation; December 2017. Accessed December 2018.
2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) lenalidomide. National Comprehensive Cancer Network, 2018. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed December 2018.
3. Dimopoulos M, Spencer A, Attal M, et al. Lenalidomide plus dexamethasone for relapsed or refractory multiple myeloma. *N Engl J Med* 2007; 357:2123-32.

4. Weber D, Chen C, Niesvizky R, et al. Lenalidomide plus dexamethasone for relapsed multiple myeloma in North America. *N Engl J Med* 2007; 357:2133-42.

Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description
C81.10	Nodular sclerosis classical Hodgkin lymphoma, unspecified site
C81.11	Nodular sclerosis classical Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.12	Nodular sclerosis classical Hodgkin lymphoma, intrathoracic lymph nodes
C81.13	Nodular sclerosis classical Hodgkin lymphoma, intra-abdominal lymph nodes
C81.14	Nodular sclerosis classical Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.15	Nodular sclerosis classical Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.16	Nodular sclerosis classical Hodgkin lymphoma, intrapelvic lymph nodes
C81.17	Nodular sclerosis classical Hodgkin lymphoma, spleen
C81.18	Nodular sclerosis classical Hodgkin lymphoma, lymph nodes of multiple sites
C81.19	Nodular sclerosis classical Hodgkin lymphoma, extranodal and solid organ sites
C81.20	Mixed cellularity classical Hodgkin lymphoma, unspecified site
C81.21	Mixed cellularity classical Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.22	Mixed cellularity classical Hodgkin lymphoma, intrathoracic lymph nodes
C81.23	Mixed cellularity classical Hodgkin lymphoma, intra-abdominal lymph nodes
C81.24	Mixed cellularity classical Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.25	Mixed cellularity classical Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.26	Mixed cellularity classical Hodgkin lymphoma, intrapelvic lymph nodes
C81.27	Mixed cellularity classical Hodgkin lymphoma, spleen
C81.28	Mixed cellularity classical Hodgkin lymphoma, lymph nodes of multiple sites
C81.29	Mixed cellularity classical Hodgkin lymphoma, extranodal and solid organ sites
C81.30	Lymphocyte depleted classical Hodgkin lymphoma, unspecified site
C81.31	Lymphocyte depleted classical Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.32	Lymphocyte depleted classical Hodgkin lymphoma, intrathoracic lymph nodes
C81.33	Lymphocyte depleted classical Hodgkin lymphoma, intra-abdominal lymph nodes
C81.34	Lymphocyte depleted classical Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.35	Lymphocyte depleted classical Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.36	Lymphocyte depleted classical Hodgkin lymphoma, intrapelvic lymph nodes
C81.37	Lymphocyte depleted classical Hodgkin lymphoma, spleen
C81.38	Lymphocyte depleted classical Hodgkin lymphoma, lymph nodes of multiple sites
C81.39	Lymphocyte depleted classical Hodgkin lymphoma, extranodal and solid organ sites

ICD-10	ICD-10 Description
C81.40	Lymphocyte-rich classical Hodgkin lymphoma, unspecified site
C81.41	Lymphocyte-rich classical Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.42	Lymphocyte-rich classical Hodgkin lymphoma, intrathoracic lymph nodes
C81.43	Lymphocyte-rich classical Hodgkin lymphoma, intra-abdominal lymph nodes
C81.44	Lymphocyte-rich classical Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.45	Lymphocyte-rich classical Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.46	Lymphocyte-rich classical Hodgkin lymphoma, intrapelvic lymph nodes
C81.47	Lymphocyte-rich classical Hodgkin lymphoma, spleen
C81.48	Lymphocyte-rich classical Hodgkin lymphoma, lymph nodes of multiple sites
C81.49	Lymphocyte-rich classical Hodgkin lymphoma, extranodal and solid organ sites
C81.70	Other Hodgkin lymphoma, unspecified site
C81.71	Other Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.72	Other Hodgkin lymphoma, intrathoracic lymph nodes
C81.73	Other Hodgkin lymphoma, intra-abdominal lymph nodes
C81.74	Other Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.75	Other Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.76	Other Hodgkin lymphoma, intrapelvic lymph nodes
C81.77	Other Hodgkin lymphoma, spleen
C81.78	Other Hodgkin lymphoma, extranodal and solid organ sites
C81.79	Other Hodgkin lymphoma, extranodal and solid organ sites
C81.90	Hodgkin lymphoma, unspecified, unspecified site
C81.91	Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck
C81.92	Hodgkin lymphoma, unspecified, intrathoracic lymph nodes
C81.93	Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes
C81.94	Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb
C81.95	Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb
C81.96	Hodgkin lymphoma, unspecified, intrapelvic lymph nodes
C81.97	Hodgkin lymphoma, unspecified, spleen
C81.98	Hodgkin lymphoma, unspecified, lymph nodes of multiple sites
C81.99	Hodgkin lymphoma, unspecified, extranodal and solid organ sites
C82.00	Follicular lymphoma grade I, unspecified site
C82.01	Follicular lymphoma grade I, lymph nodes of head, face and neck
C82.02	Follicular lymphoma, grade I, intrathoracic lymph nodes
C82.03	Follicular lymphoma grade I, intra-abdominal lymph nodes

ICD-10	ICD-10 Description
C82.04	Follicular lymphoma grade I, lymph nodes of axilla and upper limb
C82.05	Follicular lymphoma grade I, lymph nodes of inguinal regional and lower limb
C82.06	Follicular lymphoma grade I, intrapelvic lymph nodes
C82.07	Follicular lymphoma grade I, spleen
C82.08	Follicular lymphoma grade I, lymph nodes of multiple sites
C82.09	Follicular lymphoma grade I, extranodal and solid organ sites
C82.10	Follicular lymphoma grade II, unspecified site
C82.11	Follicular lymphoma grade II, lymph nodes of head, face and neck
C82.12	Follicular lymphoma, grade II, intrathoracic lymph nodes
C82.13	Follicular lymphoma grade II, intra-abdominal lymph nodes
C82.14	Follicular lymphoma grade II, lymph nodes of axilla and upper limb
C82.15	Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb
C82.16	Follicular lymphoma grade II, intrapelvic lymph nodes
C82.17	Follicular lymphoma grade II, spleen
C82.18	Follicular lymphoma grade II, lymph nodes of multiple sites
C82.19	Follicular lymphoma grade II, extranodal and solid organ sites
C82.20	Follicular lymphoma grade III, unspecified, unspecified site
C82.21	Follicular lymphoma grade III, unspecified, lymph nodes of head, face and neck
C82.22	Follicular lymphoma, grade III, unspecified, intrathoracic lymph nodes
C82.23	Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes
C82.24	Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb
C82.25	Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb
C82.26	Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes
C82.27	Follicular lymphoma grade III, unspecified, spleen
C82.28	Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites
C82.29	Follicular lymphoma grade III, unspecified, extranodal and solid organ sites
C82.30	Follicular lymphoma grade IIIa, unspecified site
C82.31	Follicular lymphoma grade IIIa, lymph nodes of head, face and neck
C82.32	Follicular lymphoma, grade IIIa, intrathoracic lymph nodes
C82.33	Follicular lymphoma grade IIIa, intra-abdominal lymph nodes
C82.34	Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb
C82.35	Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb
C82.36	Follicular lymphoma grade IIIa, intrapelvic lymph nodes
C82.37	Follicular lymphoma grade IIIa, spleen

ICD-10	ICD-10 Description
C82.38	Follicular lymphoma grade IIIa, lymph nodes of multiple sites
C82.39	Follicular lymphoma grade IIIa, extranodal and solid organ sites
C82.40	Follicular lymphoma grade IIIb, unspecified site
C82.41	Follicular lymphoma grade IIIb, lymph nodes of head, face and neck
C82.42	Follicular lymphoma, grade IIIb, intrathoracic lymph nodes
C82.43	Follicular lymphoma grade IIIb, intra-abdominal lymph nodes
C82.44	Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb
C82.45	Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb
C82.46	Follicular lymphoma grade IIIb, intrapelvic lymph nodes
C82.47	Follicular lymphoma grade IIIb, spleen
C82.48	Follicular lymphoma grade IIIb, lymph nodes of multiple sites
C82.49	Follicular lymphoma grade IIIb, extranodal and solid organ sites
C82.50	Diffuse follicle center lymphoma, unspecified site
C82.51	Diffuse follicle center lymphoma, lymph nodes of head, face and neck
C82.52	Diffuse follicle center lymphoma, intrathoracic lymph nodes
C82.53	Diffuse follicle center lymphoma, intra-abdominal lymph nodes
C82.54	Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb
C82.55	Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb
C82.56	Diffuse follicle center lymphoma, intrapelvic lymph nodes
C82.57	Diffuse follicle center lymphoma, spleen
C82.58	Diffuse follicle center lymphoma, lymph nodes of multiple sites
C82.59	Diffuse follicle center lymphoma, extranodal and solid organ sites
C82.60	Cutaneous follicle center lymphoma, unspecified site
C82.61	Cutaneous follicle center lymphoma, lymph nodes of head, face and neck
C82.62	Cutaneous follicle center lymphoma, intrathoracic lymph nodes
C82.63	Cutaneous follicle center lymphoma, intra-abdominal lymph nodes
C82.64	Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb
C82.65	Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb
C82.66	Cutaneous follicle center lymphoma, intrapelvic lymph nodes
C82.67	Cutaneous follicle center lymphoma, spleen
C82.68	Cutaneous follicle center lymphoma, lymph nodes of multiple sites
C82.69	Cutaneous follicle center lymphoma, extranodal and solid organ sites
C82.80	Other types of follicular lymphoma, unspecified site
C82.81	Other types of follicular lymphoma, lymph nodes of head, face, and neck

ICD-10	ICD-10 Description
C82.82	Other types of follicular lymphoma, intrathoracic lymph nodes
C82.83	Other types of follicular lymphoma, intra-abdominal lymph nodes
C82.84	Other types of follicular lymphoma, lymph nodes of axilla and upper limb
C82.85	Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb
C82.86	Other types of follicular lymphoma, intrapelvic lymph nodes
C82.87	Other types of follicular lymphoma, spleen
C82.88	Other types of follicular lymphoma, lymph nodes of multiple sites
C82.89	Other types of follicular lymphoma, extranodal and solid organ sites
C82.90	Follicular lymphoma, unspecified, unspecified site
C82.91	Follicular lymphoma, unspecified, lymph nodes of head, face and neck
C82.92	Follicular lymphoma, unspecified, intrathoracic lymph nodes
C82.93	Follicular lymphoma, unspecified, intra-abdominal lymph nodes
C82.94	Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb
C82.95	Follicular lymphoma, unspecified lymph nodes of inguinal region and lower limb
C82.96	Follicular lymphoma, unspecified, intrapelvic lymph nodes
C82.97	Follicular lymphoma, unspecified, spleen
C82.98	Follicular lymphoma, unspecified, lymph nodes of multiple sites
C82.99	Follicular lymphoma, unspecified, extranodal and solid organ sites
C83.00	Small cell B-cell lymphoma, unspecified site
C83.01	Small cell B-cell lymphoma, lymph nodes of head, face and neck
C83.02	Small cell B-cell lymphoma, intrathoracic lymph nodes
C83.03	small cell B-cell lymphoma, intra-abdominal lymph nodes
C83.04	Small cell B-cell lymphoma, lymph nodes of axilla and upper limb
C83.05	Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb
C83.06	Small cell B-cell lymphoma, intrapelvic lymph nodes
C83.07	Small cell B-cell lymphoma, spleen
C83.08	Small cell B-cell lymphoma, lymph nodes of multiple sites
C83.09	Small cell B-cell lymphoma, extranodal and solid organ sites
C83.10	Mantle cell lymphoma, unspecified site
C83.11	Mantle cell lymphoma, lymph nodes of head, face and neck
C83.12	Mantle cell lymphoma, intrathoracic lymph nodes
C83.13	Mantle cell lymphoma, intra-abdominal lymph nodes
C83.14	Mantle cell lymphoma, lymph nodes of axilla and upper limb
C83.15	Mantle cell lymphoma, lymph nodes of inguinal region and lower limb

ICD-10	ICD-10 Description
C83.16	Mantle cell lymphoma, intrapelvic lymph nodes
C83.17	Mantle cell lymphoma, spleen
C83.18	Mantle cell lymphoma, lymph nodes of multiple sites
C83.19	Mantle cell lymphoma, extranodal and solid organ sites
C83.30	Diffuse large B-cell lymphoma, unspecified site
C83.31	Diffuse large B-cell lymphoma, lymph nodes of head, face and neck
C83.32	Diffuse large B-cell lymphoma intrathoracic lymph nodes
C83.33	Diffuse large B-cell lymphoma, intra-abdominal lymph nodes
C83.34	Diffuse large B-cell lymphoma, lymph nodes of axilla and upper limb
C83.35	Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb
C83.36	Diffuse large B-cell lymphoma, intrapelvic lymph nodes
C83.37	Diffuse large B-cell lymphoma, spleen
C83.38	Diffuse large B-cell lymphoma, lymph nodes of multiple sites
C83.39	Diffuse large B-cell lymphoma, extranodal and solid organ sites
C83.80	Other non-follicular lymphoma, unspecified site
C83.81	Other non-follicular lymphoma, lymph nodes of head, face and neck
C83.82	Other non-follicular lymphoma, intrathoracic lymph nodes
C83.83	Other non-follicular lymphoma, intra-abdominal lymph nodes
C83.84	Other non-follicular lymphoma, lymph nodes of axilla and upper limb
C83.85	Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb
C83.86	Other non-follicular lymphoma, intrapelvic lymph nodes
C83.87	Other non-follicular lymphoma, spleen
C83.88	Other non-follicular lymphoma, lymph nodes of multiple sites
C83.89	Other non-follicular lymphoma, extranodal and solid organ sites
C83.90	Non-follicular (diffuse) lymphoma, unspecified site
C83.91	Non-follicular (diffuse) lymphoma, unspecified lymph nodes of head, face, and neck
C83.92	Non-follicular (diffuse) lymphoma, unspecified intrathoracic lymph nodes
C83.93	Non-follicular (diffuse) lymphoma, unspecified intra-abdominal lymph nodes
C83.94	Non-follicular (diffuse) lymphoma, unspecified lymph nodes of axilla and upper limb
C83.95	Non-follicular (diffuse) lymphoma, unspecified lymph nodes of inguinal region and lower limb
C83.96	Non-follicular (diffuse) lymphoma, unspecified intrapelvic lymph nodes
C83.97	Non-follicular (diffuse) lymphoma, unspecified spleen
C83.98	Non-follicular (diffuse) lymphoma, unspecified lymph nodes of multiple sites
C83.99	Non-follicular (diffuse) lymphoma, unspecified extranodal and solid organ sites

ICD-10	ICD-10 Description
C84.00	Mycosis fungoides, unspecified site
C84.01	Mycosis fungoides, lymph nodes of head, face and neck
C84.02	Mycosis fungoides, intrathoracic lymph nodes
C84.03	Mycosis fungoides, intra-abdominal lymph nodes
C84.04	Mycosis fungoides, lymph nodes of axilla and upper limb
C84.05	Mycosis fungoides, lymph nodes of inguinal region and lower limb
C84.06	Mycosis fungoides, intrapelvic lymph nodes
C84.07	Mycosis fungoides, spleen
C84.08	Mycosis fungoides, lymph nodes of multiple sites
C84.09	Mycosis fungoides, extranodal and solid organ sites
C84.40	Peripheral T-cell lymphoma, unspecified site
C84.41	Peripheral T-cell lymphoma, lymph nodes of head, face and neck
C84.42	Peripheral T-cell lymphoma, intrathoracic lymph nodes
C84.43	Peripheral T-cell lymphoma, intra-abdominal lymph nodes
C84.44	Peripheral T-cell lymphoma, lymph nodes of axilla and upper limb
C84.45	Peripheral T-cell lymphoma, lymph nodes of inguinal region and lower limb
C84.46	Peripheral T-cell lymphoma, intrapelvic lymph nodes
C84.47	Peripheral T-cell lymphoma, spleen
C84.48	Peripheral T-cell lymphoma, lymph nodes of multiple sites
C84.49	Peripheral T-cell lymphoma, extranodal and solid organ sites
C84.90	Mature T/NK-cell lymphomas, unspecified, unspecified site
C84.91	Mature T/NK-cell lymphomas, unspecified, lymph nodes of head, face and neck
C84.92	Mature T/NK-cell lymphomas, unspecified, intrathoracic lymph nodes
C84.93	Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes
C84.94	Mature T/NK-cell lymphomas, unspecified, lymph nodes of axilla and upper limb
C84.95	Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower limb
C84.96	Mature, T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes
C84.97	Mature T/NK-cell lymphomas, unspecified, spleen
C84.98	Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites
C84.99	Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites
C84.Z0	Other mature T/NK-cell lymphomas, unspecified site
C84.Z1	Other mature T/NK-cell lymphomas, lymph nodes of head, face and neck
C84.Z2	Other mature T/NK-cell lymphomas, intrathoracic lymph nodes
C84.Z3	Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes

ICD-10	ICD-10 Description
C84.Z4	Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb
C84.Z5	Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb
C84.Z6	Other mature T/NK-cell lymphomas, intrapelvic lymph nodes
C84.Z7	Other mature T/NK-cell lymphomas, spleen
C84.Z8	Other mature T/NK-cell lymphomas, lymph nodes of multiple sites
C84.Z9	Other mature T/NK-cell lymphomas, extranodal and solid organ sites
C85.10	Unspecified B-cell lymphoma, unspecified site
C85.11	Unspecified B-cell lymphoma, lymph nodes of head, face, and neck
C85.12	Unspecified B-cell lymphoma, intrathoracic lymph nodes
C85.13	Unspecified B-cell lymphoma, intra-abdominal lymph nodes
C85.14	Unspecified B-cell lymphoma, lymph nodes of axilla and upper limb
C85.15	Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb
C85.16	Unspecified B-cell lymphoma, intrapelvic lymph nodes
C85.17	Unspecified B-cell lymphoma, spleen
C85.18	Unspecified B-cell lymphoma, lymph nodes of multiple sites
C85.19	Unspecified B-cell lymphoma, extranodal and solid organ sites
C85.20	Mediastinal (thymic) large B-cell lymphoma, unspecified sites
C85.21	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face and neck
C85.22	Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes
C85.23	Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes
C85.24	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb
C85.25	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb
C85.26	Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes
C85.27	Mediastinal (thymic) large B-cell lymphoma, spleen
C85.28	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites
C85.29	Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites
C85.80	Other specified types of non-Hodgkin lymphoma, unspecified site
C85.81	Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face and neck
C85.82	Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes
C85.83	Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes
C85.84	Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb
C85.85	Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region of lower limb
C85.86	Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes
C85.87	Other specified types of non-Hodgkin lymphoma, spleen

ICD-10	ICD-10 Description
C85.88	Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites
C85.89	Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites
C86.1	Hepatosplenic T-cell lymphoma
C86.2	Enteropathy-type (intestinal) T-cell lymphoma
C86.5	Angioimmunoblastic T-cell lymphoma
C86.6	Primary cutaneous CD30-positive T-cell proliferations
C88.4	Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue (MALT-lymphoma)
C90.00	Multiple myeloma not having achieved remission
C90.01	Multiple myeloma in remission
C90.02	Multiple myeloma in relapse
C90.10	Plasma cell leukemia not having achieved remission
C90.11	Plasma cell leukemia in remission
C90.12	Plasma cell leukemia in relapse
C90.20	Extramedullary plasmacytoma not having achieved remission
C90.21	Extramedullary plasmacytoma in remission
C90.22	Extramedullary plasmacytoma in relapse
C90.30	Solitary plasmacytoma not having achieved remission
C90.31	Solitary plasmacytoma in remission
C90.32	Solitary plasmacytoma in relapse
C91.10	Chronic lymphocytic leukemia of B-cell type not having achieved remission
C91.12	Chronic lymphocytic leukemia of B-cell type in relapse
C91.50	Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission
C91.52	Adult T-cell lymphoma/leukemia (HTLV-1-associated) in relapse
C93.10	Chronic myelomonocytic leukemia not having achieved remission
C94.40	Acute panmyelosis with myelofibrosis not having achieved remission
C94.41	Acute panmyelosis with myelofibrosis, in remission
C94.42	Acute panmyelosis with myelofibrosis, in relapse
C94.6	Myelodysplastic disease, not classified
D36.0	Benign neoplasm of lymph nodes
D46.0	Refractory anemia without ring sideroblasts, so stated
D46.1	Refractory anemia with ring sideroblasts
D46.20	Refractory anemia with excess of blasts, unspecified
D46.21	Refractory anemia with excess of blasts 1
D46.4	Refractory anemia, unspecified

ICD-10	ICD-10 Description
D46.9	Myelodysplastic syndrome, unspecified
D46.A	Refractory cytopenia with multilineage dysplasia
D46.B	Refractory cytopenia with multilineage dysplasia and ring sideroblasts
D46.C	Myelodysplastic syndrome with isolated del(5q) chromosomal abnormality
D46.Z	Other myelodysplastic syndromes
D47.1	Chronic myeloproliferative disease
D47.4	Osteomyelofibrosis
D47.Z1	Post-transplant lymphoproliferative disorder (PTLD)
D47.Z2	Castleman disease
D75.81	Myelofibrosis
E85.81	Light chain (AL) amyloidosis
E85.89	Other amyloidosis
E85.9	Amyloidosis, unspecified
R59.0	Localized enlarged lymph nodes
R59.1	Generalized enlarged lymph nodes
R59.9	Enlarged lymph nodes, unspecified
Z85.71	Personal history of Hodgkin lymphoma
Z85.72	Personal history of non-Hodgkin lymphomas
Z85.79	Personal history of other malignant neoplasms of lymphoid, hematopoietic and related tissues

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD) and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at: <http://www.cms.gov/medicare-coverage-database/search/advanced-search.aspx>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD): N/A

Medicare Part B Administrative Contractor (MAC) Jurisdictions		
Jurisdiction	Applicable State/US Territory	Contractor
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp
6	MN, WI, IL	National Government Services, Inc. (NGS)

Medicare Part B Administrative Contractor (MAC) Jurisdictions

Jurisdiction	Applicable State/US Territory	Contractor
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.
8	MI, IN	Wisconsin Physicians Service Insurance Corp
N (9)	FL, PR, VI	First Coast Service Options, Inc.
J (10)	TN, GA, AL	Palmetto GBA, LLC
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)
15	KY, OH	CGS Administrators, LLC