

Copiktra[®] (duvelisib) (Oral)

Document Number: IC-0396

Last Review Date: 09/01/2022

Date of Origin: 10/30/2018

Dates Reviewed: 11/2018, 07/2019, 07/2020, 07/2021, 04/2022, 09/2022

I. Length of Authorization

Coverage will be provided for 6 months and may be renewed.

II. Dosing Limits

A. Quantity Limit (max daily dose) [NDC Unit]:

- Copiktra 15 mg capsules: 2 capsules per day
- Copiktra 25 mg capsules: 6 capsules per day for two 28-day cycles initially, then 2 capsules per day thereafter

B. Max Units (per dose and over time) [HCPCS Unit]:

- CLL/SLL: 50 mg per day
- T-Cell Lymphomas: 150 mg per day for two 28-day cycles, followed by 50 mg per day

III. Initial Approval Criteria ¹

Coverage is provided for the following conditions:

- Patient is at least 18 years of age; **AND**

Universal Criteria ¹

- Patient will avoid concomitant therapy with all of the following:
 - Coadministration with strong CYP3A4 inducers (e.g., rifampin, carbamazepine, St. John's Wort, etc.); **AND**
 - Coadministration with moderate CYP3A4 inducers (e.g., bosentan, efavirenz, etravirine, etc.), or if therapy is unavoidable, the patient will be monitored closely for adverse reaction and/or dose modifications; **AND**
 - Coadministration with strong CYP3A4 inhibitors (e.g. itraconazole, ketoconazole, clarithromycin, etc.), or if therapy is unavoidable, the patient will be monitored closely for adverse reaction and/or dose modifications; **AND**

- Patient has not received previous therapy with a small-molecule inhibitor (phosphatidylinositol-3 kinase inhibitor [PI3-K]) therapy (e.g., idelalisib, umbralisib, copanlisib, alpelisib etc.); **AND**
- Patient has not received previous therapy with a Bruton’s tyrosine kinase (BTK) inhibitor (e.g., ibrutinib, acalabrutinib, etc.); **AND**
- Patient does not have an active infection, including clinically important localized infections; **AND**
- Patient will receive prophylactic therapy for *Pneumocystis jirovecii* (PJP) while on treatment with duvelisib; **AND**
- Used as single agent therapy; **AND**

Chronic Lymphocytic Leukemia/Small Lymphocytic Leukemia (CLL/SLL) † ‡ ☉¹⁻³

- Patient has relapsed or refractory disease

T-Cell Lymphomas ‡^{2,5,6}

- Hepatosplenic T-Cell Lymphoma
 - Used as subsequent therapy for refractory disease after two first-line therapy regimens
- Breast Implant-Associated Anaplastic Large Cell Lymphoma (ALCL)
 - Used as subsequent therapy for relapsed or refractory disease
- Peripheral T-Cell Lymphoma (PTCL)
 - Used as subsequent or initial palliative intent therapy for relapsed or refractory disease

**Note: On June 30, 2022, the FDA issued a Drug Safety Communication to patients and health care professionals warning that results from a clinical trial show a possible increased risk of death with Copiktra (duvelisib) compared to another medicine to treat a chronic blood cancer called leukemia and a lymphoma, a cancer found in the lymph nodes. As a result, the FDA has advised healthcare professionals to consider the risks and benefits of continuing Copiktra in the context of other available treatments and to advise patients receiving Copiktra of the possible increased risk of death and higher risk of serious adverse events. Also, patients currently receiving Copiktra were advised to discuss with their health care professional the risks and benefits of receiving Copiktra.*

† FDA Approved Indication(s); ‡ Compendia Recommended Indication(s); ☉ Orphan Drug

IV. Renewal Criteria^{1,2,5,6}

Coverage can be renewed based on the following criteria:

- Patient continues to meet universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in Section III; **AND**

- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: serious infections, neutropenia, serious diarrhea or colitis, hepatotoxicity, pneumonitis, serious cutaneous reactions [drug reaction with eosinophilia and systemic symptoms (DRESS) and toxic epidermal necrolysis (TEN)], etc.

V. Dosage/Administration ^{1,6}

Indication	Dose
CLL/SLL	25 mg by mouth twice daily
T-Cell Lymphomas	75 mg by mouth twice daily for two 28-day cycles, followed by 25 mg twice daily until disease progression or unacceptable toxicity

VI. Billing Code/Availability Information

HCPCS Code:

- J8999 – Prescription drug, oral, chemotherapeutic, NOS
- C9399 – Unclassified drugs or biologicals (*Hospital Outpatient Use ONLY*)

NDC:

- Copiktra 25 mg capsules: 73116-0225-xx
- Copiktra 15 mg capsules: 73116-0215-xx

VII. References

1. Copiktra [package insert]. Las Vegas, NV; Secura Bio, Inc; December 2021. Accessed March 2022.
2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium[®]) for duvelisib. National Comprehensive Cancer Network, 2022. The NCCN Compendium[®] is a derivative work of the NCCN Guidelines[®]. NATIONAL COMPREHENSIVE CANCER NETWORK[®], NCCN[®], and NCCN GUIDELINES[®] are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed March 2022.
3. Flinn IW, Hillmen P, Montillo M, et al. Results from the Phase 3 DUO Trial: A Randomized Comparison of Duvelisib Vs Ofatumumab in Patients with Relapsed/Refractory Chronic Lymphocytic Leukemia or Small Lymphocytic Lymphoma. *Blood* 2017 130:493.
4. Flinn IW, Miller CB, Ardeshta KM, et al. DYNAMO: A Phase II Study of Duvelisib (IPI-145) in Patients With Refractory Indolent Non-Hodgkin Lymphoma. *J Clin Oncol*. 2019 Apr 10;37(11):912-922. doi: 10.1200/JCO.18.00915.
5. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines[®]) for T-Cell Lymphomas 2.2022. National Comprehensive Cancer

Network, 2022. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed March 2022.

6. Brammer JE, Zinzani PL, Zain J, et al; Duvelisib in Patients with Relapsed/Refractory Peripheral T-Cell Lymphoma from the Phase 2 Primo Trial: Results of an Interim Analysis. Blood 2021; 138 (Supplement 1): 2456. doi: <https://doi.org/10.1182/blood-2021-148939>

Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description
C83.00	Small cell B-cell lymphoma, unspecified site
C83.01	Small cell B-cell lymphoma, lymph nodes of head, face and neck
C83.02	Small cell B-cell lymphoma, intrathoracic lymph nodes
C83.03	Small cell B-cell lymphoma, intra-abdominal lymph nodes
C83.04	Small cell B-cell lymphoma, lymph nodes of axilla and upper limb
C83.05	Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb
C83.06	Small cell B-cell lymphoma, intrapelvic lymph nodes
C83.07	Small cell B-cell lymphoma, spleen
C83.08	Small cell B-cell lymphoma, lymph nodes of multiple sites
C83.09	Small cell B-cell lymphoma, extranodal and solid organ sites
C84.40	Peripheral T-cell lymphoma, not classified, unspecified site
C84.41	Peripheral T-cell lymphoma, not classified, lymph nodes of head, face, and neck
C84.42	Peripheral T-cell lymphoma, not classified, intrathoracic lymph nodes
C84.43	Peripheral T-cell lymphoma, not classified, intra-abdominal lymph nodes
C84.44	Peripheral T-cell lymphoma, not classified, lymph nodes of axilla and upper limb
C84.45	Peripheral T-cell lymphoma, not classified, lymph nodes of inguinal region and lower limb
C84.46	Peripheral T-cell lymphoma, not classified, intrapelvic lymph nodes
C84.47	Peripheral T-cell lymphoma, not classified, spleen
C84.48	Peripheral T-cell lymphoma, not classified, lymph nodes of multiple sites
C84.49	Peripheral T-cell lymphoma, not classified, extranodal and solid organ sites
C84.60	Anaplastic large cell lymphoma, ALK-positive, unspecified site
C84.61	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of head, face, and neck
C84.62	Anaplastic large cell lymphoma, ALK-positive, intrathoracic lymph nodes
C84.63	Anaplastic large cell lymphoma, ALK-positive, intra-abdominal lymph nodes
C84.64	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of axilla and upper limb
C84.65	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of inguinal region and lower limb
C84.66	Anaplastic large cell lymphoma, ALK-positive, intrapelvic lymph nodes

C84.67	Anaplastic large cell lymphoma, ALK-positive, spleen
C84.68	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of multiple sites
C84.69	Anaplastic large cell lymphoma, ALK-positive, extranodal and solid organ sites
C84.70	Anaplastic large cell lymphoma, ALK-negative, unspecified site
C84.71	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of head, face, and neck
C84.72	Anaplastic large cell lymphoma, ALK-negative, intrathoracic lymph nodes
C84.73	Anaplastic large cell lymphoma, ALK-negative, intra-abdominal lymph nodes
C84.74	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of axilla and upper limb
C84.75	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of inguinal region and lower limb
C84.76	Anaplastic large cell lymphoma, ALK-negative, intrapelvic lymph nodes
C84.77	Anaplastic large cell lymphoma, ALK-negative, spleen
C84.78	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of multiple sites
C84.79	Anaplastic large cell lymphoma, ALK-negative, extranodal and solid organ sites
C84.7A	Anaplastic large cell lymphoma, ALK-negative, breast
C84.90	Mature T/NK-cell lymphomas, unspecified, unspecified site
C84.91	Mature T/NK-cell lymphomas, unspecified, lymph nodes of head, face, and neck
C84.92	Mature T/NK-cell lymphomas, unspecified, intrathoracic lymph nodes
C84.93	Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes
C84.94	Mature T/NK-cell lymphomas, unspecified, lymph nodes of axilla and upper limb
C84.95	Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower limb
C84.96	Mature T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes
C84.97	Mature T/NK-cell lymphomas, unspecified, spleen
C84.98	Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites
C84.99	Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites
C84.Z0	Other mature T/NK-cell lymphomas, unspecified site
C84.Z1	Other mature T/NK-cell lymphomas, lymph nodes of head, face, and neck
C84.Z2	Other mature T/NK-cell lymphomas, intrathoracic lymph nodes
C84.Z3	Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes
C84.Z4	Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb
C84.Z5	Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb
C84.Z6	Other mature T/NK-cell lymphomas, intrapelvic lymph nodes
C84.Z7	Other mature T/NK-cell lymphomas, spleen
C84.Z8	Other mature T/NK-cell lymphomas, lymph nodes of multiple sites
C84.Z9	Other mature T/NK-cell lymphomas, extranodal and solid organ sites
C86.1	Hepatosplenic T-cell lymphoma
C86.2	Enteropathy-type (intestinal) T-cell lymphoma

C86.5	Angioimmunoblastic T-cell lymphoma
C91.10	Chronic lymphocytic leukemia of B-cell type not having achieved remission
C91.12	Chronic lymphocytic leukemia of B-cell type in relapse

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Determinations (LCDs), and Local Coverage Articles (LCAs) may exist and compliance with these policies is required where applicable. They can be found at: <https://www.cms.gov/medicare-coverage-database/search.aspx>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A

Medicare Part B Administrative Contractor (MAC) Jurisdictions		
Jurisdiction	Applicable State/US Territory	Contractor
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)
6	MN, WI, IL	National Government Services, Inc. (NGS)
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)
N (9)	FL, PR, VI	First Coast Service Options, Inc.
J (10)	TN, GA, AL	Palmetto GBA, LLC
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)
15	KY, OH	CGS Administrators, LLC