Last Review Date: 05/04/2023 Date of Origin: 05/01/2020 Dates Reviewed: 05/2020, 10/2020, 01/2021, 05/2021, 5/2022, 05/2023

I. Length of Authorization

Coverage will be provided initially for 3 months and may be renewed one time only for 11 months *(maximum total of 17 doses from initial and maintenance treatments).*

II. Dosing Limits

A. Quantity Limit (max daily dose) [NDC Unit]:

- Jelmyto single-use carton/kit: Initially, 1 carton per every 7 days for 6 weeks, followed by 1 carton per every 28 days for 11 months

B. Max Units (per dose and over time) [HCPCS Unit]:

- Initial: 80 billable units per week for 6 weeks
- Maintenance: 80 billable units per month for 11 months

III. Initial Approval Criteria¹

Coverage is provided in the following conditions:

• Patient is at least 18 years of age; AND

Universal Criteria¹

- Patient does not have a perforation of the bladder or upper urinary tract; AND
- Therapy will be used for intra-pyelocalyceal instillation only; AND
- Used as a single agent; AND

Urothelial Carcinoma † $\Phi^{1,2}$

- Patient has low-grade upper tract urothelial cancer (LG-UTUC); AND
- Used as primary treatment; AND
- Patient has at least one measurable tumor 5 to \leq 15 mm

FDA Approved Indication(s); Compendia Recommended Indication(s); Orphan Drug

IV. Renewal Criteria¹

Coverage may be renewed based upon the following criteria:

- Patient continues to meet the universal and indication specific criteria as identified in section III; **AND**
- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread; **AND**
- Patient has a complete response (CR) to initial therapy (consisting of 3 months of therapy) defined as a negative ureteroscopic evaluation and negative urine cytology (required for extending treatment for an additional 11 monthly instillations); **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: severe ureteric obstruction, severe thrombocytopenia and/or neutropenia, etc.; **AND**
- Patient has not received more than a total of 17 drug doses/instillations

V. Dosage/Administration¹

Indication	Dose
Upper Tract Urothelial Carcinoma	 The dose to be instilled is 4 mg/mL via ureteral catheter or a nephrostomy tube, with total instillation volume based on volumetric measurements using pyelography, not to exceed 15 mL (60 mg of mitomycin). Instill Jelmyto once weekly for six weeks. For patients with a complete response 3 months after therapy initiation, instillations may be administered once a month for a maximum of 11 additional instillations.

VI. Billing Code/Availability Information

HCPCS Code:

• J9281 – Mitomycin pyelocalyceal instillation, 1 mg; 1 billable unit=1 mg

NDC:

- Jelmyto single-dose carton: 72493-0103-xx
 - Two 40 mg single-dose vials of lyophilized mitomycin: 72493-0101-xx
 - One 20 mL single dose vial of vehicle for reconstitution: 72493-0102-xx

VII. References

- 1. Jelmyto [package insert]. Princeton, NJ; Urogen Pharm, Inc; September 2022. Accessed April 2023.
- 2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) for mitomycin. National Comprehensive Cancer Network, 2023. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are

©2016 Health New England, Inc.

Page 2 of 4

This HNE clinical criteria is only a screening tool. It is not for final clinical or payment decisions. All care decisions are solely the responsibility of your healthcare provider. This HNE clinical criteria is confidential and proprietary. It applies only to this review

trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed April 2023.

- 3. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium[®]) Bladder Cancer. Version 1.2023. National Comprehensive Cancer Network, 2023. The NCCN Compendium[®] is a derivative work of the NCCN Guidelines[®]. NATIONAL COMPREHENSIVE CANCER NETWORK[®], NCCN[®], and NCCN GUIDELINES[®] are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed April 2023.
- Kleinmann N, Pierorazio P, Matin S, et al. LBA25 Non-Surgical Management Of Low Grade Upper Tract Urothelial Cancer: An Interim Analysis Of The International Multicenter Olympus Trial (NCT02793128). J Uro 2018.199:45;e1166. https://doi.org/10.1016/j.juro.2018.03.097
- Kleinmann N, Matin SF, Pierorazio PM, et al. Primary chemoablation of low-grade upper tract urothelial carcinoma using UGN-101, a mitomycin-containing reverse thermal gel (OLYMPUS): an open-label, single-arm, phase 3 trial. Lancet Oncol. 2020 Jun;21(6):776-785.

Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description	
C65.1	Malignant neoplasm of right renal pelvis	
C65.2	Malignant neoplasm of left renal pelvis	
C65.9	Malignant neoplasm of unspecified renal pelvis	

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Articles (LCAs) and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at: https://www.cms.gov/medicare-coverage-database/search.aspx. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A

Medicare Part B Administrative Contractor (MAC) Jurisdictions				
Jurisdiction	Applicable State/US Territory	Contractor		
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC		
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC		
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)		

©2016 Health New England, Inc.

Page 3 of 4

This HNE clinical criteria is only a screening tool. It is not for final clinical or payment decisions. All care decisions are solely the responsibility of your healthcare provider. This HNE clinical criteria is confidential and proprietary. It applies only to this review

Medicare Part B Administrative Contractor (MAC) Jurisdictions				
Jurisdiction	Applicable State/US Territory	Contractor		
6	MN, WI, IL	National Government Services, Inc. (NGS)		
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.		
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)		
N (9)	FL, PR, VI	First Coast Service Options, Inc.		
J (10)	TN, GA, AL	Palmetto GBA, LLC		
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC		
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.		
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)		
15	КҮ, ОН	CGS Administrators, LLC		

©2016 Health New England, Inc.

This HNE clinical criteria is only a screening tool. It is not for final clinical or payment decisions. All care decisions are solely the responsibility of your healthcare provider. This HNE clinical criteria is confidential and proprietary. It applies only to this review