

Leuprolide Suspension:

Lupron Depot®, Lupron Depot-Ped®, Eligard®, Fensolvi®, Camcevi™ (Intramuscular/Subcutaneous)

Document Number: IH-0080

Last Review Date: 08/03/2021

Date of Origin: 11/28/2011

Dates Reviewed: 12/11, 03/2012, 06/2013, 09/2012, 12/2012, 03/2013, 06/2013, 09/2013, 12/2013, 03/2014, 06/2014, 09/2014, 12/2014, 03/2015, 05/2015, 08/2015, 11/2015, 02/2016, 5/2016, 8/2016, 11/2016, 2/2017, 5/2017, 8/2017, 11/2017, 02/2018, 05/2018, 04/2019, 04/2020, 06/2020, 04/2021, 07/2021, 08/2021

I. Length of Authorization

- Endometriosis: Coverage will be provided for 6 months and is eligible for renewal one time only
- Menses Suppression and Control: Coverage will be provided for 6 months and may not be renewed
- Uterine leiomyomata (fibroids): Coverage will be provided for 3 months and is not eligible for renewal
- Fertility Preservation: Coverage will be provided for 12 months and is eligible for renewal while patient is receiving concomitant cytotoxic chemotherapy
- All other indications: Coverage will be provided for 12 months and is eligible for renewal.

II. Dosing Limits

A. Quantity Limit (max daily dose) [NDC Unit]:

Drug Name	Strength	Quantity	Days Supply
Lupron Depot 1-Month	3.75 mg	1 injection	28 days
Lupron Depot 1-Month	7.5 mg	1 injection	28 days
Lupron Depot 3-Month	11.25 mg	1 injection	84 days
Lupron Depot 3-Month	22.5 mg	1 injection	84 days
Lupron Depot 4-Month	30 mg	1 injection	112 days
Lupron Depot 6-Month	45 mg	1 injection	168 days
Lupron Depot-Ped 1-month	7.5 mg	1 injection	28 days
Lupron Depot-Ped 1-month	11.25 mg	1 injection	28 days
Lupron Depot-Ped 3-Month	11.25 mg	1 injection	84 days
Lupron Depot-Ped 1-month	15 mg	1 injection	28 days
Lupron Depot-Ped 3-Month	30 mg	1 injection	84 days
Eligard	7.5 mg	1 injection	28 days
Eligard	22.5 mg	1 injection	84 days
Eligard	30 mg	1 injection	112 days
Eligard	45 mg	1 injection	168 days
Fensolvi	45 mg	1 injection	168 days

Camcevi	42 mg	1 injection	168 days
---------	-------	-------------	----------

B. Max Units (per dose and over time) [HCPCS Unit]:

Diagnosis	HCPCS	Product(s)	Billable Units	Days Supply
Prostate/Breast/ Ovarian Cancer	J9217	Lupron Depot 1-Month & Eligard 7.5 mg	1	28
		Lupron Depot 3-Month & Eligard 22.5 mg	3	84
		Lupron Depot 4-Month & Eligard 30 mg	4	112
		Lupron Depot 6-Month & Eligard 45 mg	6	168
Salivary Gland Tumors of the Head and Neck	J9217	Lupron Depot 1-month & Eligard 7.5 mg	1	28
		Lupron Depot 3-Month & Eligard 22.5 mg	3	84
Breast/Ovarian Cancer; Endometriosis; Uterine Fibroids	J1950	Lupron Depot 1-Month 3.75 mg	1	28
		Lupron Depot 3-Month 11.25 mg	3	84
Central Precocious Puberty	J1950/ J1951	Lupron Depot-Ped 7.5 mg	2	28
		Lupron Depot-Ped 11.25 mg	3	28
		Lupron Depot-Ped 15 mg	4	28
		Lupron Depot-Ped 30 mg	8	84
		Fensolvi 45 mg Kit	180	168
Prostate Cancer	J1952/ J9999*	Camcevi 42 mg Kit	(42 mg)	168
Fertility Preservation/ Menses Suppression and Control	J1950	Lupron Depot 1-Month 3.75 mg	1	28

*Note: J1952 is effective 01/01/2022 with a corresponding billable unit equivalent to 1 mg. (Discontinue J9999 01/01/2022)

III. Initial Approval Criteria

Treatment of gender dysphoria is exempt from utilization review.

[Refer to Chapter 57 of the Laws of 2019 in Insurance Law § 4902 and Public Health Law § 4902]

Coverage is provided in the following conditions:

- Patient is 18 years or older (unless otherwise specified); **AND**

Gender Dysphoria; OR

Central Precocious Puberty (CPP) ^{3,6,12,18-20} † Φ (J1950 and J1951 [Fensolvi only])

- Patient is less than 13 years old; **AND**
- Onset of secondary sexual characteristics earlier than age 8 for girls and 9 for boys associated with pubertal pituitary gonadotropin activation; **AND**

- Diagnosis is confirmed by a pubertal gonadal sex steroid level and a pubertal LH response to stimulation by native GnRH; **AND**
- Bone age advanced greater than 2 standard deviations (SD) beyond chronological age; **AND**
- Tumor has been ruled out by lab tests such as diagnostic imaging of the brain (to rule out intracranial tumor), pelvic/testicular/adrenal ultrasound (to rule out steroid secreting tumors), and human chorionic gonadotropin levels (to rule out a chorionic gonadotropin secreting tumor) ; **AND**
- Will not be used in combination with growth hormone

Endometriosis ^{1,2,10} † (J1950 only)

- Documentation patient's diagnosis has been confirmed by a workup/evaluation (versus presumptive treatment)

Uterine Leiomyomata (fibroids) ^{1,2,11} † (J1950 only)

- Documentation patient's diagnosis has been confirmed by a workup/evaluation (versus presumptive treatment); **AND**
- Documentation patient is receiving iron therapy

Breast Cancer ^{8,9,13,14} ‡ (J9217 and J1950)

- Patient is pre-menopausal or is a male with suppression of testicular steroidogenesis; **AND**
- Disease is hormone receptor positive; **AND**
 - Used in combination with adjuvant endocrine therapy; **OR**
 - Endocrine therapy for recurrent or metastatic disease

Ovarian Cancer ^{8,9,16,17} ‡ (J9217 and J1950)

- Used as a single agent; **AND**
 - Patient has a diagnosis of stage II-IV granulosa cell tumors of the ovary; **AND**
 - Patient's disease has relapsed; **OR**
 - Patient has a diagnosis of Epithelial Ovarian Cancer OR Fallopian Tube Cancer OR Primary Peritoneal Cancer; **AND**
 - Patient's disease is persistent or recurrent (excluding immediate treatment of biochemical relapse)

Prostate Cancer ^{4,5,8,9,15} † (J9217 and J9999 [Camcevi only])

- Patient has advanced disease (*Camcevi only*)

Head and Neck Cancer ^{8,9} ‡ (J9217 only)

- Patient has a diagnosis of androgen-receptor positive recurrent salivary gland tumor; **AND**
 - Patient has distant metastases with a performance status score of 0-3; **OR**

- Patient has unresectable locoregional recurrence or second primary with prior radiation therapy

Prevention/Management of Menstrual Bleeding Associated with Hematopoietic Stem Cell Transplant (HCT) ²²⁻²⁵ ‡ (J1950 only)

- Patient is pre-menopausal; **AND**
 - Patient will receive conditioning myeloablative treatment with cytotoxic chemotherapy; **OR**
 - Patient has menorrhagia due to thrombocytopenia related to delayed platelet engraftment

Fertility Preservation Prior to Chemotherapy ²²⁻²⁵ ‡ (J1950 only)

- Patient is pre-menopausal; **AND**
- Patient is receiving treatment with cytotoxic chemotherapy with the potential to cause ovarian damage/toxicity (e.g., cyclophosphamide, melphalan, procarbazine, vinblastine, imatinib, etc.); **AND**
- Patient has failed or is not a candidate for other fertility preservation methods (e.g., cryopreservation, etc.)

† FDA Approved Indication(s); ‡ Compendia recommended indication(s); Ⓢ Orphan Drug

IV. Renewal Criteria

Coverage can be renewed based upon the following criteria:

- Patient continues to meet the indication-specific relevant criteria identified in section III; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: tumor flare, hyperglycemia/diabetes, cardiovascular disease (myocardial infarction, sudden cardiac death, stroke), QT/QTc prolongation, convulsions, etc.; **AND**

Prostate Cancer (J9217 and J9999 [Camcevi only]);

Head and Neck Cancer – Salivary Gland Tumors (J9217 only);

Breast and Ovarian Cancer (J9217 or J1950 only)

- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread; **AND**

Central Precocious Puberty (CPP) ^{3,6,12,18-20} (J1950 and J1951 [Fensolvi only])

- Patient is less than 13 years old; **AND**
- Disease response as indicated by lack of progression or stabilization of secondary sexual characteristics, decrease in growth velocity and bone age advancement, and improvement in final height prediction; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: convulsions, development or worsening of psychiatric symptoms, etc.; **AND**

LEUPROLIDE SUSP (Lupron Depot[®], Lupron Depot-Ped[®], Eligard[®], Fensolvi[®]) Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2021, Magellan Rx Management

- Will not be used in combination with growth hormone

Endometriosis (J1950 only)

- Patient has not received a total of 12 months of therapy of a GnRH-agonist (i.e., leuprolide acetate, etc.); **AND**
- Patient continues to have symptoms of endometriosis or symptoms recur after the initial 6-month course of therapy; **AND**
- Patient will have bone density assessment prior to retreatment; **AND**
- Extended GnRH-agonist treatment will be used in combination with norethindrone add-back therapy

Uterine leiomyomata (fibroids)/Menses suppression/control associated with HCT (J1950 only)

- May not be renewed

Fertility Preservation (J1950 only)

- Patient is still receiving treatment with cytotoxic chemotherapy

V. Dosage/Administration ¹⁻⁷

Indication	Dose
Endometriosis	Administer, intramuscularly, 3.75 mg monthly or 11.25 mg every 3 months for a duration of 6 months only.
Breast/Ovarian Cancer	Administer, intramuscularly or subcutaneously, 3.75 mg every/7.5 mg monthly or 11.25 mg/22.5 mg every 3 months.
Central Precocious Puberty (CPP)	<ul style="list-style-type: none"> • Fensolvi subcutaneous kit <ul style="list-style-type: none"> – Administer 45 mg subcutaneously once every six months. • Lupron Depot-Ped intramuscular injection: <ul style="list-style-type: none"> – Weight based <ul style="list-style-type: none"> ▪ >37.5 kg: 15 mg every 4 weeks ▪ >25-37.5 kg: 11.25 mg every 4 weeks ▪ ≤ 25 kg: 7.5 mg every 4 weeks; OR – Ages 2 to 11 yrs: 11.25 mg or 30 mg every 12 weeks
Uterine leiomyomata (fibroids)	Administer, intramuscularly, 3.75 mg monthly or 11.25 mg every 3 months. The recommended duration of therapy is 3 months or less; retreatment depends on return of symptoms.
Prostate Cancer	<ul style="list-style-type: none"> • Lupron Depot & Eligard <ul style="list-style-type: none"> – Administer intramuscularly or subcutaneously, 7.5 mg every 4 weeks, 22.5 mg every 12 weeks, 30 mg every 16 weeks, 45 mg every 24 weeks, or 42 mg every 24 weeks. • Camcevi subcutaneous kit <ul style="list-style-type: none"> – Administer subcutaneously 42 mg once every 6 months.

Salivary Gland tumors of the Head and Neck	Administer, intramuscularly or subcutaneously, 7.5 mg every 4 weeks, 22.5 mg every 12 weeks
Menstrual Bleeding Prevention or Management in HCT	Administer intramuscularly 3.75 mg once every 4 weeks up to 6 months (Therapy should be started 4-5 weeks prior to conditioning chemotherapy and continued as required until platelets are >50,000 post HCT)
Fertility Preservation	Administer intramuscularly 3.75 mg once every 4 weeks

- *Lupron Depot is administered intramuscularly (IM), Eligard, Fensolvi, and Camcevi are administered subcutaneously (SQ)*
- *Camcevi must be administered by a healthcare provider.*
- *Do not use concurrently a fractional dose, or a combination of doses of this or any depot formulation due to different release characteristics.*

VI. Billing Code/Availability Information

Drug Name	Strength	HCPCS*	NDC
Lupron Depot 1-Month	3.75 mg	J1950	00074-3641-xx
Lupron Depot 1-Month	7.5 mg	J9217	00074-3642-xx
Lupron Depot 3-Month	11.25 mg	J1950	00074-3663-xx
Lupron Depot 3-Month	22.5 mg	J9217	00074-3346-xx
Lupron Depot 4-Month	30 mg	J9217	00074-3683-xx
Lupron Depot 6-Month	45 mg	J9217	00074-3473-xx
Lupron Depot-Ped	7.5 mg	J1950	00074-2108-xx
Lupron Depot-Ped	11.25 mg	J1950	00074-2282-xx
Lupron Depot-Ped 3-Month	11.25 mg	J1950	00074-3779-xx
Lupron Depot-Ped	15 mg	J1950	00074-2440-xx
Lupron Depot-Ped 3-Month	30 mg	J1950	00074-9694-xx
Eligard	7.5 mg	J9217	62935-0753-xx
Eligard	22.5 mg	J9217	62935-0223-xx
Eligard	30 mg	J9217	62935-0303-xx
Eligard	45 mg	J9217	62935-0453-xx
Fensolvi	45 mg	J1951	62935-0153-xx
Camcevi	42 mg	J9999 (<i>discontinue 01/01/2022</i>) J1592 (<i>effective 01/01/2022</i>)	72851-0042-xx

*J1950: Injection, leuprolide acetate (for depot suspension), per 3.75 mg

*J9217: Leuprolide acetate (for depot suspension), 7.5 mg

*J1951: Injection, leuprolide acetate for depot suspension (fensolvi), 0.25 mg

*J9999: Not otherwise classified, antineoplastic drugs (*Camcevi only*) (*Discontinue use on 01/01/2022*)

*J1952: Leuprolide injectable, camcevi, 1 mg (*Effective 01/01/2022*)

VII. References

1. Lupron Depot GYN 3 Month 11.25 mg [package insert]. North Chicago, IL; Abbvie Inc.; March 2020. Accessed March 2021.
2. Lupron Depot GYN 3.75 mg and 3 Month 11.25 mg [package insert]. North Chicago, IL; Abbvie Inc.; February 2021. Accessed March 2021
3. Lupron Depot-Ped [package insert]. North Chicago, IL; Abbvie Inc.; March 2021. Accessed March 2021.

4. Lupron Depot URO [package insert]. North Chicago, IL; Abbvie Inc.; March 2019. Accessed March 2021.
5. Eligard [package insert]. Fort Collins, CO; Tolmar Therapeutics, Inc; April 2019. Accessed March 2021.
6. Fensolvi [package insert]. Fort Collins, CO; Tolmar Therapeutics, Inc; May 2020. Accessed March 2021.
7. Camcevi [package insert]. Taipei City, Taiwan; Foresee Pharmaceuticals Co., Ltd.; May 2021. Accessed June 2021.
8. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) Leuprolide acetate. National Comprehensive Cancer Network, 2021. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed June 2021.
9. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) Leuprolide acetate for depot suspension. National Comprehensive Cancer Network, 2021. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed June 2021.
10. Dlugi AM, Miller JD, Knittle J, et al: Lupron depot (leuprolide acetate for depot suspension) in the treatment of endometriosis: a randomized, placebo-controlled, double-blind study. *Fertil Steril* 1990; 54:419-427.
11. Friedman AJ, Barbieri RL, Doubilet PM, et al: A randomized, double-blind trial of a gonadotropin-releasing hormone agonist (leuprolide) with or without medroxyprogesterone acetate in the treatment of leiomyomata uteri. *Obstet Gynecol Surv* 1988; 43:484-485.
12. Lee PA & Page JG: The Leuprolide Study Group: Effects of leuprolide in the treatment of central precocious puberty. *J Pediatr* 1989; 114:321-324.
13. Harvey HA, Lipton A, Max DT, et al: Medical castration produced by the GnRH analogue leuprolide to treat metastatic breast cancer. *J Clin Oncol* 1985; 3:1068-1072.
14. Boccardo F, Rubagotti A, Amoroso D, et al, “Endocrinological and Clinical Evaluation of Two Depot Formulations of Leuprolide Acetate in Pre- and Perimenopausal Breast Cancer Patients,” *Cancer Chemother Pharmacol*, 1999, 43(6):461-6.
15. National Collaborating Centre for Cancer. Prostate cancer: diagnosis and treatment. London (UK): National Institute for Health and Clinical Excellence (NICE); 2008 Feb. 146 p. (NICE clinical guideline; no. 58)
16. Fishman A, Kudelka AP, Tresukosol D, et al. Leuprolide acetate for treating refractory or persistent ovarian granulosa cell tumor. *J Reprod Med*. 1996;41(6):393-396.

17. Kavanagh JJ, Roberts W, Townsend P, et al: Leuprolide acetate in the treatment of refractory or persistent epithelial ovarian cancer. *J Clin Oncol* 1989; 7:115-118.
18. Beccuti G, Ghizzoni L. Normal and Abnormal Puberty. *Endotext*. De Groot LJ, Chrousos G, Dungan K, et al., editors, South Dartmouth (MA): MDText.com, Inc.; 2000-. Accessed at: <https://www.ncbi.nlm.nih.gov/books/NBK279024/>.
19. Brito VN, Spinola-Castro AM, Kochi C, et al. Central precocious puberty: revisiting the diagnosis and therapeutic management. *Arch Endocrinol Metab*. 2016 Apr;60(2):163-72
20. Carel JC, Eugster E, Rogol A, et al. Consensus statement on the use of gonadotropin-releasing hormone analogs in children. *Pediatrics*. 2009 Apr;123(4):e752-62. doi: 10.1542/peds.2008-1783. Epub 2009 Mar 30.
21. Shore N, Mincik I, DeGuenther M, et al. A phase 3, open-label, multicenter study of a 6-month pre-mixed depot formulation of leuprolide mesylate in advanced prostate cancer patients. *World J Urol*. 2020 Jan;38(1):111-119. doi: 10.1007/s00345-019-02741-7.
22. Amsterdam A, et al. Management of menorrhagia. Treatment of menorrhagia in women undergoing hematopoietic stem cell transplantation. *Bone Marrow Transplantation* 2004; 34:363-66..
23. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Adolescent and Young Adult (AYA) Oncology Version 1.2021. National Comprehensive Cancer Network, 2021. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed June 2021.
24. Options for Prevention and Management of Menstrual Bleeding in Adolescent Patients Undergoing Cancer Treatment: ACOG Committee Opinion, Number 817. *Obstet Gynecol*. 2021 Jan 1;137(1):e7-e15. doi: 10.1097/AOG.0000000000004209.
25. Ghalie, R., et al. Prevention of Hypermenorrhea with Leuprolide in Premenopausal Women Undergoing Bone Marrow Transplantation, *American Journal of Hematology*. 1993;42: 350-353.
26. First Coast Service Options, Inc. Local Coverage Article: Billing and Coding: Luteinizing Hormone-Releasing Hormone (LHRH) Analogs (A57655). Centers for Medicare & Medicaid Services, Inc. Updated on 11/21/2019 with effective date 10/03/2018. Accessed June 2021.
27. National Government Services, Inc. Local Coverage Article: Billing and Coding: Luteinizing Hormone-Releasing Hormone (LHRH) Analogs (A52453). Centers for Medicare & Medicaid Services, Inc. Updated on 04/24/2020 with effective date 05/01/2020. Accessed June 2021.
28. Novitas Solutions, Inc. Local Coverage Article: Billing and Coding: Luteinizing Hormone-Releasing Hormone (LHRH) Analogs (A56776). Centers for Medicare & Medicaid Services, Inc. Updated on 11/08/2019 with effective date 11/14/2019. Accessed June 2021.

Appendix 1 – Covered Diagnosis Codes

J1950

LEUPROLIDE SUSP (Lupron Depot®, Lupron Depot-Ped®, Eligard®, Fensolvi®) Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2021, Magellan Rx Management

ICD-10	ICD-10 Description
C48.1	Malignant neoplasm of specified parts of peritoneum
C48.2	Malignant neoplasm of peritoneum, unspecified
C48.8	Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum
C50.011	Malignant neoplasm of nipple and areola, right female breast
C50.012	Malignant neoplasm of nipple and areola, left female breast
C50.019	Malignant neoplasm of nipple and areola, unspecified female breast
C50.021	Malignant neoplasm of nipple and areola, right female breast
C50.022	Malignant neoplasm of nipple and areola, left female breast
C50.029	Malignant neoplasm of nipple and areola, unspecified female breast
C50.111	Malignant neoplasm of central portion of right female breast
C50.112	Malignant neoplasm of central portion of left female breast
C50.119	Malignant neoplasm of central portion of unspecified female breast
C50.121	Malignant neoplasm of central portion of right male breast
C50.122	Malignant neoplasm of central portion of left male breast
C50.129	Malignant neoplasm of central portion of unspecified male breast
C50.211	Malignant neoplasm of upper-inner quadrant of right female breast
C50.212	Malignant neoplasm of upper-inner quadrant of left female breast
C50.219	Malignant neoplasm of upper-inner quadrant of unspecified female breast
C50.221	Malignant neoplasm of upper-inner quadrant of right male breast
C50.222	Malignant neoplasm of upper-inner quadrant of left male breast
C50.229	Malignant neoplasm of upper-inner quadrant of unspecified male breast
C50.311	Malignant neoplasm of lower-inner quadrant of right female breast
C50.312	Malignant neoplasm of lower-inner quadrant of left female breast
C50.319	Malignant neoplasm of lower-inner quadrant of unspecified female breast
C50.321	Malignant neoplasm of lower-inner quadrant of right male breast
C50.322	Malignant neoplasm of lower-inner quadrant of left male breast
C50.329	Malignant neoplasm of lower-inner quadrant of unspecified male breast
C50.411	Malignant neoplasm of upper-outer quadrant of right female breast
C50.412	Malignant neoplasm of upper-outer quadrant of left female breast
C50.419	Malignant neoplasm of upper-outer quadrant of unspecified female breast
C50.421	Malignant neoplasm of upper-outer quadrant of right male breast
C50.422	Malignant neoplasm of upper-outer quadrant of left male breast
C50.429	Malignant neoplasm of upper-outer quadrant of unspecified male breast
C50.511	Malignant neoplasm of lower-outer quadrant of right female breast
C50.512	Malignant neoplasm of lower-outer quadrant of left female breast
C50.519	Malignant neoplasm of lower-outer quadrant of unspecified female breast
C50.521	Malignant neoplasm of lower-outer quadrant of right male breast
C50.522	Malignant neoplasm of lower-outer quadrant of left male breast

LEUPROLIDE SUSP (Lupron Depot®, Lupron Depot-Ped®, Eligard®, Fensolvi®) Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2021, Magellan Rx Management

ICD-10	ICD-10 Description
C50.529	Malignant neoplasm of lower-outer quadrant of unspecified male breast
C50.611	Malignant neoplasm of axillary tail of right female breast
C50.612	Malignant neoplasm of axillary tail of left female breast
C50.619	Malignant neoplasm of axillary tail of unspecified female breast
C50.621	Malignant neoplasm of axillary tail of right male breast
C50.622	Malignant neoplasm of axillary tail of left male breast
C50.629	Malignant neoplasm of axillary tail of unspecified male breast
C50.811	Malignant neoplasm of overlapping sites of right female breast
C50.812	Malignant neoplasm of overlapping sites of left female breast
C50.819	Malignant neoplasm of overlapping sites of unspecified female breast
C50.821	Malignant neoplasm of overlapping sites of right male breast
C50.822	Malignant neoplasm of overlapping sites of left male breast
C50.829	Malignant neoplasm of overlapping sites of unspecified male breast
C50.911	Malignant neoplasm of unspecified site of right female breast
C50.912	Malignant neoplasm of unspecified site of left female breast
C50.919	Malignant neoplasm of unspecified site of unspecified female breast
C50.921	Malignant neoplasm of unspecified site of right male breast
C50.922	Malignant neoplasm of unspecified site of left male breast
C50.929	Malignant neoplasm of unspecified site of unspecified male breast
C56.1	Malignant neoplasm of right ovary
C56.2	Malignant neoplasm of left ovary
C56.3	Malignant neoplasm of bilateral ovaries
C56.9	Malignant neoplasm of unspecified ovary
C57.00	Malignant neoplasm of unspecified fallopian tube
C57.01	Malignant neoplasm of right fallopian tube
C57.02	Malignant neoplasm of left fallopian tube
C57.10	Malignant neoplasm of unspecified broad ligament
C57.11	Malignant neoplasm of right broad ligament
C57.12	Malignant neoplasm of left broad ligament
C57.20	Malignant neoplasm of unspecified round ligament
C57.21	Malignant neoplasm of right round ligament
C57.22	Malignant neoplasm of left round ligament
C57.3	Malignant neoplasm of parametrium
C57.4	Malignant neoplasm of uterine adnexa, unspecified
C57.7	Malignant neoplasm of other specified female genital organs
C57.8	Malignant neoplasm of overlapping sites of female genital organs
C57.9	Malignant neoplasm of female genital organ, unspecified
D25.0	Submucous leiomyoma of uterus

LEUPROLIDE SUSP (Lupron Depot®, Lupron Depot-Ped®, Eligard®, Fensolvi®) Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2021, Magellan Rx Management

ICD-10	ICD-10 Description
D25.1	Intramural leiomyoma of uterus
D25.2	Subserosal leiomyoma of uterus
D25.9	Leiomyoma of uterus, unspecified
E30.1	Precocious puberty
E30.8	Other disorders of puberty
F64.0	Transsexualism
F64.1	Dual role transvestism
F64.2	Gender identity disorder of childhood
F64.8	Other gender identity disorders
F64.9	Gender identity disorder, unspecified
N80.1	Endometriosis of ovary
N80.2	Endometriosis of fallopian tube
N80.3	Endometriosis of pelvic peritoneum
N80.4	Endometriosis of rectovaginal septum and vagina
N80.5	Endometriosis of intestine
N80.6	Endometriosis in cutaneous scar
N80.8	Other endometriosis
N80.9	Endometriosis, unspecified
N93.8	Other specified abnormal uterine and vaginal bleeding
N94.89	Other specified conditions associated with female genital organs and menstrual cycle
T86.09	Other complications of bone marrow transplant
Z31.84	Encounter for fertility preservation procedure

J9217

ICD-10	ICD-10 Description
C06.9	Malignant neoplasm of mouth, unspecified
C07	Malignant neoplasm of parotid gland
C08.0	Malignant neoplasm of submandibular gland
C08.1	Malignant neoplasm of sublingual gland
C08.9	Malignant neoplasm of major salivary gland, unspecified
C48.1	Malignant neoplasm of specified parts of peritoneum
C48.2	Malignant neoplasm of peritoneum, unspecified
C48.8	Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum
C50.011	Malignant neoplasm of nipple and areola, right female breast
C50.012	Malignant neoplasm of nipple and areola, left female breast
C50.019	Malignant neoplasm of nipple and areola, unspecified female breast
C50.021	Malignant neoplasm of nipple and areola, right female breast
C50.022	Malignant neoplasm of nipple and areola, left female breast

LEUPROLIDE SUSP (Lupron Depot®, Lupron Depot-Ped®, Eligard®, Fensolvi®) Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2021, Magellan Rx Management

ICD-10	ICD-10 Description
C50.029	Malignant neoplasm of nipple and areola, unspecified female breast
C50.111	Malignant neoplasm of central portion of right female breast
C50.112	Malignant neoplasm of central portion of left female breast
C50.119	Malignant neoplasm of central portion of unspecified female breast
C50.121	Malignant neoplasm of central portion of right male breast
C50.122	Malignant neoplasm of central portion of left male breast
C50.129	Malignant neoplasm of central portion of unspecified male breast
C50.211	Malignant neoplasm of upper-inner quadrant of right female breast
C50.212	Malignant neoplasm of upper-inner quadrant of left female breast
C50.219	Malignant neoplasm of upper-inner quadrant of unspecified female breast
C50.221	Malignant neoplasm of upper-inner quadrant of right male breast
C50.222	Malignant neoplasm of upper-inner quadrant of left male breast
C50.229	Malignant neoplasm of upper-inner quadrant of unspecified male breast
C50.311	Malignant neoplasm of lower-inner quadrant of right female breast
C50.312	Malignant neoplasm of lower-inner quadrant of left female breast
C50.319	Malignant neoplasm of lower-inner quadrant of unspecified female breast
C50.321	Malignant neoplasm of lower-inner quadrant of right male breast
C50.322	Malignant neoplasm of lower-inner quadrant of left male breast
C50.329	Malignant neoplasm of lower-inner quadrant of unspecified male breast
C50.411	Malignant neoplasm of upper-outer quadrant of right female breast
C50.412	Malignant neoplasm of upper-outer quadrant of left female breast
C50.419	Malignant neoplasm of upper-outer quadrant of unspecified female breast
C50.421	Malignant neoplasm of upper-outer quadrant of right male breast
C50.422	Malignant neoplasm of upper-outer quadrant of left male breast
C50.429	Malignant neoplasm of upper-outer quadrant of unspecified male breast
C50.511	Malignant neoplasm of lower-outer quadrant of right female breast
C50.512	Malignant neoplasm of lower-outer quadrant of left female breast
C50.519	Malignant neoplasm of lower-outer quadrant of unspecified female breast
C50.521	Malignant neoplasm of lower-outer quadrant of right male breast
C50.522	Malignant neoplasm of lower-outer quadrant of left male breast
C50.529	Malignant neoplasm of lower-outer quadrant of unspecified male breast
C50.611	Malignant neoplasm of axillary tail of right female breast
C50.612	Malignant neoplasm of axillary tail of left female breast
C50.619	Malignant neoplasm of axillary tail of unspecified female breast
C50.621	Malignant neoplasm of axillary tail of right male breast
C50.622	Malignant neoplasm of axillary tail of left male breast
C50.629	Malignant neoplasm of axillary tail of unspecified male breast
C50.811	Malignant neoplasm of overlapping sites of right female breast

LEUPROLIDE SUSP (Lupron Depot®, Lupron Depot-Ped®, Eligard®, Fensolvi®) Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2021, Magellan Rx Management

ICD-10	ICD-10 Description
C50.812	Malignant neoplasm of overlapping sites of left female breast
C50.819	Malignant neoplasm of overlapping sites of unspecified female breast
C50.821	Malignant neoplasm of overlapping sites of right male breast
C50.822	Malignant neoplasm of overlapping sites of left male breast
C50.829	Malignant neoplasm of overlapping sites of unspecified male breast
C50.911	Malignant neoplasm of unspecified site of right female breast
C50.912	Malignant neoplasm of unspecified site of left female breast
C50.919	Malignant neoplasm of unspecified site of unspecified female breast
C50.921	Malignant neoplasm of unspecified site of right male breast
C50.922	Malignant neoplasm of unspecified site of left male breast
C50.929	Malignant neoplasm of unspecified site of unspecified male breast
C56.1	Malignant neoplasm of right ovary
C56.2	Malignant neoplasm of left ovary
C56.3	Malignant neoplasm of bilateral ovaries
C56.9	Malignant neoplasm of unspecified ovary
C57.00	Malignant neoplasm of unspecified fallopian tube
C57.01	Malignant neoplasm of right fallopian tube
C57.02	Malignant neoplasm of left fallopian tube
C57.10	Malignant neoplasm of unspecified broad ligament
C57.11	Malignant neoplasm of right broad ligament
C57.12	Malignant neoplasm of left broad ligament
C57.20	Malignant neoplasm of unspecified round ligament
C57.21	Malignant neoplasm of right round ligament
C57.22	Malignant neoplasm of left round ligament
C57.3	Malignant neoplasm of parametrium
C57.4	Malignant neoplasm of uterine adnexa, unspecified
C57.7	Malignant neoplasm of other specified female genital organs
C57.8	Malignant neoplasm of overlapping sites of female genital organs
C57.9	Malignant neoplasm of female genital organ, unspecified
C61	Malignant neoplasm of prostate
Z85.46	Personal history of malignant neoplasm of prostate

J1951 (Fensolvi only)

ICD-10	ICD-10 Description
E30.1	Precocious puberty
E30.8	Other disorders of puberty
F64.0	Transsexualism
F64.1	Dual role transvestism

LEUPROLIDE SUSP (Lupron Depot®, Lupron Depot-Ped®, Eligard®, Fensolvi®) Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2021, Magellan Rx Management

ICD-10	ICD-10 Description
F64.2	Gender identity disorder of childhood
F64.8	Other gender identity disorders
F64.9	Gender identity disorder, unspecified

J9999 (Camcevi only) (*Discontinue use on 01/01/2022*); **J1952 (Camcevi only)** (*Effective on 01/01/2022*)

ICD-10	ICD-10 Description
C61	Malignant neoplasm of prostate
Z85.46	Personal history of malignant neoplasm of prostate

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Determinations (LCDs) and Local Coverage Articles (LCAs) may exist and compliance with these policies is required where applicable. They can be found at: <http://www.cms.gov/medicare-coverage-database/search/advanced-search.aspx>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA):

Lupron Depot/Lupron Depot-Ped (J1950) & Lupron Depot/Eligard (J9217)

Jurisdiction(s): N	NCD/LCD Document (s): A57655
https://www.cms.gov/medicare-coverage-database/search/document-id-search-results.aspx?DocID=A57655&bc=gAAAAAAAAAAAA&	

Jurisdiction(s): 6, K	NCD/LCD Document (s): A52453
https://www.cms.gov/medicare-coverage-database/search/article-date-search.aspx?DocID=A52453&bc=gAAAAAAAAAAAA&	

Jurisdiction(s): H	NCD/LCD Document (s): A56776
https://www.cms.gov/medicare-coverage-database/search/article-date-search.aspx?DocID=A56776&bc=gAAAAAAAAAAAA&	

Medicare Part B Administrative Contractor (MAC) Jurisdictions		
Jurisdiction	Applicable State/US Territory	Contractor
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)

LEUPROLIDE SUSP (Lupron Depot®, Lupron Depot-Ped®, Eligard®, Fensolvi®) Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2021, Magellan Rx Management

MagellanRx
MANAGEMENTSM

Medicare Part B Administrative Contractor (MAC) Jurisdictions

Jurisdiction	Applicable State/US Territory	Contractor
6	MN, WI, IL	National Government Services, Inc. (NGS)
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)
N (9)	FL, PR, VI	First Coast Service Options, Inc.
J (10)	TN, GA, AL	Palmetto GBA, LLC
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)
15	KY, OH	CGS Administrators, LLC