

# Enhertu<sup>®</sup> (fam-trastuzumab deruxtecan-nxki) (Intravenous)



Last Review Date: 07/05/2023 Date of Origin: 06/02/2020 Dates Reviewed: 06/2020, 07/2020, 10/2020, 02/2021, 04/2022, 10/2022, 07/2023

#### I. Length of Authorization

Coverage will be provided for 6 months and may be renewed.

#### II. Dosing Limits

#### A. Quantity Limit (max daily dose) [NDC Unit]:

• Enhertu 100 mg vial: 7 vials every 21 days

#### B. Max Units (per dose and over time) [HCPCS Unit]:

- Breast Cancer, CNS Cancers, & NSCLC: 600 billable units every 21 days
- All other indications: 700 billable units every 21 days

#### III. Initial Approval Criteria 1

Coverage is provided in the following conditions:

• Patient is at least 18 years of age; AND

## Universal Criteria

- Left ventricular ejection fraction (LVEF) is within normal limits prior to initiating therapy and will be assessed at regular intervals (e.g., every 3 months) during treatment; **AND**
- Used as a single agent; AND
- Therapy will not be substituted with or for any trastuzumab-based formulation (i.e., trastuzumab [or trastuzumab biosimilar product], ado-trastuzumab emtansine, trastuzumab-hyaluronidase, pertuzumab/trastuzumab and hyaluronidase-zzxf, etc.); **AND**

## Breast Cancer † ‡ 1,2,4,8,15,16, 20,6e

- Patient has recurrent unresectable (local or regional) or metastatic disease; AND
  - Patient has human epidermal growth factor receptor 2 (HER2)-positive\* disease as determined by an FDA-approved or CLIA-compliant test\*; **AND** 
    - Patient was previously treated with trastuzumab and a taxane; AND

Proprietary & Confidential © 2023 Magellan Health, Inc.



- Used as subsequent therapy; **OR**
- Used as first-line therapy in patients with who experience disease progression during or within 6 months of neoadjuvant or adjuvant therapy; OR
- Patient has HER2-low§ disease as determined by an FDA-approved or CLIAcompliant test\*; AND
  - Patient has hormone receptor-negative disease <u>OR</u> hormone receptor-positive disease with visceral crisis or endocrine therapy refractory; **AND** 
    - Used as subsequent therapy; **OR**
    - Patient has disease recurrence during or within 6 months after completing adjuvant chemotherapy

## Central Nervous System (CNS) Cancers (Brain Metastases from Breast Cancer) ‡ 2,23

- Patient has brain metastases from HER2-positive\* breast cancer as confirmed by an FDAapproved or CLIA-compliant test **\$**; **AND**
- Prior treatment for breast cancer included both chemotherapy and HER2-directed therapy; AND
  - $\circ$  Used as initial treatment in patients with small asymptomatic brain metastases; **OR**
  - $\circ~$  Patient has relapsed limited brain metastases with either stable systemic disease or reasonable systemic treatment options;  $\mathbf{OR}$
  - Patient has recurrent limited brain metastases; **OR**
  - Patient has recurrent extensive brain metastases with stable systemic disease or reasonable systemic treatment options

## Gastric, Esophageal, and Esophagogastric Junction Cancers † $\Phi$ <sup>1,2,9,17,18</sup>

- Patient has human epidermal growth factor receptor 2 (HER2)-positive\* disease as determined by an FDA-approved or CLIA-compliant test\*; **AND**
- Patient has adenocarcinoma histology; AND
- Patient is not a surgical candidate OR has unresectable locally advanced, recurrent, or metastatic disease; **AND**
- Patient was previously treated with at least 2 prior therapies, including a trastuzumabbased regimen

## Colorectal Cancer (CRC) $\ddagger 2,10-12$

- Patient has human epidermal growth factor receptor 2 (HER2)-positive\* disease as determined by an FDA-approved or CLIA-compliant test\*; **AND**
- Patient has RAS and BRAF wild-type (WT) disease; AND
- Used as subsequent therapy for progression of advanced or metastatic disease after at least two prior lines of treatment in the advanced or metastatic disease setting; **AND**



- o Patient has mismatch repair proficient/microsatellite-stable (pMMR/MSS) disease; OR
- Patient has mismatch repair deficient/microsatellite instability-high (dMMR/MSI-H) disease AND is not a candidate for or has progressed on check-point inhibitor immunotherapy

## Non-Small Cell Lung Cancer (NSCLC) † ‡ 1,2,14,21,22

- Patient has ERBB2 (HER2) mutation positive disease as determined by an FDA-approved or CLIA-complaint test **\***; **AND**
- Patient has recurrent, advanced, unresectable, or metastatic disease (excluding locoregional recurrence or symptomatic local disease without evidence of disseminated disease) or mediastinal lymph node recurrence with prior radiation therapy; **AND**
- Patient has non-squamous histology; AND
- Used as subsequent therapy

#### \*HER2-positive overexpression criteria

#### Breast Cancer: 4,5

- Immunohistochemistry (IHC) assay 3+; OR
- Dual-probe in situ hybridization (ISH) assay HER2/CEP17 ratio  $\geq$  2.0 AND average HER2 copy number  $\geq$  4.0 signals/cell;  $\bf OR$
- Dual-probe in situ hybridization (ISH) assay AND concurrent IHC indicating one of the following:
  - $\circ~$  HER2/CEP17 ratio  $\geq 2.0$  AND average HER2 copy number < 4.0 signals/cell AND concurrent IHC 3+;  $\mathbf{OR}$
  - HER2/CEP17 ratio < 2.0 AND average HER2 copy number ≥ 6.0 signals/cell AND concurrent IHC 2+ or 3+; **OR**
  - $\circ~$  HER2/CEP17 ratio < 2.0 AND average HER2 copy number  $\geq$  4.0 and < 6.0 signals/cell AND concurrent IHC 3+

#### Gastric, Esophageal, and Esophagogastric Junction Cancer: 17-19

- Immunohistochemistry (IHC) assay 3+; OR
- Fluorescence in situ hybridization (FISH) or in situ hybridization (ISH) assay AND concurrent IHC indicating one of the following:
  - HER2/CEP17 ratio  $\geq$  2.0 AND concurrent IHC 2+; **OR**
  - $\circ$  Average HER2 copy number  $\geq 6.0$  signals/cell AND concurrent IHC 2+

#### Colorectal Cancer and Appendiceal Adenocarcinoma: 11,12

- Immunohistochemistry (IHC) assay 3+; OR
- Fluorescence in situ hybridization (FISH) HER2/CEP17 ratio  $\geq 2$  AND concurrent IHC 2+; **OR**
- Next-generation sequencing (NGS) panel HER2 amplification

#### **§HER2-low expression criteria**

#### Breast Cancer: 1,2,4

- Immunohistochemistry (IHC) assay 1+; OR
- IHC 2+ AND in situ hybridization (ISH) negative

Page 3 Proprietary Information. Restricted Access – Do not disseminate or copy without approval. ©2023, Magellan Rx Management



Preferred therapies and recommendations are determined by review of clinical evidence. NCCN category of recommendation is taken into account as a component of this review. Regimens deemed equally efficacious (i.e., those having the same NCCN categorization) are considered to be therapeutically equivalent.

**†** FDA Approved Indication(s), **‡** Compendia Recommended Indication(s); **Φ** Orphan Drug *(only applies to Gastric and Esophagogastric Junction Cancers)* 

## IV. Renewal Criteria 1,10,13

Coverage may be renewed based upon the following criteria:

- Patient continues to meet the universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; **AND**
- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: pulmonary toxicity (e.g., interstitial lung disease, pneumonitis), neutropenia/febrile neutropenia, left ventricular dysfunction/symptomatic congestive heart failure, etc.; **AND**
- Left ventricular ejection fraction (LVEF) within the previous 3 months as follows:
  - $\circ$  LVEF is > 45% and <u>absolute</u> decrease is  $\leq$  20% from baseline; **OR**
  - $\circ~$  LVEF is 40% to 45% and <u>absolute</u> decrease is < 10% from baseline

## V. Dosage/Administration <sup>1,11-13,16,21,23</sup>

Indication	Dose
Breast Cancer & NSCLC	Administer 5.4 mg/kg given as an intravenous infusion every 3 weeks (21-day cycle) until disease progression or unacceptable toxicity
Gastric, Esophageal, and Esophagogastric Junction Cancers	Administer 6.4 mg/kg given as an intravenous infusion every 3 weeks (21-day cycle) until disease progression or unacceptable toxicity
Colorectal Cancer	Administer 6.4 mg/kg given as an intravenous infusion every 3 weeks (21-day cycle) until disease progression or unacceptable toxicity

## VI. Billing Code/Availability Information

## HCPCS Code:

• J9358 – Injection, fam-trastuzumab deruxtecan-nxki, 1 mg: 1 billable unit = 1 mg



### NDC:

• Enhertu 100 mg single-dose vial: 65597-0406-xx

## VII. References (STANDARD)

- 1. Enhertu [package insert]. Basking Ridge, NJ; Daiichi Sankyo, Inc; November 2022. Accessed June 2023.
- 2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) fam-trastuzumab deruxtecan-nxki. National Comprehensive Cancer Network, 2023. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed June 2023.
- 3. Fahrenbruch R, Kintzel P, Bott AM, et al. Dose Rounding of Biologic and Cytotoxic Anticancer Agents: A Position Statement of the Hematology/Oncology Pharmacy Association. J Oncol Pract. 2018 Mar;14(3):e130-e136.
- 4. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines<sup>®</sup>) for Breast Cancer, Version 4.2023. National Comprehensive Cancer Network, 2023. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed June 2023.
- 5. Wolff AC, Hammond EH, Allison KH, et al. Human epidermal growth factor receptor 2 testing in breast cancer: American Society of Clinical Oncology/College of American Pathologists Clinical Practice Guideline Focused Update. J Clin Oncol 2018;36:2105-2122.
- Hematology/Oncology Pharmacy Association (2019). Intravenous Cancer Drug Waste Issue Brief. Retrieved from <u>http://www.hoparx.org/images/hopa/advocacy/Issue-</u> Briefs/Drug\_Waste\_2019.pdf
- 7. Bach PB, Conti RM, Muller RJ, et al. Overspending driven by oversized single dose vials of cancer drugs. BMJ. 2016 Feb 29;352:i788.
- Modi S, Saura C, Yamashita T, et al; DESTINY-Breast01 Investigators. Trastuzumab Deruxtecan in Previously Treated HER2-Positive Breast Cancer. N Engl J Med. 2019 Dec 11. Doi: 10.1056/NEJMoa1914510.
- 9. Shitara K, Bang YJ, Iwasa S, et al; DESTINY-Gastric01 Investigators. Trastuzumab Deruxtecan in Previously Treated HER2-Positive Gastric Cancer. N Engl J Med. 2020 Jun 18;382(25):2419-2430.
- 10. Siena S, Di Bartolomeo M, Raghav KPS, et al. A phase II, multicenter, open-label study of trastuzumab deruxtecan in patients with HER2-expressing metastatic colorectal cancer (mCRC): DESTINY-CRC01. J Clin Oncol 2020;38(suppl; abstr 4000).



- 11. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines<sup>®</sup>) for Colon Cancer, Version 2.2023. National Comprehensive Cancer Network, 2023. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed June 2023.
- 12. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Rectal Cancer, Version 2.2023. National Comprehensive Cancer Network, 2023. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed June 2023.
- 13. Smit EF, Nakagawa K, Nagasaka M, et al. Trastuzumab deruxtecan (T-DXd; DS-8201) in patients with HER2-mutated metastatic non-small cell lung cancer (NSCLC): interim results of DESTINY-Lung01[abstract]. J Clin Oncol 2020;38:Abstract 9504.
- 14. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Non-Small Cell Lung Cancer, Version 3.2023. National Comprehensive Cancer Network, 2023. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed June 2023.
- 15. Gennari A, André F, Barrios CH, et al.; ESMO Guidelines Committee. Electronic address: clinicalguidelines@esmo.org. ESMO Clinical Practice Guideline for the diagnosis, staging and treatment of patients with metastatic breast cancer. Ann Oncol. 2021 Dec;32(12):1475-1495. Doi: 10.1016/j.annonc.2021.09.019. Epub 2021 Oct 19. PMID: 34678411.
- 16. Cortés J, Kim SB, Chung WP, et al; DESTINY-Breast03 Trial Investigators. Trastuzumab Deruxtecan versus Trastuzumab Emtansine for Breast Cancer. N Engl J Med. 2022 Mar 24;386(12):1143-1154. Doi: 10.1056/NEJMoa2115022.
- 17. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Esophageal and Esophagogastric Junction Cancers, Version 3.2023. National Comprehensive Cancer Network, 2023. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed June 2023.
- 18. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines<sup>®</sup>) for Gastric Cancer, Version 1.2023. National Comprehensive Cancer Network, 2023. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed June 2023.



- Bartley AN, Washington MK, Colasacco C, et al. HER2 Testing and Clinical Decision Making in Gastroesophageal Adenocarcinoma: Guideline From the College of American Pathologists, American Society for Clinical Pathology, and the American Society of Clinical Oncology. J Clin Oncol. 2017 Feb;35(4):446-464. Doi: 10.1200/JCO.2016.69.4836.
- 20. Modi S, Jacot W, Yamashita T, et al; DESTINY-Breast04 Trial Investigators. Trastuzumab Deruxtecan in Previously Treated HER2-Low Advanced Breast Cancer. N Engl J Med. 2022 Jul 7;387(1):9-20. Doi: 10.1056/NEJMoa2203690.
- 21. Li BT, Smit EF, Goto Y, et al; DESTINY-Lung01 Trial Investigators. Trastuzumab Deruxtecan in HER2-Mutant Non-Small-Cell Lung Cancer. N Engl J Med. 2022 Jan 20;386(3):241-251. Doi: 10.1056/NEJMoa2112431.
- 22. Smit EFF, Li BT, Mazieres J, et al. 1361TiP Trastuzumab deruxtecan (T-DXd) in patients (pts) with HER2-mutated (HER2m) metastatic non-small cell lung cancer (NSCLC): A phase (ph) II study (DESTINY-Lung02). Annals of Oncology, Volume 32, S1032 S1033. DOI:https://doi.org/10.1016/j.annonc.2021.08.1962.
- 23. Jerusalem G, Park YH, Yamashita T, et al. Trastuzumab Deruxtecan in HER2-Positive Metastatic Breast Cancer Patients with Brain Metastases: A DESTINY-Breast01 Subgroup Analysis. Cancer Discov. 2022 Dec 2;12(12):2754-2762. doi: 10.1158/2159-8290.CD-22-0837.
- 24. First Coast Service Options, Inc. Local Coverage Article: Billing and Coding: Trastuzumab -Trastuzumab Biologics (A56660). Centers for Medicare & Medicaid Services, Inc. Updated on 10/08/2021 with effective date of 10/01/2021. Accessed June 2023.

## VIII. References (ENHANCED)

- 1e. Krop IE, Kim SB, Martin AG, et al. Trastuzumab emtansine versus treatment of physician's choice in patients with previously treated HER2-positive metastatic breast cancer (TH3RESA): final overall survival results from a randomised open-label phase 3 trial. Lancet Oncol. 2017;18(6):743–754.
- 2e. Cameron D, Casey M, Oliva C, Newstat B, Imwalle B, Geyer CE. Lapatinib plus capecitabine in women with HER-2-positive advanced breast cancer: final survival analysis of a phase III randomized trial. Oncologist. 2010;15(9):924–934. Doi:10.1634/theoncologist.2009-0181.
- 3e. Blackwell KL, Burstein HJ, Storniolo AM, et al. Overall survival benefit with lapatinib in combination with trastuzumab for patients with human epidermal growth factor receptor 2positive metastatic breast cancer: final results from the EGF104900 Study. J Clin Oncol. 2012 Jul 20;30(21):2585-92. Doi: 10.1200/JCO.2011.35.6725. Epub 2012 Jun 11.
- 4e. von Minckwitz G, du Bois A, Schmidt M, et al. Trastuzumab beyond progression in human epidermal growth factor receptor 2-positive advanced breast cancer: a german breast group 26/breast international group 03-05 study. J Clin Oncol. 2009 Apr 20;27(12):1999-2006. Doi: 10.1200/JCO.2008.19.6618. Epub 2009 Mar 16.



- 5e. Li BT, Shen R, Buonocore D, et al. Ado-trastuzumab emtansine in patients with HER2 mutant lung cancers: Results from a phase II basket trial. J Clin Oncolo 2017, 35: Abstract 8510.
- 6e. Cortés J, Kim SB, Chung WP, et al. Trastuzumab deruxtecan (T-DXd) vs trastuzumab emtansine (T-DM) in patients (Pts) with HER2+ metastatic breast cancer (mBC): results of the randomized phase III DESTINY-Breast03 study. Presented at: European Society for Medical Oncology Annual Congress 2021. September 16-21, 2021; virtual. Abstract LBA1.
- 7e. Magellan Health, Magellan Rx Management. Enhertu Clinical Literature Review Analysis. Last updated June 2023. Accessed June 2023.

ICD-10	ICD-10 Description	
C15.3	Malignant neoplasm of upper third of esophagus	
C15.4	Malignant neoplasm of middle third of esophagus	
C15.5	Malignant neoplasm of the lower third of esophagus	
C15.8	Malignant neoplasm of overlapping sites of esophagus	
C15.9	Malignant neoplasm of esophagus, unspecified	
C16.0	Malignant neoplasm of cardia	
C16.1	Malignant neoplasm of fundus of stomach	
C16.2	Malignant neoplasm of body of stomach	
C16.3	Malignant neoplasm of pyloric antrum	
C16.4	Malignant neoplasm of pylorus	
C16.5	Malignant neoplasm of lesser curvature of stomach, unspecified	
C16.6	Malignant neoplasm of greater curvature of stomach, unspecified	
C16.8	Malignant neoplasm of overlapping sites of stomach	
C16.9	Malignant neoplasm of stomach, unspecified	
C18.0	Malignant neoplasm of cecum	
C18.2	Malignant neoplasm of ascending colon	
C18.3	Malignant neoplasm of hepatic flexure	
C18.4	Malignant neoplasm of transverse colon	
C18.5	Malignant neoplasm of splenic flexure	
C18.6	Malignant neoplasm of descending colon	
C18.7	Malignant neoplasm of sigmoid colon	
C18.8	Malignant neoplasm of overlapping sites of colon	
C18.9	Malignant neoplasm of colon, unspecified	
C19	Malignant neoplasm of rectosigmoid junction	
C20	Malignant neoplasm of rectum	

## **Appendix 1 – Covered Diagnosis Codes**





-		
C21.8	Malignant neoplasm of overlapping sites of rectum, anus and anal canal	
C33	Malignant neoplasm of trachea	
C34.00	Malignant neoplasm of unspecified main bronchus	
C34.01	Malignant neoplasm of right main bronchus	
C34.02	Malignant neoplasm of left main bronchus	
C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung	
C34.11	Malignant neoplasm of upper lobe, right bronchus or lung	
C34.12	Malignant neoplasm of upper lobe, left bronchus or lung	
C34.2	Malignant neoplasm of middle lobe, bronchus or lung	
C34.30	Malignant neoplasm of lower lobe, unspecified bronchus or lung	
C34.31	Malignant neoplasm of lower lobe, right bronchus or lung	
C34.32	Malignant neoplasm of lower lobe, left bronchus or lung	
C34.80	Malignant neoplasm of overlapping sites of unspecified bronchus and lung	
C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung	
C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung	
C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung	
C34.91	Malignant neoplasm of unspecified part of right bronchus or lung	
C34.92	Malignant neoplasm of unspecified part of left bronchus or lung	
C50.011	Malignant neoplasm of nipple and areola, right female breast	
C50.012	Malignant neoplasm of nipple and areola, left female breast	
C50.019	Malignant neoplasm of nipple and areola, unspecified female breast	
C50.021	Malignant neoplasm of nipple and areola, right male breast	
C50.022	Malignant neoplasm of nipple and areola, left male breast	
C50.029	Malignant neoplasm of nipple and areola, unspecified male breast	
C50.111	Malignant neoplasm of central portion of right female breast	
C50.112	Malignant neoplasm of central portion of left female breast	
C50.119	Malignant neoplasm of central portion of unspecified female breast	
C50.121	Malignant neoplasm of central portion of right male breast	
C50.122	Malignant neoplasm of central portion of left male breast	
C50.129	Malignant neoplasm of central portion of unspecified male breast	
C50.211	Malignant neoplasm of upper-inner quadrant of right female breast	
C50.212	Malignant neoplasm of upper-inner quadrant of left female breast	
C50.219	Malignant neoplasm of upper-inner quadrant of unspecified female breast	
C50.221	Malignant neoplasm of upper-inner quadrant of right male breast	
C50.222	Malignant neoplasm of upper-inner quadrant of left male breast	



C50.229	Malignant neoplasm of upper-inner quadrant of unspecified male breast	
C50.311	Malignant neoplasm of lower-inner quadrant of right female breast	
C50.312	Malignant neoplasm of lower-inner quadrant of left female breast	
C50.319	Malignant neoplasm of lower-inner quadrant of unspecified female breast	
C50.321	Malignant neoplasm of lower-inner quadrant of right male breast	
C50.322	Malignant neoplasm of lower-inner quadrant of left male breast	
C50.329	Malignant neoplasm of lower-inner quadrant of unspecified male breast	
C50.411	Malignant neoplasm of upper-outer quadrant of right female breast	
C50.412	Malignant neoplasm of upper-outer quadrant of left female breast	
C50.419	Malignant neoplasm of upper-outer quadrant of unspecified female breast	
C50.421	Malignant neoplasm of upper-outer quadrant of right male breast	
C50.422	Malignant neoplasm of upper-outer quadrant of left male breast	
C50.429	Malignant neoplasm of upper-outer quadrant of unspecified male breast	
C50.511	Malignant neoplasm of lower-outer quadrant of right female breast	
C50.512	Malignant neoplasm of lower-outer quadrant of left female breast	
C50.519	Malignant neoplasm of lower-outer quadrant of unspecified female breast	
C50.521	Malignant neoplasm of lower-outer quadrant of right male breast	
C50.522	Malignant neoplasm of lower-outer quadrant of left male breast	
C50.529	Malignant neoplasm of lower-outer quadrant of unspecified male breast	
C50.611	Malignant neoplasm of axillary tail of right female breast	
C50.612	Malignant neoplasm of axillary tail of left female breast	
C50.619	Malignant neoplasm of axillary tail of unspecified female breast	
C50.621	Malignant neoplasm of axillary tail of right male breast	
C50.622	Malignant neoplasm of axillary tail of left male breast	
C50.629	Malignant neoplasm of axillary tail of unspecified male breast	
C50.811	Malignant neoplasm of overlapping sites of right female breast	
C50.812	Malignant neoplasm of overlapping sites of left female breast	
C50.819	Malignant neoplasm of overlapping sites of unspecified female breast	
C50.821	Malignant neoplasm of overlapping sites of right male breast	
C50.822	Malignant neoplasm of overlapping sites of left male breast	
C50.829	Malignant neoplasm of overlapping sites of unspecified male breast	
C50.911	Malignant neoplasm of unspecified site of right female breast	
C50.912	Malignant neoplasm of unspecified site of left female breast	
C50.919	Malignant neoplasm of unspecified site of unspecified female breast	
C50.921	Malignant neoplasm of unspecified site of right male breast	

#### Page 10 | ENHERTU<sup>®</sup> -E- (fam-trastuzumab deruxtecan-nxki) Prior Auth Criteria Proprietary Information. Restricted Access – Do not disseminate or copy without approval. ©2023, Magellan Rx Management



Malignant neoplasm of unspecified site of left male breast	
Malignant neoplasm of unspecified site of unspecified male breast	
Secondary malignant neoplasm of unspecified lung	
Secondary malignant neoplasm of right lung	
Secondary malignant neoplasm of left lung	
Secondary malignant neoplasm of retroperitoneum and peritoneum	
Secondary malignant neoplasm of liver and intrahepatic bile duct	
Secondary malignant neoplasm of brain	
Neoplasm of uncertain behavior of stomach	
Neoplasm of uncertain behavior of other specified digestive organs	
Neoplasm of uncertain behavior of digestive organ, unspecified	
Personal history of malignant neoplasm of unspecified digestive organ	
Personal history of malignant neoplasm of esophagus	
Personal history of other malignant neoplasm of stomach	
Personal history of other malignant neoplasm of large intestine	
Personal history of other malignant neoplasm of bronchus and lung	
Personal history of malignant neoplasm of breast	

## Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Determinations (LCDs) and Local Coverage Articles (LCAs) may exist and compliance with these policies is required where applicable. They can be found at: <a href="https://www.cms.gov/medicare-coverage-database/search.aspx">https://www.cms.gov/medicare-coverage-database/search.aspx</a>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA):

Jurisdiction(s): N(9)	NCD/LCD/LCA Document (s): A56660	
https://www.cms.gov/medicare-coverage-database/new-search/search-		
results.aspx?keyword=a56660&areaId=all&docType=NCA%2CCAL%2CNCD%2CMEDCAC%2CTA%2CMC		
<u>D%2C6%2C3%2C5%2C1%2CF%2CP</u>		

Medicare Part B Administrative Contractor (MAC) Jurisdictions			
Jurisdiction	Applicable State/US Territory	Contractor	
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC	
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC	
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)	



Medicare Part B Administrative Contractor (MAC) Jurisdictions			
Jurisdiction	Applicable State/US Territory	Contractor	
6	MN, WI, IL	National Government Services, Inc. (NGS)	
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.	
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)	
N (9)	FL, PR, VI	First Coast Service Options, Inc.	
J (10)	TN, GA, AL	Palmetto GBA, LLC	
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC	
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.	
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)	
15	KY, OH	CGS Administrators, LLC	

