

Vyondys 53™ (golodirsen) (Intravenous)

(micravenous)

Document Number: BH-0520

Last Review Date: 08/01/2022 Date of Origin: 01/06/2020

Dates Reviewed: 01/2020, 08/2020, 09/2020, 08/2021, 08/2022

I. Length of Authorization

Coverage will be for 6 months and may be renewed.

II. Dosing Limits

- A. Quantity Limit (max daily dose) [NDC Unit]:
 - Vyondys 53 100 mg/2 mL single-dose vial: 35 vials per 7 days
- B. Max Units (per dose and over time) [HCPCS Unit]:
 - 350 billable units (3500 mg) every 7 days

III. Initial Approval Criteria

Coverage is provided in the following conditions:

Vyondys is a Non-Preferred product. The Preferred product is Viltepso.

Vyondys may be considered medically necessary if:

Patient has failed, or has a contraindication, or intolerance to Viltepso

Universal Criteria 1,9

- Patient is not on concomitant therapy with other DMD-directed antisense oligonucleotides (e.g., eteplirsen, casimersen, viltolarsen, etc.); **AND**
- Serum cystatin C, urine dipstick, and urine protein-to-creatinine ratio (UPCR) are measured prior to starting therapy and periodically during treatment; **AND**
- Patient had an inadequate response, or has a contraindication or intolerance, to viltolarsen;
 AND

Duchenne Muscular Dystrophy (DMD) † Φ 1-11

- Patient has a confirmed mutation of the *DMD* gene that is amenable to exon 53 skipping;
 AND
- Patient has been on a stable dose of corticosteroids, unless contraindicated or intolerance, for at least 6 months; **AND**
- Patient retains meaningful voluntary motor function (e.g., patient is able to speak, manipulate objects using upper extremities, ambulate, etc.); **AND**

- Patient is receiving physical and/or occupational therapy; AND
- Baseline documentation of one or more of the following:
 - o Dystrophin level
 - o Timed function tests (e.g., 6-minute walk test [6MWT], time to stand [TTSTAND], time to run/walk 10 meters [TTRW], time to climb 4 stairs [TTCLIMB], etc.)
 - o Upper limb function (ULM) test
 - o North Star Ambulatory Assessment (NSAA) score
 - o Forced Vital Capacity (FVC) percent predicted
- † FDA-labeled indication(s); ‡ Compendia recommended indication(s); ♠ Orphan Drug

IV. Renewal Criteria ¹

Coverage may be renewed based upon the following criteria:

- Patient continues to meet the universal and other indication-specific relevant criteria such
 as concomitant therapy requirements (not including prerequisite therapy), performance
 status, etc. identified in section III; AND
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: severe hypersensitivity reactions, kidney toxicity (e.g., fatal glomerulonephritis, persistent increase in serum cystatin C, proteinuria, etc.), etc.; AND
- Patient has responded to therapy compared to pretreatment baseline in one or more of the following (not all-inclusive):
 - o Increase in dystrophin level
 - o Improvement in quality of life
 - Stability, improvement, or slowed rate of decline in one or more of the following:
 - Timed function tests (e.g., 6-minute walk test [6MWT], time to stand [TTSTAND], time to run/walk 10 meters [TTRW], time to climb 4 stairs [TTCLIMB], etc.)
 - Upper limb function (ULM) test
 - North Star Ambulatory Assessment (NSAA) score
 - Forced Vital Capacity (FVC) percent predicted

V. Dosage/Administration ¹

Indication	Dose
Duchenne Muscular	Administer 30 mg/kg intravenously once weekly.
Dystrophy	

VI. Billing Code/Availability Information

HCPCS Code:



• J1429 – Injection, golodirsen, 10 mg; 1 billable unit = 10 mg

NDC:

Vyondys 53 100 mg/2 mL single-dose vial: 60923-0465-xx

VII. References

- 1. Vyondys 53 [package insert]. Cambridge, MA; Sarepta Therapeutics, Inc.; February 2021. Accessed July 2022.
- 2. Topaloglu H, Gloss D, Moxley RT 3rd, et al. Practice guideline update summary: Corticosteroid treatment of Duchenne muscular dystrophy: Report of the Guideline Development Subcommittee of the American Academy of Neurology. Neurology. 2016 Jul 12;87(2):238.
- 3. Bushby K, Finkel R, Birnkrant DJ, et al. Diagnosis and management of Duchenne muscular dystrophy, part 1: diagnosis, and pharmacological and psychosocial management. Lancet Neurol; 2010 Jan; 9(1):77-93.
- 4. Bushby K, Finkel R, Birnkrant DJ, et al. Diagnosis and management of Duchenne muscular dystrophy, part 2: implementation of multidisciplinary care. Lancet Neurol; 2010 Jan; 9(2):177-189.
- 5. Kinane TB, Mayer OH, Duda PW, et al. Long-Term Pulmonary Function in Duchenne Muscular Dystrophy: Comparison of Eteplirsen-Treated Patients to Natural History. Journal of Neuromuscular Diseases 5 (2018) 47–58.
- Muntoni F, Frank D, Sardone V, et al. Golodirsen Induces Exon Skipping Leading to Sarcolemmal Dystrophin Expression in Duchenne Muscular Dystrophy Patients With Mutations Amenable to Exon 53 Skipping (S22.001). Neurology Apr 2018, 90 (15 Supplement) S22.001
- 7. Institute for Clinical and Economic Review. Deflazacort, Eteplirsen, and Golodirsen for Duchenne Muscular Dystrophy: Effectiveness and Value. Final Evidence Report. August 15, 2019 https://icer-review.org/wp-content/uploads/2018/12/ICER_DMD-Final-Report_081519-1.pdf. Accessed December 2019.
- 8. Khan N, Eliopoulos H, et al on behalf of the Eteplirsen Investigators and the CINRG DNHS Investigators. Eteplirsen Treatment Attenuates Respiratory Decline in Ambulatory and Non-Ambulatory Patients with Duchenne Muscular Dystrophy. J. Neuromuscular Dis, vol. 6, no. 2, pp. 213-225, 2019.
- 9. Frank DE, Schnell FJ, Akana C, et al. Increased dystrophin production with golodirsen in patients with Duchenne muscular dystrophy. Neurology. 2020 May 26;94(21):e2270-e2282. doi: 10.1212/WNL.0000000000009233. Epub 2020 Mar 5
- 10. Birnkrant DJ, Bushby K, Bann CM, et al. Diagnosis and management of Duchenne muscular dystrophy, part 1: diagnosis, and neuromuscular, rehabilitation, endocrine, and gastrointestinal and nutritional management. Lancet Neurol 2018; 17:251.



- 11. Birnkrant DJ, Bushby K, Bann CM, et al. Diagnosis and management of Duchenne muscular dystrophy, part 2: respiratory, cardiac, bone health, and orthopaedic management. Lancet Neurol 2018; 17:347.
- 12. Servais L, Mercuri E, Straub V, et al.; SKIP-NMD Study Group. Long-Term Safety and Efficacy Data of Golodirsen in Ambulatory Patients with Duchenne Muscular Dystrophy Amenable to Exon 53 Skipping: A First-in-human, Multicenter, Two-Part, Open-Label, Phase 1/2 Trial. Nucleic Acid Ther. 2022 Feb;32(1):29-39. doi: 10.1089/nat.2021.0043. Epub 2021 Nov 17.

Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description	
G71.01	Duchenne or Becker muscular dystrophy	

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Articles (LCAs) and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at: https://www.cms.gov/medicare-coverage-database/search.aspx. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCA/LCD): N/A

Medicare Part B Administrative Contractor (MAC) Jurisdictions			
Jurisdiction	Applicable State/US Territory	Contractor	
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC	
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC	
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)	
6	MN, WI, IL	National Government Services, Inc. (NGS)	
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.	
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)	
N (9)	FL, PR, VI	First Coast Service Options, Inc.	
J (10)	TN, GA, AL	Palmetto GBA, LLC	
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC	
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.	
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)	
15	KY, OH	CGS Administrators, LLC	

