Document Number: IC-0624

Tivdak[®] (tisotumab vedotin-tftv)

(Intravenous)

Last Review Date: 03/02/2023 Date of Origin: 10/01/2021 Dates Reviewed: 10/2021, 03/2022, 04/2022, 03/2023

I. Length of Authorization

Coverage will be provided for 6 months and may be renewed.

II. Dosing Limits

A. Quantity Limit (max daily dose) [NDC Unit]:

- Tivdak 40 mg single-dose vial: 5 vials every 21 days
- B. Max Units (per dose and over time) [HCPCS Unit]:
 - 200 billable units (200 mg) every 21 days

III. Initial Approval Criteria¹

Coverage is provided in the following conditions:

• Patient is at least 18 years of age; AND

Universal Criteria¹

- Patient has had an ophthalmic exam (i.e., visual acuity and slit lamp exam) at baseline, prior to each dose, and as clinically indicated; **AND**
- Used as single agent therapy; AND

Cervical Cancer † 1-3

- Used as subsequent therapy; AND
- Patient has recurrent or metastatic disease **†**; **AND**
- Patient has adenocarcinoma, adenosquamous, or squamous cell carcinoma histology

FDA approved indication(s); Compendia Recommended Indication(s); Orphan Drug

IV. Renewal Criteria¹

Coverage may be renewed based upon the following criteria:

• Patient continues to meet the universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; **AND**

©2016 Health New England, Inc.

Page 1 of 3

This HNE clinical criteria is only a screening tool. It is not for final clinical or payment decisions. All care decisions are solely the responsibility of your healthcare provider. This HNE clinical criteria is confidential and proprietary. It applies only to this review

- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: peripheral neuropathy, hemorrhage, recurrent or persistent grade 2 or greater pneumonitis, ocular adverse reactions (e.g., conjunctival adverse reactions, dry eye, corneal adverse reactions, blepharitis, ulcerative keratitis, etc.), etc.

V. Dosage/Administration¹

Indication	Dose
Cervical	Administer 2 mg/kg (up to a maximum of 200 mg) by intravenous infusion every 3
Cancer	weeks until disease progression or unacceptable toxicity.

VI. Billing Code/Availability Information

HCPCS Code:

• J9273 – Injection, tisotumab vedotin-tftv, 1 mg; 1 billable unit = 1 mg

NDC:

• Tivdak 40 mg as a lyophilized cake or powder in a single-dose vial for reconstitution: 51144-0003-xx

VII. References

- 1. Tivdak [package insert]. Bothell, WA; Seagen, Inc; January 2022. Accessed January 2023.
- 2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) tisotumab vedotin. National Comprehensive Cancer Network, 2023. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed January 2023.
- Coleman RL, Lorusso D, Gennigens C, et al; innovaTV 204/GOG-3023/ENGOT-cx6 Collaborators. Efficacy and safety of tisotumab vedotin in previously treated recurrent or metastatic cervical cancer (innovaTV 204/GOG-3023/ENGOT-cx6): a multicentre, openlabel, single-arm, phase 2 study. Lancet Oncol. 2021 May;22(5):609-619. doi: 10.1016/S1470-2045(21)00056-5. Epub 2021 Apr 9.

Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description
C53.0	Malignant neoplasm of endocervix
C53.1	Malignant neoplasm of exocervix

©2016 Health New England, Inc.

Page 2 of 3

This HNE clinical criteria is only a screening tool. It is not for final clinical or payment decisions. All care decisions are solely the responsibility of your healthcare provider. This HNE clinical criteria is confidential and proprietary. It applies only to this review

C53.8	Malignant neoplasm of overlapping sites of cervix uteri	
C53.9	Malignant neoplasm of cervix uteri, unspecified	

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Determinations (LCDs), and Local Coverage Articles (LCAs) may exist and compliance with these policies is required where applicable. They can be found at: https://www.cms.gov/medicare-coverage-database/search.aspx. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Administrative Contractor (MAC) Jurisdictions				
Jurisdiction	Applicable State/US Territory	Contractor		
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC		
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC		
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)		
6	MN, WI, IL	National Government Services, Inc. (NGS)		
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.		
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)		
N (9)	FL, PR, VI	First Coast Service Options, Inc.		
J (10)	TN, GA, AL	Palmetto GBA, LLC		
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC		
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.		
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)		
15	КҮ, ОН	CGS Administrators, LLC		

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A

©2016 Health New England, Inc.

This HNE clinical criteria is only a screening tool. It is not for final clinical or payment decisions. All care decisions are solely the responsibility of your healthcare provider. This HNE clinical criteria is confidential and proprietary. It applies only to this review