

# Opdivo® (nivolumab) (Intravenous)

Document Number: IC-0226

Last Review Date: 05/01/2018

Date of Origin: 01/06/2015

Dates Reviewed: 03/2015, 07/2015, 10/2015, 11/2015, 02/2016, 05/2016, 08/2016, 10/2016, 11/2016, 02/2017, 05/2017, 08/2017, 10/2017, 01/2018, 02/2018, 05/2018

## I. Length of Authorization

Coverage will be provided for six months and may be renewed.

- Adjuvant use in the treatment of melanoma patients can be authorized up to a maximum of 12 months of therapy.

## II. Dosing Limits

### A. Quantity Limit (max daily dose) [Pharmacy Benefit]:

- Opdivo 40 mg/4 mL single-use vial: 2 vials per 14 days
- Opdivo 100 mg/10 mL single-use vial: 2 vials per 14 days
- Opdivo 240mg/24 mL single-use vial: 1 vial per 14 days

### B. Max Units (per dose and over time) [Medical Benefit]:

Indication	Billable Units (BU)	Per unit time (days)
Merkel Cell, Anal & SCLC (as a single agent)	340 BU	14 days
Melanoma (in combination with ipilimumab)	Initial: 140 BU	21 days x 4 doses
	Followed by: 240 BU	14 days
Melanoma/RCC (as a single agent), NSCLC, cHL, SCCHN, MSI-H/dMMR CRC, HCC & Urothelial Carcinoma	240 BU	14 days
RCC (in combination with ipilimumab)	Initial: 340 BU	21 days x 4 doses
	Followed by: 240 BU	14 days
SCLC (in combination with ipilimumab)	Initial: 340 BU	21 days x 4 doses
	Followed by: 340 BU	14 days
CNS Metastases (in combination with ipilimumab)	Initial: 140 BU	21 days x 4 doses
	Followed by: 340 BU	14 days

## III. Initial Approval Criteria

Coverage is provided for the following conditions:

- Patient must be 18 years of age or older (unless otherwise specified); **AND**
- Patient has not received previous therapy with a programmed death (PD-1/PD-L1)-directed therapy (e.g., avelumab, pembrolizumab, atezolizumab, durvalumab, etc.) unless otherwise specified; **AND**

### **Melanoma †**

- Patient's disease is unresectable or metastatic; **AND**
  - Used as a single agent; **OR**
  - Used in combination with ipilimumab; **OR**
- Used as a single agent for unresectable or metastatic uveal melanoma; **OR**
- Used as adjuvant treatment as a single agent; **AND**
  - Patient has lymph node involvement or metastatic disease and has undergone complete resection; **OR**
- Used for retreatment of disease (*see Section IV for criteria*)

### **Hepatocellular Carcinoma (HCC) †**

- Used as a single agent; **AND**
- Patient progressed on or was intolerant to sorafenib; **AND**
- Patient has a laboratory confirmed diagnosis of hepatocellular carcinoma; **AND**
- Patient has Child-Pugh Class A or B7 disease

### **Non-Small Cell Lung Cancer (NSCLC) †**

- Must be used as a single agent; **AND**
- Used as subsequent therapy in patients with metastatic disease; **AND**
- Disease has progressed during or following cytotoxic therapy; **AND**
- Patients with genomic tumor aberrations must have progressed following systemic therapy for those aberrations (e.g., EGFR, ALK, etc.)

### **Renal Cell Carcinoma (RCC) †**

- Used as initial therapy in combination with ipilimumab; **AND**
  - Patient has advanced or metastatic disease with intermediate or poor risk; **OR**
- Used as a single agent; **AND**
  - Patient has advanced disease and has failed prior anti-angiogenic therapy; **OR**
  - Patient has relapsed or stage IV disease; **AND**
    - Used as subsequent therapy for predominant clear cell histology; **OR**
    - Used for non-clear cell histology

### **Classical Hodgkin Lymphoma (cHL) †**

- Must be used as a single agent; **AND**
  - Patient has refractory or relapsed disease; **AND**
    - Patient is at least 60 years old; **OR**
    - Used after high-dose therapy and autologous stem cell rescue (HDT/ASCR); **OR**

- Used after relapse or progression; **AND †**
  - Patient had an autologous hematopoietic stem cell transplantation (HSCT) and post-transplantation brentuximab vedotin; **OR**
  - Patient has received 3 or more lines of systemic therapy that includes autologous HSCT

### **Squamous Cell Carcinoma of the Head and Neck (SCCHN) †**

- Patient has unresectable, recurrent, or metastatic disease; **AND**
- Patient has progressed on or after platinum-based therapy; **AND**
- Must be used as a single agent

### **Urothelial Carcinoma †**

- Must be used as a single agent; **AND**
- Must be used as subsequent systemic therapy after previous platinum treatment; **AND**
- Patient has one of the following:
  - Locally advanced or metastatic disease; **OR**
  - Disease recurrence post-cystectomy ‡; **OR**
  - Recurrent or metastatic Primary Carcinoma of the Urethra ‡; **AND**
    - Patient does not have recurrent stage T3-4 disease or palpable inguinal lymph nodes;
  - OR**
  - Metastatic Upper GU Tract Tumors ‡; **OR**
  - Metastatic Urothelial Carcinoma of the Prostate ‡

### **Small Cell Lung Cancer (SCLC) ‡**

- Must be used as subsequent systemic therapy; **AND**
- Patient has an ECOG performance status of 0-2; **AND**
- Must be used as one of the following;
  - A single agent; **OR**
  - In combination with ipilimumab; **AND**
- Patient must have one of the following:
  - Primary progressive disease; **OR**
  - Relapsed within 6 months following complete response, partial response, or stable disease following initial treatment

### **Microsatellite Instability-High (MSI-H)/Mismatch Repair Deficient (dMMR) Colorectal Cancer †**

- Patient must be at least 12 years old; **AND**
- Used as a single agent; **AND**
- Patient's disease must be microsatellite instability-high (MSI-H) or mismatch repair deficient (dMMR); **AND**
- Patients must not have a diagnosis of MSI-H central nervous system metastases; **AND**
- Patient has one of the following cancers:

- Colorectal Cancer †
  - Patient has unresectable or metastatic disease that has progressed following treatment with a fluoropyrimidine, oxaliplatin, and irinotecan †; **OR**
  - Patient has unresectable advanced or metastatic disease; **AND**
    - Used as initial therapy for patients who are not candidates for intensive therapy or who failed adjuvant treatment with FOLFOX (fluorouracil, leucovorin and oxaliplatin) or CapeOX (capecitabine-oxaliplatin) in the previous 12 months‡

#### **Merkel Cell Carcinoma †**

- Used as a single agent; **AND**
- Patient has metastatic disease

#### **Central Nervous System Cancer †**

- Used for recurrent disease for brain metastases; **AND**
- Nivolumab is active against the primary melanoma tumor; **AND**
- Used in combination with ipilimumab

#### **Anal Carcinoma †**

- Patient has metastatic squamous cell disease; **AND**
- Used as a single agent for second-line therapy

† FDA Approved Indication(s); ‡ Compendia recommended indication(s)

## **IV. Renewal Criteria**

Authorizations can be renewed based on the following criteria:

- Patient continues to meet the criteria identified in section III; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include the following: severe infusion reactions, complications of allogeneic HSCT, severe immune-mediated adverse reactions such as pneumonitis, colitis, hepatitis, endocrinopathies, nephritis/renal dysfunction, rash, encephalitis, etc.; **AND**
- Tumor response with stabilization of disease or decrease in size of tumor or tumor spread; **AND**
- For the following indication (s), the patient has not exceeded a maximum of twelve (12) months of therapy:
  - Adjuvant treatment of melanoma

#### **Retreatment for Melanoma (metastatic or unresectable disease) †**

- Used for re-treatment of patients who experienced disease control, but subsequently have disease progression/relapse > 3 months after treatment discontinuation; **OR**
- Used as subsequent therapy, in combination with ipilimumab, in patients who experienced disease relapse and/or progression within 3 months after initial monotherapy with an immune checkpoint-inhibitor

## V. Dosage/Administration

Indication	Dose
Merkel Cell	3 mg/kg every 2 weeks
CRC	240 mg every 2 weeks, until disease progression or unacceptable toxicity.
Anal Cancer	240 mg every 2 weeks or 3 mg/kg every 2 weeks, until disease progression or unacceptable toxicity.
Melanoma	<p><u>Single agent:</u></p> <ul style="list-style-type: none"> <li>• 240 mg every 2 weeks OR 480 mg every 4 weeks</li> </ul> <p><u>Adjuvant single-agent treatment:</u></p> <ul style="list-style-type: none"> <li>• 240 mg every 2 weeks or 480 mg every 4 weeks, until disease recurrence or unacceptable toxicity for up to 1 year</li> </ul> <p><u>In combination with ipilimumab:</u></p> <ul style="list-style-type: none"> <li>• 1 mg/kg, followed by ipilimumab on the same day, every 3 weeks for 4 doses, then 240 mg every 2 weeks or 480 mg every 4 weeks</li> </ul>
NSCLC, MSI-H/dMMR, cHL, SCCHN, HCC and Urothelial Carcinoma	240 mg every 2 weeks or 480 mg every 4 weeks, until disease progression or unacceptable toxicity.
SCLC	<p><u>Single agent:</u></p> <ul style="list-style-type: none"> <li>• 3 mg/kg every 2 weeks</li> </ul> <p><u>In combination with ipilimumab:</u></p> <ul style="list-style-type: none"> <li>• 1 mg/kg to 3 mg/kg, followed by ipilimumab on the same day, every 3 weeks for 4 doses, then 3 mg/kg every 2 weeks</li> </ul>
Renal Cell Carcinoma	<p><u>Single-agent:</u></p> <ul style="list-style-type: none"> <li>• 240 mg every 2 weeks or 480 mg every 4 weeks, until disease progression or unacceptable toxicity.</li> </ul> <p><u>In combination with ipilimumab:</u></p> <ul style="list-style-type: none"> <li>• 3 mg/kg, followed by ipilimumab on the same day, every 3 weeks for 4 doses, then follow single-agent regimen</li> </ul>
CNS Metastases	<u>1 mg/kg, followed by ipilimumab on the same day, every 3 weeks for 4 doses, then 3 mg/kg every 2 weeks</u>
<p><u>Dosing should be calculated using actual body weight and not flat dosing (as applicable) based on the following:</u></p> <ul style="list-style-type: none"> <li>• Standard dose 240 mg IV every 2 weeks for patients <math>\geq 67</math> kg</li> <li>• Use 200 mg IV every 2 weeks for patients 53 kg to 67 kg</li> </ul>	

- Use 160 mg IV every 2 weeks for patients < 53 kg

*Note: This information is not meant to replace clinical decision making when initiating or modifying medication therapy and should only be used as a guide. Patient-specific variables should be taken into account.*

## VI. Billing Code/Availability Information

### Jcode:

J9299 - Injection, nivolumab, 1 mg; 1 billable unit = 1 mg

### NDC:

- Opdivo 40 mg/4 mL single-use vial: 00003-3772-xx
- Opdivo 100 mg/10 mL single-use vial: 00003-3774-xx
- Opdivo 240 mg/24 mL single-use vial: 00003-3734-xx

## VII. References

1. Opdivo [package insert]. Princeton, NJ; Bristol-Myers Squibb Company; March 2018. Accessed March 2018.
2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) nivolumab. National Comprehensive Cancer Network, 2018. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc.” To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed March 2018.
3. Scherpereel A, Mazieres J, Greillier L, et al. Second- or third-line nivolumab (Nivo) versus nivo plus ipilimumab (Ipi) in malignant pleural mesothelioma (MPM) patients: Results of the IFCT-1501 MAPS2 randomized phase II trial. [Abstract]. J Clin Oncol 2017;35: Abstract LBA 8507.
4. Walocko FM, Scheier BY, Harms PW, et al. Metastatic Merkel cell carcinoma response to nivolumab. J Immunother Cancer. 2016 Nov 15;4:79.
5. Tawbi HA-H, Forsyth PAJ, Algazi AP, et al. Efficacy and safety of nivolumab (NIVO) plus ipilimumab (IPI) in patients with melanoma (MEL) metastatic to the brain: Results of the phase II study CheckMate 204. J Clin Oncol 2017;35(15\_suppl):abstr 9507.
6. Morris VK, Salem ME, Nimeiri H, et al. Nivolumab for previously treated unresectable metastatic anal cancer (NCI9673): a multicentre, single-arm, phase 2 study. Lancet Oncol. 2017 Apr;18(4):446-453. doi: 10.1016/S1470-2045(17)30104-3. Epub 2017 Feb 18.
7. National Government Services, Inc. Local Coverage Article: Nivolumab (Opdivo®) – Related to LCD L33394 (A54862). Centers for Medicare & Medicaid Services, Inc. Updated on 2/23/2018 with effective date 3/1/2018. Accessed March 2018.

## Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description
C00.0	Malignant neoplasm of external upper lip
C00.1	Malignant neoplasm of external lower lip
C00.2	Malignant neoplasm of external lip, unspecified
C00.3	Malignant neoplasm of upper lip, inner aspect
C00.4	Malignant neoplasm of lower lip, inner aspect
C00.5	Malignant neoplasm of lip, unspecified, inner aspect
C00.6	Malignant neoplasm of commissure of lip, unspecified
C00.8	Malignant neoplasm of overlapping sites of lip
C01	Malignant neoplasm of base of tongue
C02.0	Malignant neoplasm of dorsal surface of tongue
C02.1	Malignant neoplasm of border of tongue
C02.2	Malignant neoplasm of ventral surface of tongue
C02.3	Malignant neoplasm of anterior two-thirds of tongue, part unspecified
C02.4	Malignant neoplasm of lingual tonsil
C02.8	Malignant neoplasm of overlapping sites of tongue
C02.9	Malignant neoplasm of tongue, unspecified
C03.0	Malignant neoplasm of upper gum
C03.1	Malignant neoplasm of lower gum
C03.9	Malignant neoplasm of gum, unspecified
C04.0	Malignant neoplasm of anterior floor of mouth
C04.1	Malignant neoplasm of lateral floor of mouth
C04.8	Malignant neoplasm of overlapping sites of floor of mouth
C04.9	Malignant neoplasm of floor of mouth, unspecified
C05.0	Malignant neoplasm of hard palate
C05.1	Malignant neoplasm of soft palate
C06.0	Malignant neoplasm of cheek mucosa
C06.2	Malignant neoplasm of retromolar area
C06.8	Malignant neoplasm of overlapping sites of unspecified parts of mouth
C06.89	Malignant neoplasm of overlapping sites of other parts of mouth
C06.9	Malignant neoplasm of mouth, unspecified
C09.0	Malignant neoplasm of tonsillar fossa
C09.1	Malignant neoplasm of tonsillar pillar (anterior) (posterior)
C09.8	Malignant neoplasm of overlapping sites of tonsil



C09.9	Malignant neoplasm of tonsil, unspecified
C10.3	Malignant neoplasm of posterior wall of oropharynx
C11.0	Malignant neoplasm of superior wall of nasopharynx
C11.1	Malignant neoplasm of posterior wall of nasopharynx
C11.2	Malignant neoplasm of lateral wall of nasopharynx
C11.3	Malignant neoplasm of anterior wall of nasopharynx
C11.8	Malignant neoplasm of overlapping sites of nasopharynx
C11.9	Malignant neoplasm of nasopharynx, unspecified
C12	Malignant neoplasm of pyriform sinus
C13.0	Malignant neoplasm of postcricoid region
C13.1	Malignant neoplasm of aryepiglottic fold, hypopharyngeal aspect
C13.2	Malignant neoplasm of posterior wall of hypopharynx
C13.8	Malignant neoplasm of overlapping sites of hypopharynx
C13.9	Malignant neoplasm of hypopharynx, unspecified
C14.0	Malignant neoplasm of pharynx, unspecified
C14.2	Malignant neoplasm of Waldeyer's ring
C14.8	Malignant neoplasm of overlapping sites of lip, oral cavity and pharynx
C17.0	Malignant neoplasm of duodenum
C17.1	Malignant neoplasm of jejunum
C17.2	Malignant neoplasm of ileum
C17.8	Malignant neoplasm of overlapping sites of small intestine
C17.9	Malignant neoplasm of small intestine, unspecified
C18.0	Malignant neoplasm of cecum
C18.1	Malignant neoplasm of appendix
C18.2	Malignant neoplasm of ascending colon
C18.3	Malignant neoplasm of hepatic flexure
C18.4	Malignant neoplasm of transverse colon
C18.5	Malignant neoplasm of splenic flexure
C18.6	Malignant neoplasm of descending colon
C18.7	Malignant neoplasm of sigmoid colon
C18.8	Malignant neoplasm of overlapping sites of colon
C18.9	Malignant neoplasm of colon, unspecified
C19	Malignant neoplasm of rectosigmoid junction
C20	Malignant neoplasm of rectum
C21.0	Malignant neoplasm of anus, unspecified
C21.1	Malignant neoplasm of anal canal



C21.8	Malignant neoplasm of overlapping sites of rectum, anus and anal canal
C22.0	Liver cell carcinoma
C22.9	Malignant neoplasm of liver, not specified as primary or secondary
C31.0	Malignant neoplasm of maxillary sinus
C31.1	Malignant neoplasm of ethmoidal sinus
C32.0	Malignant neoplasm of glottis
C32.1	Malignant neoplasm of supraglottis
C32.2	Malignant neoplasm of subglottis
C32.3	Malignant neoplasm of laryngeal cartilage
C32.8	Malignant neoplasm of overlapping sites of larynx
C32.9	Malignant neoplasm of larynx, unspecified
C33	Malignant neoplasm of trachea
C34.00	Malignant neoplasm of unspecified main bronchus
C34.01	Malignant neoplasm of right main bronchus
C34.02	Malignant neoplasm of left main bronchus
C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung
C34.11	Malignant neoplasm of upper lobe, right bronchus or lung
C34.12	Malignant neoplasm of upper lobe, left bronchus or lung
C34.2	Malignant neoplasm of middle lobe, bronchus or lung
C34.30	Malignant neoplasm of lower lobe, unspecified bronchus or lung
C34.31	Malignant neoplasm of lower lobe, right bronchus or lung
C34.32	Malignant neoplasm of lower lobe, left bronchus or lung
C34.80	Malignant neoplasm of overlapping sites of unspecified bronchus and lung
C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung
C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung
C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung
C34.91	Malignant neoplasm of unspecified part of right bronchus or lung
C34.92	Malignant neoplasm of unspecified part of left bronchus or lung
C43.0	Malignant melanoma of lip
C43.10	Malignant melanoma of unspecified eyelid, including canthus
C43.11	Malignant melanoma of right eyelid, including canthus
C43.12	Malignant melanoma of left eyelid, including canthus
C43.20	Malignant melanoma of unspecified ear and external auricular canal
C43.21	Malignant melanoma of right ear and external auricular canal
C43.22	Malignant melanoma of left ear and external auricular canal
C43.30	Malignant melanoma of unspecified part of face

C43.31	Malignant melanoma of nose
C43.39	Malignant melanoma of other parts of face
C43.4	Malignant melanoma of scalp and neck
C43.51	Malignant melanoma of anal skin
C43.52	Malignant melanoma of skin of breast
C43.59	Malignant melanoma of other part of trunk
C43.60	Malignant melanoma of unspecified upper limb, including shoulder
C43.61	Malignant melanoma of right upper limb, including shoulder
C43.62	Malignant melanoma of left upper limb, including shoulder
C43.70	Malignant melanoma of unspecified lower limb, including hip
C43.71	Malignant melanoma of right lower limb, including hip
C43.72	Malignant melanoma of left lower limb, including hip
C43.8	Malignant melanoma of overlapping sites of skin
C43.9	Malignant melanoma of skin, unspecified
C44.00	Unspecified malignant neoplasm of skin of lip
C44.02	Squamous cell carcinoma of skin of lip
C44.09	Other specified malignant neoplasm of skin of lip
C4A.0	Merkel cell carcinoma of lip
C4A.10	Merkel cell carcinoma of eyelid, including canthus
C4A.11	Merkel cell carcinoma of right eyelid, including canthus
C4A.12	Merkel cell carcinoma of left eyelid, including canthus
C4A.20	Merkel cell carcinoma of unspecified ear and external auricular canal
C4A.21	Merkel cell carcinoma of right ear and external auricular canal
C4A.22	Merkel cell carcinoma of left ear and external auricular canal
C4A.30	Merkel cell carcinoma of unspecified part of face
C4A.31	Merkel cell carcinoma of nose
C4A.39	Merkel cell carcinoma of other parts of face
C4A.4	Merkel cell carcinoma of scalp and neck
C4A.51	Merkel cell carcinoma of anal skin
C4A.52	Merkel cell carcinoma of skin of breast
C4A.59	Merkel cell carcinoma of other part of trunk
C4A.60	Merkel cell carcinoma of unspecified upper limb, including shoulder
C4A.61	Merkel cell carcinoma of right upper limb, including shoulder
C4A.62	Merkel cell carcinoma of left upper limb, including shoulder
C4A.70	Merkel cell carcinoma of unspecified lower limb, including hip
C4A.71	Merkel cell carcinoma of right lower limb, including hip
C4A.72	Merkel cell carcinoma of left lower limb, including hip

C4A.8	Merkel cell carcinoma of overlapping sites
C4A.9	Merkel cell carcinoma, unspecified
C61	Malignant neoplasm of prostate
C64.1	Malignant neoplasm of right kidney, except renal pelvis
C64.2	Malignant neoplasm of left kidney, except renal pelvis
C64.9	Malignant neoplasm of unspecified kidney, except renal pelvis
C65.1	Malignant neoplasm of right renal pelvis
C65.2	Malignant neoplasm of left renal pelvis
C65.9	Malignant neoplasm of unspecified renal pelvis
C66.1	Malignant neoplasm of right ureter
C66.2	Malignant neoplasm of left ureter
C66.9	Malignant neoplasm of unspecified ureter
C67.0	Malignant neoplasm of trigone of bladder
C67.1	Malignant neoplasm of dome of bladder
C67.2	Malignant neoplasm of lateral wall of bladder
C67.3	Malignant neoplasm of anterior wall of bladder
C67.4	Malignant neoplasm of posterior wall of bladder
C67.5	Malignant neoplasm of bladder neck
C67.6	Malignant neoplasm of ureteric orifice
C67.7	Malignant neoplasm of urachus
C67.8	Malignant neoplasm of overlapping sites of bladder
C67.9	Malignant neoplasm of bladder, unspecified
C68.0	Malignant neoplasm of urethra
C69.30	Malignant neoplasm of unspecified choroid
C69.31	Malignant neoplasm of right choroid
C69.32	Malignant neoplasm of left choroid
C69.40	Malignant neoplasm of unspecified ciliary body
C69.41	Malignant neoplasm of right ciliary body
C69.42	Malignant neoplasm of left ciliary body
C69.60	Malignant neoplasm of unspecified orbit
C69.61	Malignant neoplasm of right orbit
C69.62	Malignant neoplasm of left orbit
C69.90	Malignant neoplasm of unspecified site of unspecified eye
C69.91	Malignant neoplasm of unspecified site of right eye
C69.92	Malignant neoplasm of unspecified site of left eye
C76.0	Malignant neoplasm of head, face and neck

C77.0	Secondary and unspecified malignant neoplasm of lymph nodes of head, face and neck
C78.00	Secondary malignant neoplasm of unspecified lung
C78.01	Secondary malignant neoplasm of right lung
C78.02	Secondary malignant neoplasm of left lung
C78.6	Secondary malignant neoplasm of retroperitoneum and peritoneum
C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct
C78.89	Secondary malignant neoplasm of other digestive organs
C79.31	Secondary malignant neoplasm of brain
C79.51	Secondary malignant neoplasm of bone
C79.52	Secondary malignant neoplasm of bone marrow
C7B.1	Secondary Merkel cell carcinoma
C80.0	Disseminated malignant neoplasm, unspecified
C80.1	Malignant (primary) neoplasm, unspecified
C81.10	Nodular sclerosis Hodgkin lymphoma, unspecified site
C81.11	Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.12	Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes
C81.13	Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes
C81.14	Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.15	Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.16	Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes
C81.17	Nodular sclerosis Hodgkin lymphoma, spleen
C81.18	Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites
C81.19	Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites
C81.20	Mixed cellularity Hodgkin lymphoma, unspecified site
C81.21	Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.22	Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes
C81.23	Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes
C81.24	Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.25	Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.26	Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes
C81.27	Mixed cellularity Hodgkin lymphoma, spleen
C81.28	Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites
C81.29	Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites
C81.30	Lymphocyte depleted Hodgkin lymphoma, unspecified site
C81.31	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.32	Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes

C81.33	Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes
C81.34	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.35	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.36	Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes
C81.37	Lymphocyte depleted Hodgkin lymphoma, spleen
C81.38	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites
C81.39	Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites
C81.40	Lymphocyte-rich Hodgkin lymphoma, unspecified site
C81.41	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.42	Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes
C81.43	Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes
C81.44	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.45	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.46	Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes
C81.47	Lymphocyte-rich Hodgkin lymphoma, spleen
C81.48	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites
C81.49	Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites
C81.70	Other Hodgkin lymphoma unspecified site
C81.71	Other Hodgkin lymphoma lymph nodes of head, face, and neck
C81.72	Other Hodgkin lymphoma intrathoracic lymph nodes
C81.73	Other Hodgkin lymphoma intra-abdominal lymph nodes
C81.74	Other Hodgkin lymphoma lymph nodes of axilla and upper limb
C81.75	Other Hodgkin lymphoma lymph nodes of inguinal region and lower limb
C81.76	Other Hodgkin lymphoma intrapelvic lymph nodes
C81.77	Other Hodgkin lymphoma spleen
C81.78	Other Hodgkin lymphoma lymph nodes of multiple sites
C81.79	Other Hodgkin lymphoma extranodal and solid organ sites
C81.90	Hodgkin lymphoma, unspecified site
C81.91	Hodgkin lymphoma, unspecified lymph nodes of head, face, and neck
C81.92	Hodgkin lymphoma, unspecified intrathoracic lymph nodes
C81.93	Hodgkin lymphoma, unspecified intra-abdominal lymph nodes
C81.94	Hodgkin lymphoma, unspecified lymph nodes of axilla and upper limb
C81.95	Hodgkin lymphoma, unspecified lymph nodes of inguinal region and lower limb
C81.96	Hodgkin lymphoma, unspecified intrapelvic lymph nodes
C81.97	Hodgkin lymphoma, unspecified spleen
C81.98	Hodgkin lymphoma, unspecified lymph nodes of multiple sites

C81.99	Hodgkin lymphoma, unspecified extranodal and solid organ sites
D09.0	Carcinoma in situ of bladder
D37.01	Neoplasm of uncertain behavior of lip
D37.02	Neoplasm of uncertain behavior of tongue
D37.05	Neoplasm of uncertain behavior of pharynx
D37.09	Neoplasm of uncertain behavior of other specified sites of the oral cavity
D38.0	Neoplasm of uncertain behavior of larynx
D38.5	Neoplasm of uncertain behavior of other respiratory organs
D38.6	Neoplasm of uncertain behavior of respiratory organ, unspecified
Z85.038	Personal history of other malignant neoplasm of large intestine
Z85.068	Personal history of other malignant neoplasm of small intestine
Z85.118	Personal history of other malignant neoplasm of bronchus and lung
Z85.21	Personal history of malignant neoplasm of larynx
Z85.22	Personal history of malignant neoplasm of nasal cavities, middle ear, and accessory sinuses
Z85.51	Personal history of malignant neoplasm of bladder
Z85.528	Personal history of other malignant neoplasm of kidney
Z85.59	Personal history of malignant neoplasm of other urinary tract organ
Z85.71	Personal history of Hodgkin lymphoma
Z85.810	Personal history of malignant neoplasm of tongue
Z85.818	Personal history of malignant neoplasm of other sites of lip, oral cavity and pharynx
Z85.819	Personal history of malignant neoplasm of unspecified site of lip, oral cavity and pharynx
Z85.820	Personal history of malignant melanoma of skin
Z85.821	Personal history of Merkel cell carcinoma

## Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD) and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at: <http://www.cms.gov/medicare-coverage-database/search/advanced-search.aspx>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD):

<b>Jurisdiction(s): 6, K</b>	<b>NCD/LCD Document (s): A54862</b>
<a href="https://www.cms.gov/medicare-coverage-database/search/article-date-search.aspx?DocID=A54862&amp;bc=gAAAAAAAAAAAAA==">https://www.cms.gov/medicare-coverage-database/search/article-date-search.aspx?DocID=A54862&amp;bc=gAAAAAAAAAAAAA==</a>	

**Medicare Part B Administrative Contractor (MAC) Jurisdictions**

<b>Jurisdiction</b>	<b>Applicable State/US Territory</b>	<b>Contractor</b>
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)
6	MN, WI, IL	National Government Services, Inc. (NGS)
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)
N (9)	FL, PR, VI	First Coast Service Options, Inc.
J (10)	TN, GA, AL	Palmetto GBA, LLC
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)
15	KY, OH	CGS Administrators, LLC