

Sylvant™ (siltuximab) (Intravenous)

Document Number: IC-0200

Last Review Date: 01/05/2021

Date of Origin: 06/24/2014

Dates Reviewed: 06/2014, 01/2016, 05/2016, 08/2016, 11/2016, 02/2017, 05/2017, 08/2017, 11/2017, 02/2018, 05/2018, 01/2019, 01/2020, 01/2021

I. Length of Authorization

Coverage will be provided for six months and may be renewed.

II. Dosing Limits

Quantity Limit (max daily dose) [NDC Unit]:

- Sylvant 100 mg single-use vial: 3 vials per 21 day supply
- Sylvant 400 mg single-use vial: 3 vials per 21 day supply

Max Units (per dose and over time) [HCPCS Unit]:

- 130 billable units every 21 days

III. Initial Approval Criteria ¹

Coverage is provided in the following conditions:

- Patient is at least 18 years of age; **AND**

Universal Criteria ¹

- Patient is human immunodeficiency virus (HIV) negative; **AND**
- Patient is human herpes virus-8 (HHV-8) negative; **AND**
- Patient is currently free of all clinically significant active infections; **AND**
- Patient will NOT receive any live vaccines during treatment with siltuximab; **AND**
- Must be used as a single agent; **AND**

Multicentric Castleman's Disease (MCD) † ☉ ¹⁻⁴

Unicentric Castleman's Disease (UCD) ‡ ²

- Must be used second-line therapy for relapsed or refractory disease; **AND**
- Patient has plasmacytic/mixed histology

† FDA Approved Indication(s); ‡ Compendia Recommended Indication(s); ☉ Orphan Drug

IV. Renewal Criteria ^{1,2}

Coverage can be renewed based upon the following criteria:

- Patient continues to meet universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III ; **AND**
- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: gastrointestinal perforation, severe infusion related reactions and severe hypersensitivity, etc.

V. Dosage/Administration ^{1,3,4}

Indication	Dose
All indications	Administer 11 mg/kg intravenously every 21 days until treatment failure

VI. Billing Code/Availability Information

HCPCS code:

J2860 - Injection, siltuximab, 10 mg; 10 mg = 1 billable unit

NDC:

- Sylvant 100 mg lyophilized powder in a single-use vial: 73090-0420-xx
- Sylvant 400 mg lyophilized powder in a single-use vial: 73090-0421-xx

VII. References

1. Sylvant [package insert]. Hemel Hempstead, Hertfordshire, U.K.; EUSA Pharma (UK), Ltd; December 2019. Accessed December 2020.
2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium[®]) for siltuximab. National Comprehensive Cancer Network, 2020. The NCCN Compendium[®] is a derivative work of the NCCN Guidelines[®]. NATIONAL COMPREHENSIVE CANCER NETWORK[®], NCCN[®], and NCCN GUIDELINES[®] are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed December 2020.
3. van Rhee F, Wong RS, Munshi N, et al. Siltuximab for multicentric Castleman's disease: a randomised, double-blind, placebo-controlled trial. *Lancet Oncol.* 2014 Aug;15(9):966-74. doi: 10.1016/S1470-2045(14)70319-5. Epub 2014 Jul 17.
4. Kurzrock R, Voorhees PM, Casper C, et al. A phase I, open-label study of siltuximab, an anti-IL-6 monoclonal antibody, in patients with B-cell non-Hodgkin lymphoma, multiple

myeloma, or Castleman disease. Clin Cancer Res. 2013 Jul 1;19(13):3659-70. doi: 10.1158/1078-0432.CCR-12-3349. Epub 2013 May 9.

Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description
D36.0	Benign neoplasm of lymph nodes
D47.Z2	Castleman disease
R59.0	Localized enlarged lymph nodes
R59.1	Generalized enlarged lymph nodes
R59.9	Enlarged lymph nodes, unspecified

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Articles (LCAs) and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at: <http://www.cms.gov/medicare-coverage-database/search/advanced-search.aspx>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCA/LCD): N/A

Medicare Part B Administrative Contractor (MAC) Jurisdictions		
Jurisdiction	Applicable State/US Territory	Contractor
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)
6	MN, WI, IL	National Government Services, Inc. (NGS)
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)
N (9)	FL, PR, VI	First Coast Service Options, Inc.
J (10)	TN, GA, AL	Palmetto GBA, LLC
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)
15	KY, OH	CGS Administrators, LLC