



# Eloxatin® (oxaliplatin) (Intravenous)

**Document Number: IC-0035** 

Last Review Date: 01/05/2023

Date of Origin: 09/2010

Dates Reviewed: 12/2010, 03/2011, 06/2011, 09/2011, 12/2011, 03/2012, 06/2012, 09/2012, 12/2012, 03/2013, 06/2013, 09/2013, 12/2013, 03/2014, 02/2015, 01/2016, 01/2017, 01/2018, 01/2019, 01/2020,

01/2021, 01/2022, 01/2023

# I. Length of Authorization <sup>5,15</sup>

Coverage will be provided for 6 months and may be renewed (unless otherwise specified).

 Coverage for Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL) will be provided for six 4-week cycles and may not be renewed

# **II.** Dosing Limits

- A. Quantity Limit (max daily dose) [NDC Unit]:
  - Oxaliplatin 50 mg single-dose vial for injection: 1 vial per 14 days
  - Oxaliplatin 100 mg single-dose vial for injection: 3 vials per 14 days
- B. Max Units (per dose and over time) [HCPCS Unit]:
  - 600 billable units every 14 days

# III. Initial Approval Criteria 1,2

Coverage is provided in the following conditions:

Colorectal Cancer †

Appendiceal Adenocarcinoma – Colon Cancer ‡

Bladder Cancer (Non-Urothelial and Urothelial adenocarcinoma) ‡

Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL) ‡

• Used for histologic (Richter's) transformation to diffuse large B-cell lymphoma (DLBCL)

Esophageal and Esophagogastric Junction Cancer (Adenocarcinoma, Squamous cell carcinoma)‡

Gastric Adenocarcinoma ‡

Classic Hodgkin Lymphoma (cHL) ‡

B-Cell Lymphomas ‡



- Patient has one of the following B-Cell Lymphoma sub-types:
  - AIDS-related B-cell lymphoma (includes all of the following: diffuse large B-cell lymphoma, primary effusion lymphoma, HHV8-positive diffuse large B-cell lymphoma [not otherwise specified], and plasmablastic lymphoma)
  - Diffuse Large B-Cell Lymphoma (including histological transformation of Indolent Lymphoma to DLBCL)
  - Follicular Lymphoma (grade 1-2)
  - Mantle Cell Lymphoma
  - Post-Transplant Lymphoproliferative Disorders (monomorphic)
  - High-Grade B-Cell Lymphoma

# T-Cell Lymphomas ‡

- Patient has one of the following T-Cell Lymphoma sub-types:
  - Adult T-Cell Leukemia/Lymphoma
  - Extranodal NK/T-cell Lymphoma
  - Peripheral T-Cell Lymphoma (includes all of the following: anaplastic large cell lymphoma, peripheral T-cell lymphoma not otherwise specified, angioimmunoblastic Tcell lymphoma, enteropathy-associated T-cell lymphoma, monomorphic epitheliotropic intestinal T-cell lymphoma, nodal peripheral T-cell lymphoma with TFH phenotype, or follicular T-cell lymphoma)
  - Hepatosplenic T-Cell Lymphoma
  - Breast Implant-Associated ALCL

# Ovarian/Fallopian Tube/Primary Peritoneal Cancers ‡

- Fallopian Tube, Primary Peritoneal, Epithelial Cancer (excludes use as immediate treatment of biochemical relapse)
  - Low-Grade Serous Carcinoma (borderline epithelial, serous histology)
  - Grade 1 Endometrioid Carcinoma
  - Mucinous Carcinoma
  - Carcinosarcoma (Malignant Mixed Müllerian Tumors)
  - Clear cell Carcinoma
  - Malignant Germ Cell Tumors

# Occult Primary ‡

# Pancreatic Adenocarcinoma ‡

# Primary Cutaneous Lymphomas ‡

- Patient has one of the following Primary Cutaneous Lymphoma sub-types:
  - Mycosis Fungoides/Sezary Syndrome
  - Primary Cutaneous CD30+ T-Cell Lymphoproliferative Disorders

#### Testicular Cancer ‡

#### Hepatobiliary Cancer - Biliary Tract Cancers ‡

- Intrahepatic Cholangiocarcinoma (Adenocarcinoma)
- Extrahepatic Cholangiocarcinoma (Adenocarcinoma)



• Gallbladder Cancer (Adenocarcinoma)

#### Neuroendocrine Tumors and Adrenal Tumors ‡

- Neuroendocrine Tumors of the Pancreas (Well-Differentiated Grade 1/2)
- Well Differentiated Grade 3 Neuroendocrine Tumors
- Neuroendocrine Tumors of the Gastrointestinal Tract (Well-Differentiated Grade 1/2), Lung, and Thymus
- Extrapulmonary Poorly Differentiated Neuroendocrine Carcinoma/Large or Small Cell Carcinoma/Mixed Neuroendocrine-Non-Neuroendocrine Neoplasm
- Gastrointestinal Tract-Carcinoid Syndrome

Anal Squamous Cell Carcinoma ‡

Small Bowel Adenocarcinoma ‡

Ampullary Adenocarcinoma ‡

† FDA Approved Indication(s); ‡ Compendia recommended indication(s); ♠ Orphan Drug

## IV. Renewal Criteria 1,2

Coverage can be renewed based upon the following criteria:

- Patient continues to meet indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; AND
- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread; AND
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: hypersensitivity reactions (including anaphylaxis), severe myelosuppression (e.g., neutropenia, thrombocytopenia, immune-mediated thrombocytopenia), peripheral sensory neuropathy, Posterior Reversible Encephalopathy Syndrome (PRES), pulmonary toxicity, hepatotoxicity, cardiovascular toxicity (QT prolongation and ventricular arrhythmias), rhabdomyolysis, hemorrhage, etc.; AND

## Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL) 5,15

Coverage may not be renewed

# V. Dosage/Administration<sup>1,3,5,6,12-24</sup>

Indication	Dose
Colorectal Cancer, Appendiceal	130 mg/m² on day 1 every 3 weeks
Adenocarcinoma, Neuroendocrine	OR
Tumors/Adrenal Tumors, Occult Primary,	85 mg/m <sup>2</sup> on day 1 every 2 weeks
Small Bowel Adenocarcinoma, T-Cell	os ing. in on day 1 overy 2 weeks
Lymphomas	



Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL)	25 – 30 mg/m²/day for 4 days every 4 weeks (in combination with fludarabine, cytarabine, and rituximab-OFAR) for up to 6 cycles
B-Cell Lymphomas and Ovarian/Fallopian Tube/Primary Peritoneal Cancers	130 mg/m² on day 1 every 3 weeks
Esophageal/Esophagogastric Junction Cancer and Gastric Cancer	$85 \text{ mg/m}^2$ on days 1, 15, and 29 every 35 days OR
	85 mg/m² on day 1 every 2 weeks OR
	85 mg/m <sup>2</sup> on day 1 every 3 weeks OR
Pancreatic Cancer	130 mg/m <sup>2</sup> on day 1 every 3 weeks  100 mg/m <sup>2</sup> on day 2 every 14 days OR
	85 mg/m <sup>2</sup> on days 8 and 22 every 42 days OR
	85 mg/m² on day 1 every 14 days
Hepatobiliary Cancer – Biliary Tract Cancers	100 mg/m² on days 1 and 15 every 28 days OR 100 mg/m² on day 2 every 14 days
Testicular Cancer	60 mg/m <sup>2</sup> on days 1, 8, and 15 every 4 weeks OR 130 mg/m <sup>2</sup> on day 1 every 3 weeks OR 130 mg/m <sup>2</sup> on days 1 and 15 every 4 weeks
Anal Squamous Cell Carcinoma	85 mg/m² on day 1 every 2 weeks
Ampullary Adenocarcinoma	130 mg/m² on day 1 every 3 weeks
Classic Hodgkin Lymphoma (cHL)	100mg/m2 on day 1 every 3 weeks
All other indications	130 mg/m² on day 1 every 3 weeks OR 85 mg/m² on day 1 every 2 weeks

# VI. Billing Code/Availability Information

#### HCPCS code:

• J9263-Injection, oxaliplatin, 0.5 mg: 1 billable unit = 0.5 mg

# NDC:

- Eloxatin\* 50 mg/10 mL solution for injection; single-dose vial: 00024-0590-xx
- Eloxatin\* 100 mg/20 mL solution for injection; single-dose vial: 00024-0591-xx



#### VII. References

- 1. Eloxatin [package insert]. Bridgewater, NJ; Sanofi-Aventis, LLC; April 2020. Accessed November 2022.
- 2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) for Oxaliplatin. National Comprehensive Cancer Network, 2022. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed November 2022.
- 3. Overman MJ; Varadhachary GR; Kopetz S; et al. Phase II Study of Capecitabine and Oxaliplatin for Advanced Adenocarcinoma of the Small Bowel and Ampulla of Vater. J Clin Oncol. 2009 Jun 1; 27(16):2598-603. Epub 2009 Jan 21.
- 4. Overman MJ, Kopetz S, Wen S, et al. Chemotherapy with 5-fluorouracil and a platinum compound improves outcomes in metastatic small bowel adenocarcinoma. Cancer. 2008 Oct 15; 113(8):2038-45.
- 5. Tsimberidou AM, Wierda WG, Plunkett W, et al, "Phase I-II Study of Oxaliplatin, Fludarabine, Cytarabine, and Rituximab Combination Therapy in Patients With Richter's Syndrome or Fludarabine-Refractory Chronic Lymphocytic Leukemia," *J Clin Oncol*, 2008, 26(2):196-203.
- 6. Oxaliplatin. Clinical Pharmacology [Internet]. Tampa (FL): Elsevier B.V. c2022 [cited 2022 November 30]. Available from: <a href="https://www.clinicalkey.com/pharmacology/">https://www.clinicalkey.com/pharmacology/</a>.
- 7. Cunningham D, Starling N, Rao S, et al. Capecitabine and oxaliplatin for advanced esophagogastric cancer. N Engl J Med 2008; 358(1):36-46.
- 8. Khushalani NI, Leichman CG, Proulx G, et al. Oxaliplatin in combination with protracted-infusion fluorouracil and radiation: report of a clinical trial for patients with esophageal cancer. J Clin Oncol. 2002 Jun 15;20(12):2844-50.
- 9. Renata Ferrarotto, Laura Testa, Rachel P. Riechelmann, et al. Combination of Capecitabine and Oxaliplatin is an Effective Treatment Option for Advanced Neuroendocrine Tumors. Rare Tumors. 2013 Jul 1; 5(3): e35.
- 10. André T<sup>1</sup>, Boni C, Mounedji-Boudiaf L, et al. Oxaliplatin, fluorouracil, and leucovorin as adjuvant treatment for colon cancer. N Engl J Med. 2004 Jun 3;350(23):2343-51.
- 11. Goldberg RM, Sargent DJ, Morton RF, et al. A randomized controlled trial of fluorouracil plus leucovorin, irinotecan, and oxaliplatin combinations in patients with previously untreated metastatic colorectal cancer. J Clin Oncol. 2004 Jan 1;22(1):23-30. Epub 2003 Dec 9.
- 12. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Colon Cancer Version 2.2022. National Comprehensive Cancer Network, 2022. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer



- Network, Inc." To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed November 2022.
- 13. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Rectal Cancer Version 3.2022. National Comprehensive Cancer Network, 2022. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc." To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed November 2022.
- 14. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Anal Carcinoma Version 2.2022. National Comprehensive Cancer Network, 2022. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc." To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed November 2022.
- 15. Tsimberidou AM, Wierda WG, Wen S, et al; Chronic Lymphocytic Leukemia Research Consortium. Phase I-II clinical trial of oxaliplatin, fludarabine, cytarabine, and rituximab therapy in aggressive relapsed/refractory chronic lymphocytic leukemia or Richter syndrome. Clin Lymphoma Myeloma Leuk. 2013 Oct;13(5):568-74. Doi: 10.1016/j.clml.2013.03.012.
- 16. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Esophageal and Esophagogastric Junction Cancers Version 4.2022. National Comprehensive Cancer Network, 2022. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc." To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed November 2022.
- 17. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Gastric Cancer Version 4.2022. National Comprehensive Cancer Network, 2022. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc." To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed November 2022.
- 18. Gutierrez A, Rodriguez J, Martinez-Serra J, et al. Gemcitabine and oxaliplatinum: an effective regimen in patients with refractory and relapsing Hodgkin lymphoma. Onco Targets Ther. 2014 Nov 13;7:2093-100. Doi: 10.2147/OTT.S70264.
- 19. Spada F, Antonuzzo L, Marconcini R, et al. Oxaliplatin-Based Chemotherapy in Advanced Neuroendocrine Tumors: Clinical Outcomes and Preliminary Correlation with Biological Factors. Neuroendocrinology. 2016;103(6):806-14. Doi: 10.1159/000444087.
- 20. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Occult Primary Version 2.2023. National Comprehensive Cancer Network, 2022. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc." To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed November 2022.



©2023, Magellan Rx Management

- 21. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Small Bowel Adenocarcinoma Version 2.2022. National Comprehensive Cancer Network, 2022. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc." To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed November 2022.
- 22. Wang JH, Wang H, Wang YJ, et al. Analysis of the efficacy and safety of a combined gemcitabine, oxaliplatin and pegaspargase regimen for NK/T-cell lymphoma. Oncotarget. 2016 Jun 7;7(23):35412-22. doi: 10.18632/oncotarget.8643.
- 23. Wei W, Wu P, Li L, et al. Effectiveness of pegaspargase, gemcitabine, and oxaliplatin (P-GEMOX) chemotherapy combined with radiotherapy in newly diagnosed, stage IE to IIE, nasal-type, extranodal natural killer/T-cell lymphoma. Hematology. 2017 Jul;22(6):320-329. doi: 10.1080/10245332.2016.1264163.
- 24. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Testicular Cancer Version 2.2022. National Comprehensive Cancer Network, 2022. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc." To view the most recent and complete version of the Guidelines, go online to NCCN.org. Accessed November 2022.

# Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description
C15.3	Malignant neoplasm of upper third of esophagus
C15.4	Malignant neoplasm of middle third of esophagus
C15.5	Malignant neoplasm of the lower third of esophagus
C15.8	Malignant neoplasm of overlapping sites of esophagus
C15.9	Malignant neoplasm of esophagus, unspecified
C16.0	Malignant neoplasm of cardia
C16.1	Malignant neoplasm of fundus of stomach
C16.2	Malignant neoplasm of body of stomach
C16.3	Malignant neoplasm of pyloric antrum
C16.4	Malignant neoplasm of pylorus
C16.5	Malignant neoplasm of lesser curvature of stomach, unspecified
C16.6	Malignant neoplasm of greater curvature of stomach, unspecified
C16.8	Malignant neoplasm of overlapping sites of stomach
C16.9	Malignant neoplasm of stomach, unspecified
C17.0	Malignant neoplasm duodenum
C17.1	Malignant neoplasm jejunum
C17.2	Malignant neoplasm ileum

ICD-10	ICD-10 Description
C17.3	Meckel's diverticulum, malignant
C17.8	Malignant neoplasm of overlapping sites of small intestines
C17.9	Malignant neoplasm of small intestine, unspecified
C18.0	Malignant neoplasm of cecum
C18.1	Malignant neoplasm of appendix
C18.2	Malignant neoplasm of ascending colon
C18.3	Malignant neoplasm of hepatic flexure
C18.4	Malignant neoplasm of transverse colon
C18.5	Malignant neoplasm of splenic flexure
C18.6	Malignant neoplasm of descending colon
C18.7	Malignant neoplasm of sigmoid colon
C18.8	Malignant neoplasm of overlapping sites of large intestines
C18.9	Malignant neoplasm of colon, unspecified
C19	Malignant neoplasm of rectosigmoid junction
C20	Malignant neoplasm of rectum
C21.0	Malignant neoplasm of anus, unspecified
C21.1	Malignant neoplasm of anal canal
C21.2	Malignant neoplasm of cloacogenic zone
C21.8	Malignant neoplasm of overlapping sites of rectum, anus and anal canal
C22.1	Intrahepatic bile duct carcinoma
C23	Malignant neoplasm of gallbladder
C24.0	Malignant neoplasm of extrahepatic bile duct
C24.1	Malignant neoplasm of ampulla of Vater
C24.8	Malignant neoplasm of overlapping sites of biliary tract
C24.9	Malignant neoplasm of biliary tract, unspecified
C25.0	Malignant neoplasm of head of pancreas
C25.1	Malignant neoplasm of body of the pancreas
C25.2	Malignant neoplasm of tail of pancreas
C25.3	Malignant neoplasm of pancreatic duct
C25.7	Malignant neoplasm of other parts of pancreas
C25.8	Malignant neoplasm of overlapping sites of pancreas
C25.9	Malignant neoplasm of pancreas, unspecified
C48.1	Malignant neoplasm of specified parts of peritoneum
C48.2	Malignant neoplasm of peritoneum, unspecified
C48.8	Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum



ICD-10	ICD-10 Description
C56.1	Malignant neoplasm of right ovary
C56.2	Malignant neoplasm of left ovary
C56.3	Malignant neoplasm of bilateral ovaries
C56.9	Malignant neoplasm of unspecified ovary
C57.00	Malignant neoplasm of unspecified fallopian tube
C57.01	Malignant neoplasm of right fallopian tube
C57.02	Malignant neoplasm of left fallopian tube
C57.10	Malignant neoplasm of unspecified broad ligament
C57.11	Malignant neoplasm of right broad ligament
C57.12	Malignant neoplasm of left broad ligament
C57.20	Malignant neoplasm of unspecified round ligament
C57.21	Malignant neoplasm of right round ligament
C57.22	Malignant neoplasm of left round ligament
C57.3	Malignant neoplasm of parametrium
C57.4	Malignant neoplasm of uterine adnexa, unspecified
C57.7	Malignant neoplasm of other specified female genital organs
C57.8	Malignant neoplasm of overlapping sites of female genital organs
C57.9	Malignant neoplasm of female genital organ, unspecified
C62.00	Malignant neoplasm of unspecified undescended testis
C62.01	Malignant neoplasm of undescended right testis
C62.02	Malignant neoplasm of undescended left testis
C62.10	Malignant neoplasm of unspecified descended testis
C62.11	Malignant neoplasm of descended right testis
C62.12	Malignant neoplasm of descended left testis
C62.90	Malignant neoplasm of unspecified testis, unspecified whether descended or undescended
C62.91	Malignant neoplasm of right testis, unspecified whether descended or undescended
C62.92	Malignant neoplasm of left testis, unspecified whether descended or undescended
C67.0	Malignant neoplasm of trigone of bladder
C67.1	Malignant neoplasm of dome of bladder
C67.2	Malignant neoplasm of lateral wall of bladder
C67.3	Malignant neoplasm of anterior wall of bladder
C67.4	Malignant neoplasm of posterior wall of bladder
C67.5	Malignant neoplasm of bladder neck
C67.6	Malignant neoplasm of ureteric orifice
C67.7	Malignant neoplasm of urachus



ICD-10	ICD-10 Description
C67.8	Malignant neoplasm of overlapping sites of bladder
C67.9	Malignant neoplasm of bladder, unspecified
C78.00	Secondary malignant neoplasm of unspecified lung
C78.01	Secondary malignant neoplasm of right lung
C78.02	Secondary malignant neoplasm of left lung
C78.6	Secondary malignant neoplasm of retroperitoneum and peritoneum
C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct
C7A.00	Malignant carcinoid tumor of unspecified site
C7A.010	Malignant carcinoid tumor of the duodenum
C7A.011	Malignant carcinoid tumor of the jejunum
C7A.012	Malignant carcinoid tumor of the ileum
C7A.019	Malignant carcinoid tumor of the small intestine, unspecified portion
C7A.020	Malignant carcinoid tumor of the appendix
C7A.021	Malignant carcinoid tumor of the cecum
C7A.022	Malignant carcinoid tumor of the ascending colon
C7A.023	Malignant carcinoid tumor of the transverse colon
C7A.024	Malignant carcinoid tumor of the descending colon
C7A.025	Malignant carcinoid tumor of the sigmoid colon
C7A.026	Malignant carcinoid tumor of the rectum
C7A.029	Malignant carcinoid tumor of the large intestine, unspecified portion
C7A.092	Malignant carcinoid tumor of the stomach
C7A.093	Malignant carcinoid tumor of the kidney
C7A.094	Malignant carcinoid tumor of the foregut, unspecified
C7A.095	Malignant carcinoid tumor of the midgut, unspecified
C7A.096	Malignant carcinoid tumor of the hindgut, unspecified
C7A.098	Malignant carcinoid tumors of other sites
C7A.1	Malignant poorly differentiated neuroendocrine tumors
C7A.8	Other malignant neuroendocrine tumors
C7B.00	Secondary carcinoid tumors unspecified site
C7B.01	Secondary carcinoid tumors of distant lymph nodes
C7B.02	Secondary carcinoid tumors of liver
C7B.03	Secondary carcinoid tumors of bone
C7B.04	Secondary carcinoid tumors of peritoneum
C7B.09	Secondary carcinoid tumors of other sites
C7B.8	Other secondary neuroendocrine tumors



ICD-10	ICD-10 Description
C80.0	Disseminated malignant neoplasm, unspecified
C80.1	Malignant (primary) neoplasm, unspecified
C81.10	Nodular sclerosis Hodgkin lymphoma, unspecified site
C81.11	Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.12	Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes
C81.13	Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes
C81.14	Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.15	Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.16	Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes
C81.17	Nodular sclerosis Hodgkin lymphoma, spleen
C81.18	Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites
C81.19	Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites
C81.20	Mixed cellularity Hodgkin lymphoma, unspecified site
C81.21	Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.22	Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes
C81.23	Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes
C81.24	Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.25	Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.26	Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes
C81.27	Mixed cellularity Hodgkin lymphoma, spleen
C81.28	Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites
C81.29	Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites
C81.30	Lymphocyte depleted Hodgkin lymphoma, unspecified site
C81.31	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.32	Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes
C81.33	Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes
C81.34	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.35	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.36	Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes
C81.37	Lymphocyte depleted Hodgkin lymphoma, spleen
C81.38	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites
C81.39	Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites
C81.40	Lymphocyte-rich Hodgkin lymphoma, unspecified site
C81.41	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck
C81.42	Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes



ICD-10	ICD-10 Description
C81.43	Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes
C81.44	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb
C81.45	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb
C81.46	Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes
C81.47	Lymphocyte-rich Hodgkin lymphoma, spleen
C81.48	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites
C81.49	Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites
C81.70	Other Hodgkin lymphoma unspecified site
C81.71	Other Hodgkin lymphoma lymph nodes of head, face, and neck
C81.72	Other Hodgkin lymphoma intrathoracic lymph nodes
C81.73	Other Hodgkin lymphoma intra-abdominal lymph nodes
C81.74	Other Hodgkin lymphoma lymph nodes of axilla and upper limb
C81.75	Other Hodgkin lymphoma lymph nodes of inguinal region and lower limb
C81.76	Other Hodgkin lymphoma intrapelvic lymph nodes
C81.77	Other Hodgkin lymphoma spleen
C81.78	Other Hodgkin lymphoma lymph nodes of multiple sites
C81.79	Other Hodgkin lymphoma extranodal and solid organ sites
C81.90	Hodgkin lymphoma, unspecified site
C81.91	Hodgkin lymphoma, unspecified lymph nodes of head, face, and neck
C81.92	Hodgkin lymphoma, unspecified intrathoracic lymph nodes
C81.93	Hodgkin lymphoma, unspecified intra-abdominal lymph nodes
C81.94	Hodgkin lymphoma, unspecified lymph nodes of axilla and upper limb
C81.95	Hodgkin lymphoma, unspecified lymph nodes of inguinal region and lower limb
C81.96	Hodgkin lymphoma, unspecified intrapelvic lymph nodes
C81.97	Hodgkin lymphoma, unspecified spleen
C81.98	Hodgkin lymphoma, unspecified lymph nodes of multiple sites
C81.99	Hodgkin lymphoma, unspecified extranodal and solid organ sites
C82.00	Follicular lymphoma grade I, unspecified site
C82.01	Follicular lymphoma <i>grade</i> I, lymph nodes of head, face and neck
C82.02	Follicular lymphoma, grade I, intrathoracic lymph nodes
C82.03	Follicular lymphoma grade I, intra-abdominal lymph nodes
C82.04	Follicular lymphoma grade I, lymph nodes of axilla and upper limb
C82.05	Follicular lymphoma grade I, lymph nodes of inguinal regional and lower limb
C82.06	Follicular lymphoma grade I, intrapelvic lymph nodes
C82.07	Follicular lymphoma grade I, spleen



ICD-10	ICD-10 Description
C82.08	Follicular lymphoma grade I, lymph nodes of multiple sites
C82.09	Follicular lymphoma grade I, extranodal and solid organ sites
C82.10	Follicular lymphoma grade II, unspecified site
C82.11	Follicular lymphoma grade II, lymph nodes of head, face and neck
C82.12	Follicular lymphoma, grade II, intrathoracic lymph nodes
C82.13	Follicular lymphoma grade II, intra-abdominal lymph nodes
C82.14	Follicular lymphoma grade II, lymph nodes of axilla and upper limb
C82.15	Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb
C82.16	Follicular lymphoma grade II, intrapelvic lymph nodes
C82.17	Follicular lymphoma grade II, spleen
C82.18	Follicular lymphoma grade II, lymph nodes of multiple sites
C82.19	Follicular lymphoma grade II, extranodal and solid organ sites
C82.20	Follicular lymphoma grade III, unspecified, unspecified site
C82.21	Follicular lymphoma grade III, unspecified, lymph nodes of head, face and neck
C82.22	Follicular lymphoma, grade III, unspecified, intrathoracic lymph nodes
C82.23	Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes
C82.24	Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb
C82.25	Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb
C82.26	Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes
C82.27	Follicular lymphoma grade III, unspecified, spleen
C82.28	Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites
C82.29	Follicular lymphoma grade III, unspecified, extranodal and solid organ sites
C82.30	Follicular lymphoma grade IIIa, unspecified site
C82.31	Follicular lymphoma grade IIIa, lymph nodes of head, face and neck
C82.32	Follicular lymphoma, grade IIIa, intrathoracic lymph nodes
C82.33	Follicular lymphoma grade IIIa, intra-abdominal lymph nodes
C82.34	Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb
C82.35	Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb
C82.36	Follicular lymphoma grade IIIa, intrapelvic lymph nodes
C82.37	Follicular lymphoma grade IIIa, spleen
C82.38	Follicular lymphoma grade IIIa, lymph nodes of multiple sites
C82.39	Follicular lymphoma grade IIIa, extranodal and solid organ sites
C82.40	Follicular lymphoma grade IIIb, unspecified site
C82.41	Follicular lymphoma grade IIIb, lymph nodes of head, face and neck
C82.42	Follicular lymphoma, grade IIIb, intrathoracic lymph nodes



ICD-10	ICD-10 Description
C82.43	Follicular lymphoma grade IIIb, intra-abdominal lymph nodes
C82.44	Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb
C82.45	Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb
C82.46	Follicular lymphoma grade IIIb, intrapelvic lymph nodes
C82.47	Follicular lymphoma grade IIIb, spleen
C82.48	Follicular lymphoma grade IIIb, lymph nodes of multiple sites
C82.49	Follicular lymphoma grade IIIb, extranodal and solid organ sites
C82.50	Diffuse follicle center lymphoma, unspecified site
C82.51	Diffuse follicle center lymphoma, lymph nodes of head, face, and neck
C82.52	Diffuse follicle center lymphoma, intrathoracic lymph nodes
C82.53	Diffuse follicle center lymphoma, intra-abdominal lymph nodes
C82.54	Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb
C82.55	Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb
C82.56	Diffuse follicle center lymphoma, intrapelvic lymph nodes
C82.57	Diffuse follicle center lymphoma, spleen
C82.58	Diffuse follicle center lymphoma, lymph nodes of multiple sites
C82.59	Diffuse follicle center lymphoma, extranodal and solid organ sites
C82.60	Cutaneous follicle center lymphoma, unspecified site
C82.61	Cutaneous follicle center lymphoma, lymph nodes of head, face, and neck
C82.62	Cutaneous follicle center lymphoma, intrathoracic lymph nodes
C82.63	Cutaneous follicle center lymphoma, intra-abdominal lymph nodes
C82.64	Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb
C82.65	Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb
C82.66	Cutaneous follicle center lymphoma, intrapelvic lymph nodes
C82.67	Cutaneous follicle center lymphoma, spleen
C82.68	Cutaneous follicle center lymphoma, lymph nodes of multiple sites
C82.69	Cutaneous follicle center lymphoma, extranodal and solid organ sites
C82.80	Other types of follicular lymphoma, unspecified site
C82.81	Other types of follicular lymphoma, lymph nodes of head, face, and neck
C82.82	Other types of follicular lymphoma, intrathoracic lymph nodes
C82.83	Other types of follicular lymphoma, intra-abdominal lymph nodes
C82.84	Other types of follicular lymphoma, lymph nodes of axilla and upper limb
C82.85	Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb
C82.86	Other types of follicular lymphoma, intrapelvic lymph nodes
C82.87	Other types of follicular lymphoma, spleen



ICD-10	ICD-10 Description
C82.88	Other types of follicular lymphoma, lymph nodes of multiple sites
C82.89	Other types of follicular lymphoma, extranodal and solid organ sites
C82.90	Follicular lymphoma, unspecified, unspecified site
C82.91	Follicular lymphoma, unspecified, lymph nodes of head, face and neck
C82.92	Follicular lymphoma, unspecified, intrathoracic lymph nodes
C82.93	Follicular lymphoma, unspecified, intra-abdominal lymph nodes
C82.94	Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb
C82.95	Follicular lymphoma, unspecified lymph nodes of inguinal region and lower limb
C82.96	Follicular lymphoma, unspecified, intrapelvic lymph nodes
C82.97	Follicular lymphoma, unspecified, spleen
C82.98	Follicular lymphoma, unspecified, lymph nodes of multiple sites
C82.99	Follicular lymphoma, unspecified, extranodal and solid organ sites
C83.00	Small cell B-cell lymphoma, unspecified site
C83.01	Small cell B-cell lymphoma, lymph nodes of head, face and neck
C83.02	Small cell B-cell lymphoma, intrathoracic lymph nodes
C83.03	small cell B-cell lymphoma, intra-abdominal lymph nodes
C83.04	Small cell B-cell lymphoma, lymph nodes of axilla and upper limb
C83.05	Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb
C83.06	Small cell B-cell lymphoma, intrapelvic lymph nodes
C83.07	Small cell B-cell lymphoma, spleen
C83.08	Small cell B-cell lymphoma, lymph nodes of multiple sites
C83.09	Small cell B-cell lymphoma, extranodal and solid organ sites
C83.10	Mantle cell lymphoma, unspecified site
C83.11	Mantle cell lymphoma, lymph nodes of head, face and neck
C83.12	Mantle cell lymphoma, intrathoracic lymph nodes
C83.13	Mantle cell lymphoma, intra-abdominal lymph nodes
C83.14	Mantle cell lymphoma, lymph nodes of axilla and upper limb
C83.15	Mantle cell lymphoma, lymph nodes of inguinal region and lower limb
C83.16	Mantle cell lymphoma, intrapelvic lymph nodes
C83.17	Mantle cell lymphoma, spleen
C83.18	Mantle cell lymphoma, lymph nodes of multiple sites
C83.19	Mantle cell lymphoma, extranodal and solid organ sites
C83.30	Diffuse large B-cell lymphoma, unspecified site
C83.31	Diffuse large B-cell lymphoma, lymph nodes of head, face and neck
C83.32	Diffuse large B-cell lymphoma intrathoracic lymph nodes



ICD-10	ICD-10 Description
C83.33	Diffuse large B-cell lymphoma, intra-abdominal lymph nodes
C83.34	Diffuse large B-cell lymphoma, lymph nodes of axilla and upper limb
C83.35	Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb
C83.36	Diffuse large B-cell lymphoma, intrapelvic lymph nodes
C83.37	Diffuse large B-cell lymphoma, spleen
C83.38	Diffuse large B-cell lymphoma, lymph nodes of multiple sites
C83.39	Diffuse large B-cell lymphoma, extranodal and solid organ sites
C83.80	Other non-follicular lymphoma, unspecified site
C83.81	Other non-follicular lymphoma, lymph nodes of head, face and neck
C83.82	Other non-follicular lymphoma, intrathoracic lymph nodes
C83.83	Other non-follicular lymphoma, intra-abdominal lymph nodes
C83.84	Other non-follicular lymphoma, lymph nodes of axilla and upper limb
C83.85	Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb
C83.86	Other non-follicular lymphoma, intrapelvic lymph nodes
C83.87	Other non-follicular lymphoma, spleen
C83.88	Other non-follicular lymphoma, lymph nodes of multiple sites
C83.89	Other non-follicular lymphoma, extranodal and solid organ sites
C83.90	Non-follicular (diffuse) lymphoma, unspecified site
C83.91	Non-follicular (diffuse) lymphoma, unspecified lymph nodes of head, face, and neck
C83.92	Non-follicular (diffuse) lymphoma, unspecified intrathoracic lymph nodes
C83.93	Non-follicular (diffuse) lymphoma, unspecified intra-abdominal lymph nodes
C83.94	Non-follicular (diffuse) lymphoma, unspecified lymph nodes of axilla and upper limb
C83.95	Non-follicular (diffuse) lymphoma, unspecified lymph nodes of inguinal region and lower limb
C83.96	Non-follicular (diffuse) lymphoma, unspecified intrapelvic lymph nodes
C83.97	Non-follicular (diffuse) lymphoma, unspecified spleen
C83.98	Non-follicular (diffuse) lymphoma, unspecified lymph nodes of multiple sites
C83.99	Non-follicular (diffuse) lymphoma, unspecified extranodal and solid organ sites
C84.00	Mycosis fungoides, unspecified site
C84.01	Mycosis fungoides, lymph nodes of head, face and neck
C84.02	Mycosis fungoides, intrathoracic lymph nodes
C84.03	Mycosis fungoides, intra-abdominal lymph nodes
C84.04	Mycosis fungoides, lymph nodes of axilla and upper limb
C84.05	Mycosis fungoides, lymph nodes of inguinal region and lower limb
C84.06	Mycosis fungoides, intrapelvic lymph nodes
C84.07	Mycosis fungoides, spleen



ICD-10	ICD-10 Description	
C84.08	Mycosis fungoides, lymph nodes of multiple sites	
C84.09	Mycosis fungoides, extranodal and solid organ sites	
C84.10	Sézary disease, unspecified site	
C84.11	Sézary disease, lymph nodes of head, face, and neck	
C84.12	Sézary disease, intrathoracic lymph nodes	
C84.13	Sézary disease, intra-abdominal lymph nodes	
C84.14	Sézary disease, lymph nodes of axilla and upper limb	
C84.15	Sézary disease, lymph nodes of inguinal region and lower limb	
C84.16	Sézary disease, intrapelvic lymph nodes	
C84.17	Sézary disease, spleen	
C84.18	Sézary disease, lymph nodes of multiple sites	
C84.19	Sézary disease, extranodal and solid organ sites	
C84.40	Peripheral T-cell lymphoma, not classified, unspecified site	
C84.41	Peripheral T-cell lymphoma, not classified, lymph nodes of head, face and neck	
C84.42	Peripheral T-cell lymphoma, not classified, intrathoracic lymph nodes	
C84.43	Peripheral T-cell lymphoma, not classified, intra-abdominal lymph nodes	
C84.44	Peripheral T-cell lymphoma, not classified, lymph nodes of axilla and upper limb	
C84.45	Peripheral T-cell lymphoma, not classified, lymph nodes of inguinal region of lower limb	
C84.46	Peripheral T-cell lymphoma, not classified, intrapelvic lymph nodes	
C84.47	Peripheral T-cell lymphoma, not classified, spleen	
C84.48	Peripheral T-cell lymphoma, not classified, lymph nodes of multiple sites	
C84.49	Peripheral T-cell lymphoma, not classified, extranodal and solid organ sites	
C84.60	Anaplastic large cell lymphoma, ALK-positive, unspecified site	
C84.61	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of head, face and neck	
C84.62	Anaplastic large cell lymphoma, ALK-positive, intrathoracic lymph nodes	
C84.63	Anaplastic large cell lymphoma, ALK-positive, intra-abdominal lymph nodes	
C84.64	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of axilla and upper limb	
C84.65	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of inguinal region and lower limb	
C84.66	Anaplastic large cell lymphoma, ALK-positive, intrapelvic lymph nodes	
C84.67	Anaplastic large cell lymphoma, ALK-positive, spleen	
C84.68	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of multiple sites	
C84.69	Anaplastic large cell lymphoma, ALK-positive, extranodal and solid organ sites	
C84.7A	Anaplastic large cell lymphoma, ALK-negative, breast	
C84.70	Anaplastic large cell lymphoma, ALK-negative, unspecified site	
C84.71	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of head, face and neck	



ICD-10	ICD-10 Description	
C84.72	Anaplastic large cell lymphoma, ALK-negative, intrathoracic lymph nodes	
C84.73	Anaplastic large cell lymphoma, ALK-negative, intra-abdominal lymph nodes	
C84.74	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of axilla and upper limb	
C84.75	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of inguinal region and lower limb	
C84.76	Anaplastic large cell lymphoma, ALK-negative, intrapelvic lymph nodes	
C84.77	Anaplastic large cell lymphoma, ALK-negative, spleen	
C84.78	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of multiple sites	
C84.79	Anaplastic large cell lymphoma, ALK-negative, extranodal and solid organ sites	
C84.90	Mature T/NK-cell lymphomas, unspecified, unspecified site	
C84.91	Mature T/NK-cell lymphomas, unspecified, lymph nodes of head, face and neck	
C84.92	Mature T/NK-cell lymphomas, unspecified, intrathoracic lymph nodes	
C84.93	Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes	
C84.94	Mature T/NK-cell lymphomas, unspecified, lymph nodes of axilla and upper limb	
C84.95	Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower limb	
C84.96	Mature, T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes	
C84.97	Mature T/NK-cell lymphomas, unspecified, spleen	
C84.98	Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites	
C84.99	Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites	
C84.Z0	Other mature T/NK-cell lymphomas, unspecified site	
C84.Z1	Other mature T/NK-cell lymphomas, lymph nodes of head, face and neck	
C84.Z2	Other mature T/NK-cell lymphomas, intrathoracic lymph nodes	
C84.Z3	Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes	
C84.Z4	Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb	
C84.Z5	Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb	
C84.Z6	Other mature T/NK-cell lymphomas, intrapelvic lymph nodes	
C84.Z7	Other mature T/NK-cell lymphomas, spleen	
C84.Z8	Other mature T/NK-cell lymphomas, lymph nodes of multiple sites	
C84.Z9	Other mature T/NK-cell lymphomas, extranodal and solid organ sites	
C85.10	Unspecified B-cell lymphoma, unspecified site	
C85.11	Unspecified B-cell lymphoma, lymph nodes of head, face, and neck	
C85.12	Unspecified B-cell lymphoma, intrathoracic lymph nodes	
C85.13	Unspecified B-cell lymphoma, intra-abdominal lymph nodes	
C85.14	Unspecified B-cell lymphoma, lymph nodes of axilla and upper limb	
C85.15	Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb	
C85.16	Unspecified B-cell lymphoma, intrapelvic lymph nodes	



ICD-10	ICD-10 Description	
C85.17	Unspecified B-cell lymphoma, spleen	
C85.18	Unspecified B-cell lymphoma, lymph nodes of multiple sites	
C85.19	Unspecified B-cell lymphoma, extranodal and solid organ sites	
C85.20	Mediastinal (thymic) large B-cell lymphoma, unspecified sites	
C85.21	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face and neck	
C85.22	Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes	
C85.23	Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes	
C85.24	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb	
C85.25	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb	
C85.26	Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes	
C85.27	Mediastinal (thymic) large B-cell lymphoma, spleen	
C85.28	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites	
C85.29	Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites	
C85.80	Other specified types of non-Hodgkin lymphoma, unspecified site	
C85.81	Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face and neck	
C85.82	Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes	
C85.83	Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes	
C85.84	Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb	
C85.85	Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region of lower limb	
C85.86	Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes	
C85.87	Other specified types of non-Hodgkin lymphoma, spleen	
C85.88	Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites	
C85.89	Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites	
C86.0	Extranodal NK/T-cell lymphoma nasal type	
C86.1	Hepatosplenic T-cell lymphoma	
C86.2	Enteropathy-type (intestinal) T-cell lymphoma	
C86.5	Angioimmunoblastic T-cell lymphoma	
C86.6	Primary cutaneous CD30-positive T-cell proliferations	
C91.10	Chronic lymphocytic leukemia of B-cell type not having achieved remission	
C91.12	Chronic lymphocytic leukemia of B-cell type in relapse	
C91.50	Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission	
C91.52	Adult T-cell lymphoma/leukemia (HTLV-1-associated) in relapse	
D09.0	Carcinoma in situ of bladder	
D37.1	Neoplasm of uncertain behavior of stomach	
D37.8	Neoplasm of uncertain behavior of other specified digestive organs	



ICD-10	ICD-10 Description	
D37.9	Neoplasm of uncertain behavior of digestive organ, unspecified	
D47.Z1	Post-transplant lymphoproliferative disorder (PTLD)	
E16.1	Other hypoglycemia	
E16.3	Increased secretion of glucagon	
E16.8	Other specified disorders of pancreatic internal secretion	
E34.0	Carcinoid syndrome	
Z85.00	Personal history of malignant neoplasm of unspecified digestive organ	
Z85.01	Personal history of malignant neoplasm of esophagus	
Z85.020	Personal history of malignant carcinoid tumor of stomach	
Z85.028	Personal history of other malignant neoplasm of stomach	
Z85.030	Personal history of malignant carcinoid tumor of large intestine	
Z85.038	Personal history of other malignant neoplasm of large intestine	
Z85.040	Personal history of malignant carcinoid tumor of rectum	
Z85.060	Personal history of malignant carcinoid tumor of small intestine	
Z85.068	Personal history of other malignant neoplasm of small intestine	
Z85.07	Personal history of malignant neoplasm of pancreas	
Z85.09	Personal history of malignant neoplasm of other digestive organs	
Z85.43	Personal history of malignant neoplasm of ovary	
Z85.47	Personal history of malignant neoplasm of testis	
Z85.51	Personal history of malignant neoplasm of bladder	
Z85.71	Personal history of Hodgkin lymphoma	
Z85.858	Personal history of malignant neoplasm of other endocrine glands	

# Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Articles (LCAs) and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at: <a href="https://www.cms.gov/medicare-coverage-database/search.aspx">https://www.cms.gov/medicare-coverage-database/search.aspx</a>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCA/LCD): N/A

Medicare Part B Administrative Contractor (MAC) Jurisdictions				
Jurisdiction	Applicable State/US Territory	Contractor		
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC		
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC		



Medicare Part B Administrative Contractor (MAC) Jurisdictions				
Jurisdiction	Applicable State/US Territory	Contractor		
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)		
6	MN, WI, IL	National Government Services, Inc. (NGS)		
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.		
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)		
N (9)	FL, PR, VI	First Coast Service Options, Inc.		
J (10)	TN, GA, AL	Palmetto GBA, LLC		
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC		
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.		
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)		
15	KY, OH	CGS Administrators, LLC		

